

EMSL Analytical, Inc.208 Stonehenge Lane
Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528



Attn.:

Commercial Lab Enterprise
270 Swinton Avenue
Bronx, NY 10465

Wednesday, October 31, 2001

Ref Number: LI0116450


**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM)
Performed by EPA 40 CFR Part 763 Final Rule (AHERA)**

Project: BLDG 3 40 HARRISON ST NY, NY 32ND FLR

Sample ID	Volume (liters)	Asbestos Type(s)	# STRUCTURES		Area Analyzed (mm ²)	Analytical Sensitivity (S/cc)	Asbestos Concentration	
			$\geq 0.5\mu -$ $< 5\mu$	$\geq 5\mu$ Non- Asbestos			(S/mm ²)	(S/cc)
242	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
243	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
244	1300.00	None Detected		1	0.0635	0.0047	<15.75	<0.0047
245	1290.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
246	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
371	1200.00	None Detected		0	0.0635	0.0051	<15.75	<0.0051

Keith McWilliams

Analyst


 Approved
Signatory

Disclaimers: This laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non laboratory personnel. This laboratory is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

1

Accredited for NVLAP PLW/TEM #101048-10, NY LLAP #11459, CA ELAP 2339, CT PH 0249

CITY_21MC100_012545271

EMSL Analytical, Inc.208 Stonehenge Lane
Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528



Attn.:

Commercial Lab Enterprise
270 Swinton Avenue
Bronx, NY 10465

Wednesday, October 31, 2001

Ref Number: LI0116450

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM)
Performed by EPA 40 CFR Part 763 Final Rule (AHERA)****Project: BLDG 3 40 HARRISON ST NY, NY 32ND FLR**

Sample ID	Volume (liters)	Asbestos Type(s)	# STRUCTURES		Area Analyzed (mm ²)	Analytical Sensitivity (S/cc)	Asbestos Concentration	
			$\geq 0.5\mu$ - < 5μ	Non- Asbestos			(S/mm ²)	(S/cc)
372	1200.00	None Detected		0	0.0762	0.0042	<13.12	<0.0042
373	1200.00	None Detected		0	0.0762	0.0042	<13.12	<0.0042
374	1210.00	None Detected		0	0.0762	0.0042	<13.12	<0.0042
375	1200.00	None Detected		0	0.0762	0.0042	<13.12	<0.0042
376	1320.00	None Detected		0	0.0762	0.0038	<13.12	<0.0038
377	1320.00	None Detected		0	0.0762	0.0038	<13.12	<0.0038

Daniel Clarke

Analyst

Approved
Signatory

Disclaimers: This laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non laboratory personnel. This laboratory is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

2

Accredited for NVLAP PLM/TEM #101048-10, NY ELAP 11453, CA ELAP 2338, CT PH 0743

CITY_21MC100_012545272

EMSL Analytical, Inc.

208 Stonehenge Lane

Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528



Attn.:

Commercial Lab Enterprise

270 Swinton Avenue

Bronx, NY 10465

Wednesday, October 31, 2001

Ref Number: LI0116450

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM)
Performed by EPA 40 CFR Part 763 Final Rule (AHERA)**

Project: BLDG 3 40 HARRISON ST NY, NY 32ND FLR

Sample ID	Volume (liters)	Asbestos Type(s)	# STRUCTURES		Area Analyzed (mm ²)	Analytical Sensitivity (S/cc)	Asbestos Concentration	
			$\geq 0.5\mu$ - < 5μ	$\geq 5\mu$ Non- Asbestos			(S/mm ²)	(S/cc)
378	1320.00	None Detected		0	0.0635	0.0046	<15.75	<0.0046
379	1320.00	None Detected		0	0.0635	0.0046	<15.75	<0.0046
380	1320.00	None Detected		0	0.0635	0.0046	<15.75	<0.0046
381	1500.00	None Detected		0	0.0635	0.0040	<15.75	<0.0040
382	1500.00	None Detected		0	0.0635	0.0040	<15.75	<0.0040
383	1500.00	None Detected		0	0.0635	0.0040	<15.75	<0.0040

Daniel Clarke

Analyst

Approved
Signatory

Disclaimers: This laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This laboratory is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

3

Accredited for NVLAP PLM/TEM #1010-B-10, NY ELAP 11469, CA ELAP 2338, CT PH 0240

CITY_21MC100_012545273

EMSL Analytical, Inc.208 Stonehenge Lane
Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528



Attn.:

Commercial Lab Enterprise
270 Swinton Avenue
Bronx, NY 10465

Wednesday, October 31, 2001

Ref Number: LI0116450

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM)
Performed by EPA 40 CFR Part 763 Final Rule (AHERA)**

Project: BLDG 3 40 HARRISON ST NY, NY 32ND FLR

Sample ID	Volume (liters)	Asbestos Type(s)	# STRUCTURES		Area Analyzed (mm ²)	Analytical Sensitivity (S/cc)	Asbestos Concentration	
			$\geq 0.5\mu$ - < 5μ	$\geq 5\mu$ Non- Asbestos			(S/mm ²)	(S/cc)
384	1200.00	None Detected		0	0.0635	0.0051	<15.75	<0.0051
385	1500.00	None Detected		0	0.0635	0.0040	<15.75	<0.0040
386	1200.00	None Detected		0	0.0762	0.0042	<13.12	<0.0042
387	1200.00	None Detected		0	0.0762	0.0042	<13.12	<0.0042
388	1200.00	None Detected		0	0.0762	0.0042	<13.12	<0.0042
389	1200.00	None Detected		0	0.0762	0.0042	<13.12	<0.0042

Daniel Clarke

Analyst

Approved
Signatory

Disclaimers. This laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This laboratory is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

4

Accredited for NVLAP PLM/TEM #101048-10, NY ELAP 11453, CAL LAP 2339, CT P11-0249

CITY_21MC100_012545274

EMSL Analytical, Inc.208 Stonehenge Lane
Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528



Attn.:

Commercial Lab Enterprise
270 Swinton Avenue
Bronx, NY 10465

Wednesday, October 31, 2001

Ref Number: LI0116450

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM)
Performed by EPA 40 CFR Part 763 Final Rule (AHERA)**

Project: BLDG 3 40 HARRISON ST NY, NY 32ND FLR

STRUCTURES

Sample ID	Volume (liters)	Asbestos Type(s)	# STRUCTURES		Area Analyzed (mm ²)	Analytical Sensitivity (S/cc)	Asbestos Concentration	
			$\geq 0.5\mu$ < 5μ	$\geq 5\mu$ Non-Asbestos			(S/mm ²)	(S/cc)
390	1200.00	None Detected		0	0.0762	0.0042	<13.12	<0.0042
391	1500.00	None Detected		0	0.0635	0.0040	<15.75	<0.0040
392	1500.00	None Detected		0	0.0635	0.0040	<15.75	<0.0040
393	1500.00	None Detected		0	0.0635	0.0040	<15.75	<0.0040
394	1490.00	None Detected		0	0.0635	0.0041	<15.75	<0.0041
395	1500.00	None Detected		0	0.0635	0.0040	<15.75	<0.0040

Daniel Clarke

Analyst

Approved
Signatory

Disclaimers: This laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This laboratory is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

Accredited for NVLAP PLM: L.M. #101646-10, NY ELAP 11469, CA ELAP 2339, CT P11-0749

CITY_21MC100_012545275

EMSL Analytical, Inc.208 Stonehinge Lane
Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528



Attn.:

Commercial Lab Enterprise
270 Swinton Avenue
Bronx, NY 10465

Wednesday, October 31, 2001

Ref Number: LI0116450

Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM)
Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Project: BLDG 3 40 HARRISON ST NY, NY 32ND FLR

Sample ID	Volume (liters)	Asbestos Type(s)	# STRUCTURES		Area Analyzed (mm ²)	Analytical Sensitivity (S/cc)	Asbestos Concentration	
			$\geq 0.5\mu$ - < 5μ	$\geq 5\mu$ Non- Asbestos			(S/mm ²)	(S/cc)
396	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
397	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
398	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
399	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
400	1310.00	None Detected		0	0.0635	0.0046	<15.75	<0.0046
401	1350.00	None Detected		0	0.0635	0.0045	<15.75	<0.0045

Daniel Clarke

Analyst

Approved
Signatory

Disclaimers: This laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This laboratory is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.


6

Accredited for NVLAP PLM/T:M #101048-10 NY ELAP 11460, CA ELAP 2335, CT PH 0245

CITY_21MC100_012545276

EMSL Analytical, Inc.208 Stonehinge Lane
Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528



Attn.:

Commercial Lab Enterprise
270 Swinton Avenue
Bronx, NY 10465

Wednesday, October 31, 2001

Ref Number: LI0116450

Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Project: BLDG 3 40 HARRISON ST NY, NY 32ND FLR

Sample ID	Volume (liters)	Asbestos Type(s)	# STRUCTURES		Area Analyzed (mm ²)	Analytical Sensitivity (S/cc)	Asbestos Concentration	
			≥ 0.5μ - < 5μ	≥ 5μ Non-Asbestos			(S/mm ²)	(S/cc)
402	1350.00	None Detected		0	0.0635	0.0045	<15.75	<0.0045
403	1350.00	None Detected		0	0.0635	0.0045	<15.75	<0.0045
404	1350.00	None Detected		0	0.0635	0.0045	<15.75	<0.0045
405	1350.00	None Detected		0	0.0635	0.0045	<15.75	<0.0045
406	1350.00	None Detected		0	0.0635	0.0045	<15.75	<0.0045
407	1360.00	None Detected		0	0.0635	0.0045	<15.75	<0.0045

Daniel Clarke

Analyst

Approved
Signatory

Disclaimers: This laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non laboratory personnel. This laboratory is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

7

Accredited for NVLAP PLM/TEM #101048-10, NY ELAP 11469, CA ELAP 23321, CT PLH-0249

CITY_21MC100_012545277

EMSL Analytical, Inc.208 Stonehenge Lane
Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528



Attn.:

Commercial Lab Enterprise
270 Swinton Avenue
Bronx, NY 10465

Wednesday, October 31, 2001

Ref Number: LI0116450

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM)
Performed by EPA 40 CFR Part 763 Final Rule (AHERA)****Project: BLDG 3 40 HARRISON ST NY, NY 32ND FLR**

Sample ID	Volume (liters)	Asbestos Type(s)	# STRUCTURES		Area Analyzed (mm ²)	Analytical Sensitivity (S/cc)	Asbestos Concentration	
			≥ 0.5μ - < 5μ	≥ 5μ Non- Asbestos			(S/mm ²)	(S/cc)
408	1300.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
409	1290.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
410	1280.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
411	1280.00	None Detected		0	0.0635	0.0047	<15.75	<0.0047
412	1270.00	None Detected		0	0.0635	0.0048	<15.75	<0.0048
413		None Detected		0	0.0635		<15.75	

Daniel Clarke

Analyst

Approved
Signatory

Disclaimers: This laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This laboratory is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

8

EMSL is a member of the NVLAP PLM/TEM #101048-10, NY ELAP 11466, CA ELAP 2339, CT PH 0249.

CITY_21MC100_012545278

EMSL Analytical, Inc.208 Stonehenge Lane
Carle Place, NY 11514

Phone: (516) 997-7251 Fax: (516) 997-7528



Attn.:

Commercial Lab Enterprise
270 Swinton Avenue
Bronx, NY 10465

Wednesday, October 31, 2001

Ref Number: LI0116450

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM)
Performed by EPA 40 CFR Part 763 Final Rule (AHERA)****Project: BLDG 3 40 HARRISON ST NY, NY 32ND FLR**

Sample ID	Volume (liters)	Asbestos Type(s)	# STRUCTURES		Area Analyzed (mm ²)	Analytical Sensitivity (S/cc)	Asbestos Concentration	
			$\geq 0.5\mu$ - $< 5\mu$	$\geq 5\mu$ Non- Asbestos			(S/mm ²)	(S/cc)
414		None Detected		0	0.0635		<15.75	
415		None Detected		0	0.0635		<15.75	

Daniel Clarke

Analyst

Approved
Signatory

Disclaimers: This laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non laboratory personnel. This laboratory is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by EMSL. This report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

9

Accredited for NVLAP PLM/TEM #101048-10, NY ELAP 11468, CA ELAP 2339, CT PH-0249

CITY_21MC100_012545279