

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

OCTOBER 2001

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm ²	S/cc*	EPA GUIDELINE
10/09/01	4PM – 12AM	Pier 25 across from North exit of school	2	1	42.86	0.0128	70 s/mm ²
		Pier 25 East side by unloading truck area	0	0	NSD < 14.29	<0.0043	
10/10/01	12AM – 8AM	Pier 25 across from North exit of school	0	0	NSD < 16.60	<0.0049	70 s/mm ²
		Pier 25 East side by unloading truck area	0	0	NSD < 16.60	<0.0046	
	8AM – 4PM	Pier 25 across from North exit of school	1	0	16.67	0.0045	
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	
		Pier 25 East side by unloading truck area	1	0	16.67	0.0045	
10/11/01	12AM – 8AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 across from North exit of school	1	0	16.67	0.0047	
		Pier 25 East side by unloading truck area	0	1	16.67	0.0047	
	4PM – 12AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	
10/12/01	12AM – 8AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
10/13/01	12AM – 8AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	
10/14/01	12AM – 8AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	
		Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (µ)	> 5.0 (µ)	S/mm ²	S/cc*	EPA GUIDELINE
10/15/01	12AM – 8AM	Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0044	
		Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0044	
	4PM – 12AM	Pier 25 East side by unloading truck area	0	0	NSD < 16.67	<0.0045	
		Pier 25 across from North exit of school	0	0	NSD < 16.67	<0.0045	
10/16/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/17/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	1	16.67	0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/18/01	12AM – 8AM	Pier 25 - North entrance of HS/East	No report	No report	No report	No report	70 s/mm ²
		Pier 25 - North entrance of HS/West	No report	No report	No report	No report	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0044	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0044	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/19/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	1	0	16.67	0.0044	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0044	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/20/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	1	16.67	0.0045	70 s/mm ²

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm ²	S/cc*	EPA GUIDELINE
	8AM – 4PM	Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/21/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/22/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/23/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0046	70 s/mm ²
		Pier 25 - North entrance of HS/West	1	0	16.67	0.0046	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/24/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/25/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm ²	S/cc*	EPA GUIDELINE
	4PM – 12AM	Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/26/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/27/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/28/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0047	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0047	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/29/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
10/30/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (µ)	> 5.0 (µ)	S/mm ²	S/cc*	EPA GUIDELINE
10/31/01	12AM – 8AM	Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

CONFIDENTIAL,

CITY_21MC100_011751357

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

NOVEMBER 2001

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm ²	S/cc*	EPA GUIDELINE
11/01/01	12AM – 8AM	Pier 25 - North entrance of HS/East	No report	No report	No report	No report	70 s/mm ²
		Pier 25 - North entrance of HS/West	No report	No report	No report	No report	
	8AM – 4PM	Pier 25 - North entrance of HS/East	No report	No report	No report	No report	
		Pier 25 - North entrance of HS/West	No report	No report	No report	No report	
	4PM – 12AM	Pier 25 - North entrance of HS/East	No report	No report	No report	No report	
		Pier 25 - North entrance of HS/West	No report	No report	No report	No report	
11/02/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/03/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/04/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/05/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/06/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm ²	S/cc*	EPA GUIDELINE
	8AM – 4PM	Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/07/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	1	0	16.67	0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/08/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	1	16.67	0.0045	
11/09/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	No Report	No Report	No Report	No Report	
		Pier 25 - North entrance of HS/West	No Report	No Report	No Report	No Report	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/10/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/11/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (µ)	> 5.0 (µ)	S/mm ²	S/cc*	EPA GUIDELINE
11/12/01	4PM – 12AM	Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
11/13/01	4PM – 12AM	Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
11/14/01	4PM – 12AM	Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
11/15/01	4PM – 12AM	Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
11/16/01	4PM – 12AM	Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm ²	S/cc*	EPA GUIDELINE
11/17/01	12AM – 8AM	Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
11/18/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/19/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/20/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/21/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/22/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm ²	S/cc*	EPA GUIDELINE
	8AM – 4PM	Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/23/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
11/24/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	No Report	No Report	No Report	No Report	
11/25/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
11/26/01	12AM – 8AM	Pier 25 - North entrance of HS/East	No Report	No Report	No Report	No Report	70 s/mm ²
		Pier 25 - North entrance of HS/West	No Report	No Report	No Report	No Report	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
11/27/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (µ)	> 5.0 (µ)	S/mm ²	S/cc*	EPA GUIDELINE
11/28/01	4PM – 12AM	Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/29/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
11/30/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

CONFIDENTIAL,

CITY_21MC100_011751363

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DECEMBER 2001

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm ²	S/cc*	EPA GUIDELINE
12/01/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/02/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/03/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/04/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.51	<0.0050	
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.51	<0.0050	
12/05/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.51	<0.0050	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.51	<0.0050	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/06/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (µ)	> 5.0 (µ)	S/mm ²	S/cc*	EPA GUIDELINE
12/07/01	8AM – 4PM	Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/East	0	0	NSD < 18.51	<0.0047	
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.51	<0.0047	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 15.87	<0.0043	
		Pier 25 - North entrance of HS/West	0	0	NSD < 15.87	<0.0043	
		Pier 25 - North entrance of HS/East	0	0	NSD < 15.87	<0.0045	
	12AM – 8AM	Pier 25 - North entrance of HS/West	0	0	NSD < 15.87	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 15.87	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/08/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/09/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0049	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0049	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0049	
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0049	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0049	
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0049	
12/10/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0049	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0049	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0049	
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0049	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0049	
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0049	
12/11/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0049	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0050	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0050	

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm ²	S/cc*	EPA GUIDELINE
12/12/01	4PM – 12AM	Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0050	
		Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0050	
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0050	
	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0050	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0050	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0050	
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0050	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0050	
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0050	
12/13/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 18.52	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 18.52	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/14/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/15/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/16/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (µ)	> 5.0 (µ)	S/mm ²	S/cc*	EPA GUIDELINE
12/17/01	12AM – 8AM	Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/18/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/ West	0	0	NSD < 16.67	<0.0045	
12/19/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/20/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/21/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/22/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (µ)	> 5.0 (µ)	S/mm ²	S/cc*	EPA GUIDELINE
12/23/01	8AM – 4PM	Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
12/24/01	12AM – 8AM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	8AM – 4PM	Pier 25 - North entrance of HS/East	0	0	NSD < 16.67	<0.0045	
		Pier 25 - North entrance of HS/West	0	0	NSD < 16.67	<0.0045	
	4PM – 12AM	Pier 25 - North entrance of HS/East	No Report	No Report	No Report	No Report	
		Pier 25 - North entrance of HS/West	No Report	No Report	No Report	No Report	
		Pier 25 - North entrance of HS/East	No Report	No Report	No Report	No Report	
		Pier 25 - North entrance of HS/West	No Report	No Report	No Report	No Report	

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

CONFIDENTIAL,

CITY_21MC100_011751368

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

JANUARY 2002

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm ²	S/cc*	EPA GUIDELINE
01/02/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/03/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/04/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/05/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/06/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/07/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/08/02	7 AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/09/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/10/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/11/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/12/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/13/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/14/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/15/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/16/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/17/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0045	70 s/mm ²

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (µ)	> 5.0 (µ)	S/mm ²	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0045	
01/21/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/22/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/23/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/24/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/25/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/26/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/27/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/28/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/29/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/30/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/31/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

CONFIDENTIAL,

CITY_21MC100_011751370

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

FEBRUARY 2002

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	St/mm ²	S/cc*	EPA GUIDELINE
02/01/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/02/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/03/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/04/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/05/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/06/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/07/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/08/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/09/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/10/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/11/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/12/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/13/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/14/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/15/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	St/mm ²	S/cc*	EPA GUIDELINE
02/16/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/17/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/18/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/19/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/20/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/21/02	7AM – 5PM	Pier 25 - North entrance of HS/East	No report	No report			70 s/mm ²
		Pier 25 - North entrance of HS/West	No report	No report			
02/22/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/23/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/24/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/25/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/26/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/27/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
02/28/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

CONFIDENTIAL,

CITY_21MC100_011751372

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

MARCH 2002

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	St/mm ²	S/cc*	EPA GUIDELINE
03/01/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/02/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/03/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
3/4/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/05/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/06/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/07/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/08/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/09/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
03/10/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/11/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
03/12/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/13/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0047	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0047	
03/14/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/15/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0045	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0046	
03/16/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	St/mm ²	S/cc*	EPA GUIDELINE
03/17/02	7AM – 5PM	Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/18/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/19/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0045	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0045	
03/20/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
03/21/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/22/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/23/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0040	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0040	
03/24/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/25/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/26/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/27/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/28/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
03/29/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
03/30/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
3/31/02	7 AM – 5 PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm ²
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
03/21/02	7AM – 5PM	Pier 25 – North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²

SUMMARY REPORT
STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	St/mm ²	S/cc*	EPA GUIDELINE
		Pier 25 – North entrance of HS/West	0	0	NSD < 20.00	<0.0043	

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

CONFIDENTIAL,

CITY_21MC100_011751375

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

APRIL 2002

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	St/mm ²	S/cc*	EPA GUIDELINE
04/01/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/02/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
04/03/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/04/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
04/05/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/06/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
04/07/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0044	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0044	
04/08/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	N/A	N/A	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	N/A	N/A	
04/09/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/10/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/11/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/12/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/13/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/14/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/15/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/16/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (µ)	> 5.0 (µ)	St/mm ²	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/17/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0042	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0042	
04/18/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0040	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0040	
04/19/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/20/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/21/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/22/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0042	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0042	
04/23/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/24/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/25/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 40.00	<0.0086	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/26/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/27/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/28/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/29/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
04/30/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

MAY 2002

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	St/mm ²	S/cc*	EPA GUIDELINE
05/01/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/02/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/03/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/04/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/05/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/06/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/07/02	7AM – 5PM	Pier 25 - North entrance of HS/East	No report	No report			70 s/mm ²
		Pier 25 - North entrance of HS/West	No report	No report			
05/08/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/09/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/10/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/11/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/12/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/13/02	7AM – 5PM	Pier 25 - North entrance of HS/East	No report	No report			70 s/mm ²
		Pier 25 - North entrance of HS/West	No report	No report			
05/14/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/15/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/16/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²

Page 26 of 27

Updated: May 28, 2002 12:45 PM

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

CONFIDENTIAL,

CITY_21MC100_011751378

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	St/mm ²	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
05/17/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
		Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	
05/18/02	7AM – 5PM	Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	
05/19/02	7AM – 5PM	Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	
05/20/02	7AM – 5PM	Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	

NSD = no structures detected

Regulatory standards: All samples were analyzed using transmission electron microscopy (TEM), which provides results that are specific for the presence of asbestos fibers. Using this method, the EPA guideline for acceptable concentrations is **70 structures per square millimeter (s/mm²)**.

\\hp\wte_docs\stuyvesant air monitoring results\table of air results for stuyvesant.doc