NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES
4419 Pottsville Pike Reading, PA 19605
(Tel) 610-921-8833 (Fax) 610-921-9667

INDUSTRIAL HYGIENE — ENVIRONMENTAL TESTING

•EPA PA-00136 •NY DOH/NELAC 10903 •NJ DEP PA020
•AIHA ACCREDITATION NO. 100439 •PA DEP 06-353 •CT DPH PH-0238
•NC DENR 599

Date: *07-Apr-03*

CLIENT: JLC Env. Consultants Inc. **Lab Order:** R03040014
Project: NYC DEP (PAH wipes)

Lab ID: R03040014-01 **Collection Date:** 3/29/2003
Client Sample ID: 8th Floor SR-01 **Matrix:** WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLY AROMATIC HYDROCARBONS		**SW8270C**				Analyst: **MDJ**
Acenaphthene	BRL	1.0		µg, Total	1	4/3/2003 3:46:00 PM
Acenaphthylene	BRL	1.0		µg, Total	1	4/3/2003 3:46:00 PM
Anthracene	BRL	1.0		µg, Total	1	4/3/2003 3:46:00 PM
Benzo(a)anthracene	BRL	1.0		µg, Total	1	4/3/2003 3:46:00 PM
Benzo(a)pyrene	BRL	1.0		µg, Total	1	4/3/2003 3:46:00 PM
Benzo(b)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 3:46:00 PM
Benzo(g,h,i)perylene	BRL	1.0		µg, Total	1	4/3/2003 3:46:00 PM
Benzo(k)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 3:46:00 PM
Chrysene	BRL	1.0		µg, Total	1	4/3/2003 3:46:00 PM
Dibenzo(a,h)anthracene	BRL	1.0		µg, Total	1	4/3/2003 3:46:00 PM
Fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 3:46:00 PM
Fluorene	BRL	1.0		µg, Total	1	4/3/2003 3:46:00 PM
Indeno(1,2,3-cd)pyrene	BRL	1.0		µg, Total	1	4/3/2003 3:46:00 PM
Naphthalene	BRL	1.0		µg, Total	1	4/3/2003 3:46:00 PM
Phenanthrene	BRL	1.0		µg, Total	1	4/3/2003 3:46:00 PM
Pyrene	BRL	1.0		µg, Total	1	4/3/2003 3:46:00 PM

Qualifiers:

BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

CONFIDENTIAL, SUBJECT TO PROTECTIVE ORDER NO. 1, JAN. 2013
CITY_DEP_WORBY_CANNATA_SUBP_000008991
NYC-WTC_000177557

NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES
4418 Pottsville Pike Reading, PA 19605
(Tel) 610-921-8933 (Fax) 610-921-8667

INDUSTRIAL HYGIENE | ENVIRONMENTAL TESTING

•EPA PA-00136 •NY DOH/NELAC 10903 •NJ DEP PA020
•AIHA ACCREDITATION NO. 100439 •PA DEP 06-353 •CT DPH PH-0238
•NC DENR 599

Date: *07-Apr-03*

CLIENT: JLC Env. Consultants Inc. **Lab Order:** R03040014
Project: NYC DEP (PAH wipes)

Lab ID: R03040014-02 **Collection Date:** 3/29/2003
Client Sample ID: 8th Floor SR-02 **Matrix:** WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLY AROMATIC HYDROCARBONS		**SW8270C**				Analyst: **MDJ**
Acenaphthene	BRL	1.0		µg, Total	1	4/3/2003 4:11:00 PM
Acenaphthylene	BRL	1.0		µg, Total	1	4/3/2003 4:11:00 PM
Anthracene	BRL	1.0		µg, Total	1	4/3/2003 4:11:00 PM
Benzo(a)anthracene	BRL	1.0		µg, Total	1	4/3/2003 4:11:00 PM
Benzo(a)pyrene	BRL	1.0		µg, Total	1	4/3/2003 4:11:00 PM
Benzo(b)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 4:11:00 PM
Benzo(g,h,i)perylene	BRL	1.0		µg, Total	1	4/3/2003 4:11:00 PM
Benzo(k)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 4:11:00 PM
Chrysene	BRL	1.0		µg, Total	1	4/3/2003 4:11:00 PM
Dibenzo(a,h)anthracene	BRL	1.0		µg, Total	1	4/3/2003 4:11:00 PM
Fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 4:11:00 PM
Fluorene	BRL	1.0		µg, Total	1	4/3/2003 4:11:00 PM
Indeno(1,2,3-cd)pyrene	BRL	1.0		µg, Total	1	4/3/2003 4:11:00 PM
Naphthalene	BRL	1.0		µg, Total	1	4/3/2003 4:11:00 PM
Phenanthrene	BRL	1.0		µg, Total	1	4/3/2003 4:11:00 PM
Pyrene	BRL	1.0		µg, Total	1	4/3/2003 4:11:00 PM

Qualifiers:

BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

CONFIDENTIAL, SUBJECT TO PROTECTIVE ORDER NO. 1, JAN. 2013
CITY_DEP_WORBY_CANNATA_SUBP_000008992
NYC-WTC_000177558

NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES
4410 Pottsville Pike Reading, PA 19605
(Tel) 610-921-8833 (Fax) 610-921-9667

INDUSTRIAL HYGIENE — ENVIRONMENTAL TESTING

•EPA PA-00136 •NY DOH/NELAC 10903 •NJ DEP PA020
•AIHA ACCREDITATION NO. 100439 •PA DEP 06-353 •CT DPH PH-0238
•NC DENR 599

Date: *07-Apr-03*

CLIENT: JLC Env. Consultants Inc. **Lab Order:** R03040014
Project: NYC DEP (PAH wipes)

Lab ID: R03040014-03 **Collection Date:** 3/29/2003
Client Sample ID: 8th Floor SR-03 **Matrix:** WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLY AROMATIC HYDROCARBONS		**SW8270C**				Analyst: **MDJ**
Acenaphthene	BRL	1.0		µg, Total	1	4/3/2003 4:35:00 PM
Acenaphthylene	BRL	1.0		µg, Total	1	4/3/2003 4:35:00 PM
Anthracene	BRL	1.0		µg, Total	1	4/3/2003 4:35:00 PM
Benzo(a)anthracene	BRL	1.0		µg, Total	1	4/3/2003 4:35:00 PM
Benzo(a)pyrene	BRL	1.0		µg, Total	1	4/3/2003 4:35:00 PM
Benzo(b)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 4:35:00 PM
Benzo(g,h,i)perylene	BRL	1.0		µg, Total	1	4/3/2003 4:35:00 PM
Benzo(k)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 4:35:00 PM
Chrysene	BRL	1.0		µg, Total	1	4/3/2003 4:35:00 PM
Dibenzo(a,h)anthracene	BRL	1.0		µg, Total	1	4/3/2003 4:35:00 PM
Fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 4:35:00 PM
Fluorene	BRL	1.0		µg, Total	1	4/3/2003 4:35:00 PM
Indeno(1,2,3-cd)pyrene	BRL	1.0		µg, Total	1	4/3/2003 4:35:00 PM
Naphthalene	BRL	1.0		µg, Total	1	4/3/2003 4:35:00 PM
Phenanthrene	BRL	1.0		µg, Total	1	4/3/2003 4:35:00 PM
Pyrene	BRL	1.0		µg, Total	1	4/3/2003 4:35:00 PM

Qualifiers:

BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

CONFIDENTIAL, SUBJECT TO PROTECTIVE ORDER NO. 1, JAN. 2013
CITY_DEP_WORBY_CANNATA_SUBP_000008993
NYC-WTC_000177559

NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES
4418 Pottsville Pike Reading, PA 19605
(Tel) 610-921-8933 (Fax) 610-921-9667

INDUSTRIAL HYGIENE | ENVIRONMENTAL TESTING

•EPA PA-00136 •NY DOH/NELAC 10908 •NJ DEP PA020
•AIHA ACCREDITATION NO. 100439 •PA DEP 06-353 •CT DPH PH-0238
•NC DENR 599

Date: *07-Apr-03*

CLIENT: JLC Env. Consultants Inc. **Lab Order:** R03040014
Project: NYC DEP (PAH wipes)

Lab ID: R03040014-04 **Collection Date:** 3/29/2003
Client Sample ID: 9th Floor SR-01 **Matrix:** WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLY AROMATIC HYDROCARBONS		**SW8270C**				Analyst: **MDJ**
Acenaphthene	BRL	1.0		µg, Total	1	4/3/2003 5:00:00 PM
Acenaphthylene	BRL	1.0		µg, Total	1	4/3/2003 5:00:00 PM
Anthracene	BRL	1.0		µg, Total	1	4/3/2003 5:00:00 PM
Benzo(a)anthracene	BRL	1.0		µg, Total	1	4/3/2003 5:00:00 PM
Benzo(a)pyrene	BRL	1.0		µg, Total	1	4/3/2003 5:00:00 PM
Benzo(b)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 5:00:00 PM
Benzo(g,h,i)perylene	BRL	1.0		µg, Total	1	4/3/2003 5:00:00 PM
Benzo(k)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 5:00:00 PM
Chrysene	BRL	1.0		µg, Total	1	4/3/2003 5:00:00 PM
Dibenzo(a,h)anthracene	BRL	1.0		µg, Total	1	4/3/2003 5:00:00 PM
Fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 5:00:00 PM
Fluorene	BRL	1.0		µg, Total	1	4/3/2003 5:00:00 PM
Indeno(1,2,3-cd)pyrene	BRL	1.0		µg, Total	1	4/3/2003 5:00:00 PM
Naphthalene	BRL	1.0		µg, Total	1	4/3/2003 5:00:00 PM
Phenanthrene	BRL	1.0		µg, Total	1	4/3/2003 5:00:00 PM
Pyrene	BRL	1.0		µg, Total	1	4/3/2003 5:00:00 PM

Qualifiers:

BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

CONFIDENTIAL, SUBJECT TO PROTECTIVE ORDER NO. 1, JAN. 2013
CITY_DEP_WORBY_CANNATA_SUBP_000008994
NYC-WTC_000177560

NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES
4416 Pottsville Pike Reading, PA 19605
(Tel) 610-921-8833 (Fax) 610-921-9667

INDUSTRIAL HYGIENE | ENVIRONMENTAL TESTING

•EPA PA-00136 •NY DOH/NELAC 10903 •NJ DEP PA020
•AIHA ACCREDITATION NO. 100439 •PA DEP 06-353 •CT DPH PH-0238
•NC DENR 599

Date: *07-Apr-03*

CLIENT: JLC Env. Consultants Inc. **Lab Order:** R03040014
Project: NYC DEP (PAH wipes)

Lab ID: R03040014-05 **Collection Date:** 3/29/2003
Client Sample ID: 9th Floor SR-02 **Matrix:** WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLY AROMATIC HYDROCARBONS		**SW8270C**				Analyst: **MDJ**
Acenaphthene	BRL	1.0		µg, Total	1	4/3/2003 5:24:00 PM
Acenaphthylene	BRL	1.0		µg, Total	1	4/3/2003 5:24:00 PM
Anthracene	BRL	1.0		µg, Total	1	4/3/2003 5:24:00 PM
Benzo(a)anthracene	BRL	1.0		µg, Total	1	4/3/2003 5:24:00 PM
Benzo(a)pyrene	BRL	1.0		µg, Total	1	4/3/2003 5:24:00 PM
Benzo(b)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 5:24:00 PM
Benzo(g,h,i)perylene	BRL	1.0		µg, Total	1	4/3/2003 5:24:00 PM
Benzo(k)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 5:24:00 PM
Chrysene	BRL	1.0		µg, Total	1	4/3/2003 5:24:00 PM
Dibenzo(a,h)anthracene	BRL	1.0		µg, Total	1	4/3/2003 5:24:00 PM
Fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 5:24:00 PM
Fluorene	BRL	1.0		µg, Total	1	4/3/2003 5:24:00 PM
Indeno(1,2,3-cd)pyrene	BRL	1.0		µg, Total	1	4/3/2003 5:24:00 PM
Naphthalene	BRL	1.0		µg, Total	1	4/3/2003 5:24:00 PM
Phenanthrene	BRL	1.0		µg, Total	1	4/3/2003 5:24:00 PM
Pyrene	BRL	1.0		µg, Total	1	4/3/2003 5:24:00 PM

Qualifiers:

BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

CONFIDENTIAL, SUBJECT TO PROTECTIVE ORDER NO. 1, JAN. 2013
CITY_DEP_WORBY_CANNATA_SUBP_000008995
NYC-WTC_000177561

NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES
4410 Pottsville Pike Reading, PA 19605
(Tel) 610-921-8833 (Fax) 610-921-9667

INDUSTRIAL HYGIENE ENVIRONMENTAL TESTING

•EPA PA-00136 •NY DOH/NELAC 10903 •NJ DEP PA020
•AIHA ACCREDITATION NO. 100439 •PA DEP 06-353 •CT DPH PH-0238
•NC DENR 599

Date: *07-Apr-03*

CLIENT: JLC Env. Consultants Inc. **Lab Order:** R03040014
Project: NYC DEP (PAH wipes)

Lab ID: R03040014-06 **Collection Date:** 3/29/2003
Client Sample ID: 9th Floor SR-03 **Matrix:** WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLY AROMATIC HYDROCARBONS		**SW8270C**				Analyst: **MDJ**
Acenaphthene	BRL	1.0		µg, Total	1	4/3/2003 5:49:00 PM
Acenaphthylene	BRL	1.0		µg, Total	1	4/3/2003 5:49:00 PM
Anthracene	BRL	1.0		µg, Total	1	4/3/2003 5:49:00 PM
Benzo(a)anthracene	BRL	1.0		µg, Total	1	4/3/2003 5:49:00 PM
Benzo(a)pyrene	BRL	1.0		µg, Total	1	4/3/2003 5:49:00 PM
Benzo(b)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 5:49:00 PM
Benzo(g,h,i)perylene	BRL	1.0		µg, Total	1	4/3/2003 5:49:00 PM
Benzo(k)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 5:49:00 PM
Chrysene	BRL	1.0		µg, Total	1	4/3/2003 5:49:00 PM
Dibenzo(a,h)anthracene	BRL	1.0		µg, Total	1	4/3/2003 5:49:00 PM
Fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 5:49:00 PM
Fluorene	BRL	1.0		µg, Total	1	4/3/2003 5:49:00 PM
Indeno(1,2,3-cd)pyrene	BRL	1.0		µg, Total	1	4/3/2003 5:49:00 PM
Naphthalene	BRL	1.0		µg, Total	1	4/3/2003 5:49:00 PM
Phenanthrene	BRL	1.0		µg, Total	1	4/3/2003 5:49:00 PM
Pyrene	BRL	1.0		µg, Total	1	4/3/2003 5:49:00 PM

Qualifiers:
BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

CONFIDENTIAL, SUBJECT TO PROTECTIVE ORDER NO. 1, JAN. 2013
CITY_DEP_WORBY_CANNATA_SUBP_000008996
NYC-WTC_000177562

NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES
4410 Pottsville Pike Reading, PA 19605
(Tel) 610-921-8933 (Fax) 610-921-9667

INDUSTRIAL HYGIENE | ENVIRONMENTAL TESTING

•EPA PA-00136 •NY DOH/NELAC 10903 •NJ DEP PA020
•AIHA ACCREDITATION NO. 100439 •PA DEP 06-353 •CT DPH PH-0238
•NC DENR 599

Date: *07-Apr-03*

CLIENT: JLC Env. Consultants Inc. **Lab Order:** R03040014
Project: NYC DEP (PAH wipes)

Lab ID: R03040014-07 **Collection Date:** 3/29/2003
Client Sample ID: 10th Floor SR-01 **Matrix:** WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLY AROMATIC HYDROCARBONS		**SW8270C**				Analyst: **MDJ**
Acenaphthene	BRL	1.0		µg, Total	1	4/3/2003 6:13:00 PM
Acenaphthylene	BRL	1.0		µg, Total	1	4/3/2003 6:13:00 PM
Anthracene	BRL	1.0		µg, Total	1	4/3/2003 6:13:00 PM
Benzo(a)anthracene	BRL	1.0		µg, Total	1	4/3/2003 6:13:00 PM
Benzo(a)pyrene	BRL	1.0		µg, Total	1	4/3/2003 6:13:00 PM
Benzo(b)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 6:13:00 PM
Benzo(g,h,i)perylene	BRL	1.0		µg, Total	1	4/3/2003 6:13:00 PM
Benzo(k)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 6:13:00 PM
Chrysene	BRL	1.0		µg, Total	1	4/3/2003 6:13:00 PM
Dibenzo(a,h)anthracene	BRL	1.0		µg, Total	1	4/3/2003 6:13:00 PM
Fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 6:13:00 PM
Fluorene	BRL	1.0		µg, Total	1	4/3/2003 6:13:00 PM
Indeno(1,2,3-cd)pyrene	BRL	1.0		µg, Total	1	4/3/2003 6:13:00 PM
Naphthalene	BRL	1.0		µg, Total	1	4/3/2003 6:13:00 PM
Phenanthrene	BRL	1.0		µg, Total	1	4/3/2003 6:13:00 PM
Pyrene	BRL	1.0		µg, Total	1	4/3/2003 6:13:00 PM

Qualifiers:

BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

CONFIDENTIAL, SUBJECT TO PROTECTIVE ORDER NO. 1, JAN. 2013
CITY_DEP_WORBY_CANNATA_SUBP_000008997
NYC-WTC_000177563

NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES
4418 Pottsville Pike Reading, PA 19605
(Tel) 610-521-8833 (Fax) 610-521-8667

INDUSTRIAL HYGIENE | ENVIRONMENTAL TESTING

•EPA PA-00136 •NY DOH/NELAC 10903 •NJ DEP PA020
•AIHA ACCREDITATION NO. 100439 •PA DEP 06-353 •CT DPH PH-0238
•NC DENR 599

Date: *07-Apr-03*

CLIENT: JLC Env. Consultants Inc. **Lab Order:** R03040014
Project: NYC DEP (PAH wipes)

Lab ID: R03040014-08 **Collection Date:** 3/29/2003
Client Sample ID: 10th Floor SR-02 **Matrix:** WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLY AROMATIC HYDROCARBONS		**SW8270C**				Analyst: **MDJ**
Acenaphthene	BRL	1.0		µg, Total	1	4/3/2003 6:37:00 PM
Acenaphthylene	BRL	1.0		µg, Total	1	4/3/2003 6:37:00 PM
Anthracene	BRL	1.0		µg, Total	1	4/3/2003 6:37:00 PM
Benzo(a)anthracene	BRL	1.0		µg, Total	1	4/3/2003 6:37:00 PM
Benzo(a)pyrene	BRL	1.0		µg, Total	1	4/3/2003 6:37:00 PM
Benzo(b)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 6:37:00 PM
Benzo(g,h,i)perylene	BRL	1.0		µg, Total	1	4/3/2003 6:37:00 PM
Benzo(k)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 6:37:00 PM
Chrysene	BRL	1.0		µg, Total	1	4/3/2003 6:37:00 PM
Dibenzo(a,h)anthracene	BRL	1.0		µg, Total	1	4/3/2003 6:37:00 PM
Fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 6:37:00 PM
Fluorene	BRL	1.0		µg, Total	1	4/3/2003 6:37:00 PM
Indeno(1,2,3-cd)pyrene	BRL	1.0		µg, Total	1	4/3/2003 6:37:00 PM
Naphthalene	BRL	1.0		µg, Total	1	4/3/2003 6:37:00 PM
Phenanthrene	BRL	1.0		µg, Total	1	4/3/2003 6:37:00 PM
Pyrene	BRL	1.0		µg, Total	1	4/3/2003 6:37:00 PM

Qualifiers:
BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

CONFIDENTIAL, SUBJECT TO PROTECTIVE ORDER NO. 1, JAN. 2013
CITY_DEP_WORBY_CANNATA_SUBP_000008998
NYC-WTC_000177564

NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES
4416 Pottsville Pike Reading, PA 19605
(Tel) 610-921-8933 (Fax) 610-921-9667

INDUSTRIAL HYGIENE | ENVIRONMENTAL TESTING

•EPA PA-00136 •NY DOH/NELAC 10903 •NJ DEP PA020
•AIHA ACCREDITATION NO. 100439 •PA DEP 06-353 •CT DPH PH-0238
•NC DENR 599

Date: *07-Apr-03*

CLIENT: JLC Env. Consultants Inc. **Lab Order:** R03040014
Project: NYC DEP (PAH wipes)

Lab ID: R03040014-09 **Collection Date:** 3/29/2003
Client Sample ID: 10th Floor SR-03 **Matrix:** WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLY AROMATIC HYDROCARBONS		**SW8270C**				Analyst: **MDJ**
Acenaphthene	BRL	1.0		µg, Total	1	4/3/2003 7:02:00 PM
Acenaphthylene	BRL	1.0		µg, Total	1	4/3/2003 7:02:00 PM
Anthracene	BRL	1.0		µg, Total	1	4/3/2003 7:02:00 PM
Benzo(a)anthracene	BRL	1.0		µg, Total	1	4/3/2003 7:02:00 PM
Benzo(a)pyrene	BRL	1.0		µg, Total	1	4/3/2003 7:02:00 PM
Benzo(b)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 7:02:00 PM
Benzo(g,h,i)perylene	BRL	1.0		µg, Total	1	4/3/2003 7:02:00 PM
Benzo(k)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 7:02:00 PM
Chrysene	BRL	1.0		µg, Total	1	4/3/2003 7:02:00 PM
Dibenzo(a,h)anthracene	BRL	1.0		µg, Total	1	4/3/2003 7:02:00 PM
Fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 7:02:00 PM
Fluorene	BRL	1.0		µg, Total	1	4/3/2003 7:02:00 PM
Indeno(1,2,3-cd)pyrene	BRL	1.0		µg, Total	1	4/3/2003 7:02:00 PM
Naphthalene	BRL	1.0		µg, Total	1	4/3/2003 7:02:00 PM
Phenanthrene	BRL	1.0		µg, Total	1	4/3/2003 7:02:00 PM
Pyrene	BRL	1.0		µg, Total	1	4/3/2003 7:02:00 PM

Qualifiers:

BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

CONFIDENTIAL, SUBJECT TO PROTECTIVE ORDER NO. 1, JAN. 2013
CITY_DEP_WORBY_CANNATA_SUBP_000008999
NYC-WTC_000177565

NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES
4418 Pottsville Pike Reading, PA 19605
(Tel) 610-921-8833 (Fax) 610-921-9667

INDUSTRIAL HYGIENE — ENVIRONMENTAL TESTING

•EPA PA-00135 •NY DOH/NELAC 10903 •NJ DEP PA020
•AIHA ACCREDITATION NO. 100439 •PA DEP 06-353 •CT DPH PH-0238
•NC DENR 599

Date: *07-Apr-03*

CLIENT: JLC Env. Consultants Inc. **Lab Order:** R03040014
Project: NYC DEP (PAH wipes)

Lab ID: R03040014-10 **Collection Date:** 3/29/2003
Client Sample ID: 11th(Down) Floor SR-01 **Matrix:** WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLY AROMATIC HYDROCARBONS		**SW8270C**				Analyst: **MDJ**
Acenaphthene	BRL	1.0		µg, Total	1	4/3/2003 7:26:00 PM
Acenaphthylene	BRL	1.0		µg, Total	1	4/3/2003 7:26:00 PM
Anthracene	BRL	1.0		µg, Total	1	4/3/2003 7:26:00 PM
Benzo(a)anthracene	BRL	1.0		µg, Total	1	4/3/2003 7:26:00 PM
Benzo(a)pyrene	BRL	1.0		µg, Total	1	4/3/2003 7:26:00 PM
Benzo(b)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 7:26:00 PM
Benzo(g,h,i)perylene	BRL	1.0		µg, Total	1	4/3/2003 7:26:00 PM
Benzo(k)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 7:26:00 PM
Chrysene	BRL	1.0		µg, Total	1	4/3/2003 7:26:00 PM
Dibenzo(a,h)anthracene	BRL	1.0		µg, Total	1	4/3/2003 7:26:00 PM
Fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 7:26:00 PM
Fluorene	BRL	1.0		µg, Total	1	4/3/2003 7:26:00 PM
Indeno(1,2,3-cd)pyrene	BRL	1.0		µg, Total	1	4/3/2003 7:26:00 PM
Naphthalene	BRL	1.0		µg, Total	1	4/3/2003 7:26:00 PM
Phenanthrene	BRL	1.0		µg, Total	1	4/3/2003 7:26:00 PM
Pyrene	BRL	1.0		µg, Total	1	4/3/2003 7:26:00 PM

Qualifiers:

BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

CONFIDENTIAL, SUBJECT TO PROTECTIVE ORDER NO. 1, JAN. 2013
CITY_DEP_WORBY_CANNATA_SUBP_000009000
NYC-WTC_000177566

NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES
4410 Pottsville Pike Reading, PA 19605
(Tel) 610-921-8933 (Fax) 610-921-9667

INDUSTRIAL HYGIENE | ENVIRONMENTAL TESTING

•EPA PA-00136 •NY DOH/NELAC 10903 •NJ DEP PA020
•AIHA ACCREDITATION NO. 100439 •PA DEP 06-353 •CT DPH PH-0238
•NC DENR 599

Date: *07-Apr-03*

CLIENT: JLC Env. Consultants Inc. **Lab Order:** R03040014
Project: NYC DEP (PAH wipes)

Lab ID: R03040014-11 **Collection Date:** 3/29/2003
Client Sample ID: 11th(Down) Floor SR-02 **Matrix:** WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLY AROMATIC HYDROCARBONS		**SW8270C**				Analyst: **MDJ**
Acenaphthene	BRL	1.0		µg, Total	1	4/3/2003 7:51:00 PM
Acenaphthylene	BRL	1.0		µg, Total	1	4/3/2003 7:51:00 PM
Anthracene	BRL	1.0		µg, Total	1	4/3/2003 7:51:00 PM
Benzo(a)anthracene	BRL	1.0		µg, Total	1	4/3/2003 7:51:00 PM
Benzo(a)pyrene	BRL	1.0		µg, Total	1	4/3/2003 7:51:00 PM
Benzo(b)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 7:51:00 PM
Benzo(g,h,i)perylene	BRL	1.0		µg, Total	1	4/3/2003 7:51:00 PM
Benzo(k)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 7:51:00 PM
Chrysene	BRL	1.0		µg, Total	1	4/3/2003 7:51:00 PM
Dibenzo(a,h)anthracene	BRL	1.0		µg, Total	1	4/3/2003 7:51:00 PM
Fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 7:51:00 PM
Fluorene	BRL	1.0		µg, Total	1	4/3/2003 7:51:00 PM
Indeno(1,2,3-cd)pyrene	BRL	1.0		µg, Total	1	4/3/2003 7:51:00 PM
Naphthalene	BRL	1.0		µg, Total	1	4/3/2003 7:51:00 PM
Phenanthrene	BRL	1.0		µg, Total	1	4/3/2003 7:51:00 PM
Pyrene	BRL	1.0		µg, Total	1	4/3/2003 7:51:00 PM

Qualifiers:

BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

CONFIDENTIAL, SUBJECT TO PROTECTIVE ORDER NO. 1, JAN. 2013
CITY_DEP_WORBY_CANNATA_SUBP_000009001
NYC-WTC_000177567

NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES
4418 Pottsville Pike Reading, PA 19605
(Tel) 610-921-8933 (Fax) 610-921-9667

INDUSTRIAL HYGIENE | ENVIRONMENTAL TESTING

•EPA PA-00135 •NY DOH/NELAC 10903 •NJ DEP PA020
•AIHA ACCREDITATION NO. 100439 •PA DEP 06-353 •CT DPH PH-0238
•NC DENR 599

Date: *07-Apr-03*

CLIENT: JLC Env. Consultants Inc. **Lab Order:** R03040014
Project: NYC DEP (PAH wipes)

Lab ID: R03040014-12 **Collection Date:** 3/29/2003
Client Sample ID: 11th(Down) Floor SR-03 **Matrix:** WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLY AROMATIC HYDROCARBONS		**SW8270C**				Analyst: **MDJ**
Acenaphthene	BRL	1.0		µg, Total	1	4/3/2003 8:16:00 PM
Acenaphthylene	BRL	1.0		µg, Total	1	4/3/2003 8:16:00 PM
Anthracene	BRL	1.0		µg, Total	1	4/3/2003 8:16:00 PM
Benzo(a)anthracene	BRL	1.0		µg, Total	1	4/3/2003 8:16:00 PM
Benzo(a)pyrene	BRL	1.0		µg, Total	1	4/3/2003 8:16:00 PM
Benzo(b)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 8:16:00 PM
Benzo(g,h,i)perylene	BRL	1.0		µg, Total	1	4/3/2003 8:16:00 PM
Benzo(k)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 8:16:00 PM
Chrysene	BRL	1.0		µg, Total	1	4/3/2003 8:16:00 PM
Dibenzo(a,h)anthracene	BRL	1.0		µg, Total	1	4/3/2003 8:16:00 PM
Fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 8:16:00 PM
Fluorene	BRL	1.0		µg, Total	1	4/3/2003 8:16:00 PM
Indeno(1,2,3-cd)pyrene	BRL	1.0		µg, Total	1	4/3/2003 8:16:00 PM
Naphthalene	BRL	1.0		µg, Total	1	4/3/2003 8:16:00 PM
Phenanthrene	BRL	1.0		µg, Total	1	4/3/2003 8:16:00 PM
Pyrene	BRL	1.0		µg, Total	1	4/3/2003 8:16:00 PM

Qualifiers:
BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

CONFIDENTIAL, SUBJECT TO PROTECTIVE ORDER NO. 1, JAN. 2013
CITY_DEP_WORBY_CANNATA_SUBP_000009002
NYC-WTC_000177568

NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES
4410 Pottsville Pike Reading, PA 19605
(Tel) 610-921-8933 (Fax) 610-921-8667

INDUSTRIAL HYGIENE ENVIRONMENTAL TESTING

•EPA PA-00136 •NY DOH/NELAC 10903 •NJ DEP PA020
•AIHA ACCREDITATION NO. 100439 •PA DEP 06-353 •CT DPH PH-0238
•NC DENR 599

Date: *07-Apr-03*

CLIENT: JLC Env. Consultants Inc. **Lab Order:** R03040014
Project: NYC DEP (PAH wipes)

Lab ID: R03040014-13 **Collection Date:** 3/29/2003
Client Sample ID: 11th(Up) Floor SR-01 **Matrix:** WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLY AROMATIC HYDROCARBONS		**SW8270C**				Analyst: **MDJ**
Acenaphthene	BRL	1.0		µg, Total	1	4/3/2003 8:40:00 PM
Acenaphthylene	BRL	1.0		µg, Total	1	4/3/2003 8:40:00 PM
Anthracene	BRL	1.0		µg, Total	1	4/3/2003 8:40:00 PM
Benzo(a)anthracene	BRL	1.0		µg, Total	1	4/3/2003 8:40:00 PM
Benzo(a)pyrene	BRL	1.0		µg, Total	1	4/3/2003 8:40:00 PM
Benzo(b)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 8:40:00 PM
Benzo(g,h,i)perylene	BRL	1.0		µg, Total	1	4/3/2003 8:40:00 PM
Benzo(k)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 8:40:00 PM
Chrysene	BRL	1.0		µg, Total	1	4/3/2003 8:40:00 PM
Dibenzo(a,h)anthracene	BRL	1.0		µg, Total	1	4/3/2003 8:40:00 PM
Fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 8:40:00 PM
Fluorene	BRL	1.0		µg, Total	1	4/3/2003 8:40:00 PM
Indeno(1,2,3-cd)pyrene	BRL	1.0		µg, Total	1	4/3/2003 8:40:00 PM
Naphthalene	BRL	1.0		µg, Total	1	4/3/2003 8:40:00 PM
Phenanthrene	BRL	1.0		µg, Total	1	4/3/2003 8:40:00 PM
Pyrene	BRL	1.0		µg, Total	1	4/3/2003 8:40:00 PM

Qualifiers:

BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

CONFIDENTIAL, SUBJECT TO PROTECTIVE ORDER NO. 1, JAN. 2013
CITY_DEP_WORBY_CANNATA_SUBP_000009003
NYC-WTC_000177569

NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES
4410 Pottsville Pike Reading, PA 19605
(Tel) 610-921-8933 (Fax) 610-921-8667

INDUSTRIAL HYGIENE | ENVIRONMENTAL TESTING

•EPA PA-00136 •NY DOH/NELAC 10903 •NJ DEP PA020
•AIHA ACCREDITATION NO. 100439 •PA DEP 06-353 •CT DPH PH-0238
•NC DENR 599

Date: *07-Apr-03*

CLIENT: JLC Env. Consultants Inc. **Lab Order:** R03040014
Project: NYC DEP (PAH wipes)

Lab ID: R03040014-14 **Collection Date:** 3/29/2003
Client Sample ID: 11th(Up) Floor SR-02 **Matrix:** WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLY AROMATIC HYDROCARBONS		**SW8270C**				Analyst: **MDJ**
Acenaphthene	BRL	1.0		µg, Total	1	4/3/2003 9:05:00 PM
Acenaphthylene	BRL	1.0		µg, Total	1	4/3/2003 9:05:00 PM
Anthracene	BRL	1.0		µg, Total	1	4/3/2003 9:05:00 PM
Benzo(a)anthracene	BRL	1.0		µg, Total	1	4/3/2003 9:05:00 PM
Benzo(a)pyrene	BRL	1.0		µg, Total	1	4/3/2003 9:05:00 PM
Benzo(b)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 9:05:00 PM
Benzo(g,h,i)perylene	BRL	1.0		µg, Total	1	4/3/2003 9:05:00 PM
Benzo(k)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 9:05:00 PM
Chrysene	BRL	1.0		µg, Total	1	4/3/2003 9:05:00 PM
Dibenzo(a,h)anthracene	BRL	1.0		µg, Total	1	4/3/2003 9:05:00 PM
Fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 9:05:00 PM
Fluorene	BRL	1.0		µg, Total	1	4/3/2003 9:05:00 PM
Indeno(1,2,3-cd)pyrene	BRL	1.0		µg, Total	1	4/3/2003 9:05:00 PM
Naphthalene	BRL	1.0		µg, Total	1	4/3/2003 9:05:00 PM
Phenanthrene	BRL	1.0		µg, Total	1	4/3/2003 9:05:00 PM
Pyrene	BRL	1.0		µg, Total	1	4/3/2003 9:05:00 PM

Qualifiers:
BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

CONFIDENTIAL, SUBJECT TO PROTECTIVE ORDER NO. 1, JAN. 2013
CITY_DEP_WORBY_CANNATA_SUBP_000009004
NYC-WTC_000177570

NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES
4418 Pottsville Pike Reading, PA 19605
(Tel) 610-921-8833 (Fax) 610-921-8667

INDUSTRIAL HYGIENE | ENVIRONMENTAL TESTING

•EPA PA-00136 •NY DOH/NELAC 10903 •NJ DEP PA020
•AIHA ACCREDITATION NO. 100439 •PA DEP 06-353 •CT DPH PH-0238
•NC DENR 599

Date: *07-Apr-03*

CLIENT: JLC Env. Consultants Inc. **Lab Order:** R03040014
Project: NYC DEP (PAH wipes)

Lab ID: R03040014-15 **Collection Date:** 3/29/2003
Client Sample ID: 11th(Up) Floor SR-03 **Matrix:** WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
POLY AROMATIC HYDROCARBONS		**SW8270C**				Analyst: **MDJ**
Acenaphthene	BRL	1.0		µg, Total	1	4/3/2003 9:30:00 PM
Acenaphthylene	BRL	1.0		µg, Total	1	4/3/2003 9:30:00 PM
Anthracene	BRL	1.0		µg, Total	1	4/3/2003 9:30:00 PM
Benzo(a)anthracene	BRL	1.0		µg, Total	1	4/3/2003 9:30:00 PM
Benzo(a)pyrene	BRL	1.0		µg, Total	1	4/3/2003 9:30:00 PM
Benzo(b)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 9:30:00 PM
Benzo(g,h,i)perylene	BRL	1.0		µg, Total	1	4/3/2003 9:30:00 PM
Benzo(k)fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 9:30:00 PM
Chrysene	BRL	1.0		µg, Total	1	4/3/2003 9:30:00 PM
Dibenzo(a,h)anthracene	BRL	1.0		µg, Total	1	4/3/2003 9:30:00 PM
Fluoranthene	BRL	1.0		µg, Total	1	4/3/2003 9:30:00 PM
Fluorene	BRL	1.0		µg, Total	1	4/3/2003 9:30:00 PM
Indeno(1,2,3-cd)pyrene	BRL	1.0		µg, Total	1	4/3/2003 9:30:00 PM
Naphthalene	BRL	1.0		µg, Total	1	4/3/2003 9:30:00 PM
Phenanthrene	BRL	1.0		µg, Total	1	4/3/2003 9:30:00 PM
Pyrene	BRL	1.0		µg, Total	1	4/3/2003 9:30:00 PM

Qualifiers:

BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

CONFIDENTIAL, SUBJECT TO PROTECTIVE ORDER NO. 1, JAN. 2013
CITY_DEP_WORBY_CANNATA_SUBP_000009005
NYC-WTC_000177571