



600 West Cummings Park, Suite 6500  
Woburn, Massachusetts 01801-6350  
www.atc-enviro.com  
781.932.9400  
Fax 781.932.6211

July 1, 2002

Mr. Bernard P. Orlan  
Director, Environmental Health & Safety  
New York City Board of Education  
28-11 Queens Plaza North  
Long Island City, NY 11101-4008

**Re: Wipe Samples for Dioxins**  
**P. S. 89M**  
**ATC Project No. 15-19125-0297**

Dear Mr. Orlan:

ATC Associates Inc. (ATC) is pleased to provide this report of the results of the wipe samples for polychlorinated dibenzo-p-dioxins (PCDDs) and dibenzofurans (PCDFs) collected on May 23, 2002 at the referenced location. The New York City Board of Education (BOE) requested these samples to evaluate possible contamination in the school building per the recommendation of Environ Corp., consultant to the parents association.

#### **SCOPE OF WORK**

The samples were collected using gauze pads and hexane as a solvent. The pads and solvent were provided and samples were analyzed by Pace Analytical Services, Inc. (Pace) of Minneapolis, MN, a laboratory experienced in dioxin analysis. The analysis was performed by modified EPA Method 8290 using combined capillary column gas chromatography/high resolution mass spectrometry.

Wagdi Abdelshahid, Industrial Hygienist of ATC's New York City office, collected the samples consistent with generally accepted industrial hygiene practices. There were inherent limitations created by constraints of time, operational and work practice variability, variations in contaminant concentrations, and sampling and analytical accuracy. The results of the sampling represent conditions found on the dates the samples were collected.

#### **WIPE SAMPLING RESULTS**

ATC submitted three (3) wipe samples for PCDDs/PCDFs to Pace for analysis. A copy of the laboratory analysis report is provided in the Attachment. Samples were taken from areas specified by the parents association consultant. The area of each sample one (1) square meter (1m<sup>2</sup>).

Each sample was analyzed for sixteen (16) PCDD/PCDF isomers. The results for each isomer were then converted to 2, 3, 7, 8 -tetrachloro-dibenzo-p-dioxin (2, 3, 7, 8-TCDD) equivalents by multiplying by an established equivalency factor.

CONFIDENTIAL,

CITY\_21MC100\_003474179

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

Mr. Bernard P. Orlan  
Wipe Samples for Dioxins  
P. S. 89 (Manhattan)

July 1, 2002

Page 2

ATC Project No. 15-19125-0297

This provides a single value (in nanograms) for the analytical results for each sample. The sample locations and the results are shown in the table:

**DIOXIN WIPE SAMPLE RESULTS  
(2, 3, 7, 8 TCDD EQUIVALENTS)**

May 23, 2002

| LOCATION/SAMPLE NUMBER                  | DIOXIN CONCENTRATION<br>(ng/m <sup>2</sup> ) |
|-----------------------------------------|----------------------------------------------|
| 1 <sup>st</sup> Floor Hallway-north/DX1 | 0.00                                         |
| 1 <sup>st</sup> Floor Hallway-south/DX2 | 0.00                                         |
| 2 <sup>nd</sup> Floor Hallway-south/DX3 | 0.00                                         |


The New York State Department of Health (NYSDOH) established guidelines for dioxin for the re-occupancy of the Binghamton State Office Building following a PCB fire. The NYSDOH guideline for dioxin on surfaces is 25 nanograms per square meter (25 ng/m<sup>2</sup>).

On 5/23/02, the concentrations on indoor surfaces were 0.00 nanograms per square meter (ng/m<sup>2</sup>) for all readings. The dioxin concentrations in all of these sample are *below* the NYSDOH guideline.

It is not possible to determine when the 2, 3, 7, 8 - TCDD equivalents detected in these samples were deposited. Dioxin samples were not collected from these locations prior to December 20, 2001.


It is our pleasure to provide these indoor environmental services to the NYC Board of Education. If you have any questions about this report, please call (212) 353-8280, extension 212.

Sincerely,  
**ATC ASSOCIATES INC.**



Yiannis Efstathiou  
Senior Project Manager

**Reviewed by:**



James R. Cohn, CIH, CSP  
Regional Manager  
Industrial Hygiene Division

Attachment

CONFIDENTIAL,

CITY\_21MC100\_003474180

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008