



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414

Tel: 612-607-1700
Fax: 612-607-6444

Method 8290 Blank Analysis Results

Client - ATC

Lab Sample ID	BLANK-1516	Matrix	WIPE
Filename	F20320A_05	Dilution	NA
Total Amount Extracted	1 m2	Extracted	03/14/2002
ICAL Date	01/24/2002	Analyzed	03/20/2002 11:49
CCal Filename(s)	F20320A_01 & F20320A_16	Injected By	MASB

Native Isomers	Conc ng/m2	EMPC ng/m2	LRL ng/m2	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	-----	0.00200	2,3,7,8-TCDF-13C	2.00	69
Total TCDF	ND	-----	0.00200	2,3,7,8-TCDD-13C	2.00	63
				1,2,3,7,8-PeCDF-13C	2.00	71
2,3,7,8-TCDD	ND	-----	0.00200	2,3,4,7,8-PeCDF-13C	2.00	69
Total TCDD	ND	-----	0.00200	1,2,3,7,8-PeCDD-13C	2.00	67
				1,2,3,4,7,8-HxCDF-13C	2.00	109
1,2,3,7,8-PeCDF	ND	-----	0.01000	1,2,3,6,7,8-HxCDF-13C	2.00	73
2,3,4,7,8-PeCDF	ND	-----	0.01000	2,3,4,6,7,8-HxCDF-13C	2.00	81
Total PeCDF	ND	-----	0.01000	1,2,3,7,8,9-HxCDF-13C	2.00	88
				1,2,3,4,7,8-HxCDD-13C	2.00	100
1,2,3,7,8-PeCDD	ND	-----	0.01000	1,2,3,6,7,8-HxCDD-13C	2.00	72
Total PeCDD	ND	-----	0.01000	1,2,3,4,6,7,8-HpCDF-13C	2.00	75
				1,2,3,4,7,8,9-HpCDF-13C	2.00	69
1,2,3,4,7,8-HxCDF	ND	-----	0.01000	1,2,3,4,6,7,8-HpCDD-13C	2.00	77
1,2,3,6,7,8-HxCDF	ND	-----	0.01000	OCDD-13C	4.00	68
2,3,4,6,7,8-HxCDF	ND	-----	0.01000			
1,2,3,7,8,9-HxCDF	ND	-----	0.01000	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	-----	0.01000	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	-----	0.01000	2,3,7,8-TCDD-37Cl4	0.20	66
1,2,3,6,7,8-HxCDD	ND	-----	0.01000			
1,2,3,7,8,9-HxCDD	ND	-----	0.01000			
Total HxCDD	ND	-----	0.01000			
1,2,3,4,6,7,8-HpCDF	ND	-----	0.01000	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	-----	0.01000	Equivalence: 0.0011 ng/m2		
Total HpCDF	ND	-----	0.01000	(Using ITE Factors)		
1,2,3,4,6,7,8-HpCDD	0.023	-----	0.01000 J			
Total HpCDD	0.046	-----	0.01000 J			
OCDF	ND	-----	0.02000			
OCDD	0.850	-----	0.02000			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
LRL = Lower Reporting Limit
J = Concentration detected is below the calibration range
P = Recovery outside of target range
A = Detection Limit based on signal-to-noise measurement

I = Interference
E = PCDE Interference
ND = Not Detected
NA = Not Applicable
NC = Not Calculated
* = See Discussion

Report No.....02-1054706

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

CONFIDENTIAL,

CITY_21MC100_003444425

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008