



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPANVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

• NY DOH/NELAC 10903
• PA DEP 06-353

• NJ DEP 77020
• CT DPH PH-0238

**Analytical Results
for**

ATC Associates

WorkOrder: R01120182

Client Reference: 19125-0246; Cyanide in Air (12/8/01)

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst
	(ug)	(mg/m³)	(ppm)			
Client ID: CN1-ATC-1208-234M Lab ID: -01A Date Sampled: 12/8/01 Matrix: Soda Lime Air Vol.(L): 120						
Hydrogen Cyanide <i>Courtyard Playground (west)</i>	0.74	0.0062	—	0.1	HYDROGEN CYANID	12/17/2001 JWK
Client ID: CN2-ATC-1208-234M Lab ID: -02A Date Sampled: 12/8/01 Matrix: Soda Lime Air Vol.(L): 120						
Hydrogen Cyanide <i>Roof near intake</i>	0.86	0.0072	--	0.1	HYDROGEN CYANID	12/17/2001 JWK
Client ID: CN3-ATC-1208-234M, <u>Blank</u> Lab ID: -03A Date Sampled: 12/8/01 Matrix: Soda Lime Air Vol.(L): NA						
Hydrogen Cyanide <i>Blank</i>	0.24	—	--	0.1	HYDROGEN CYANID	12/17/2001 JWK

(a) Analysis indicates possible breakthrough; back section result is greater than 0% of the front section result.

General Notes:

<: Less than the indicated limit of detection (LOD).

--: Information not available or not applicable.

Back sections were checked and showed no significant breakthrough.