



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA/NVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

• NY DOH/NEELAC 10903
• PA DEP 06-353

• NJ DEP 77020
• CT DPH PH-0238

**Analytical Results
for**

ATC Associates

WorkOrder: R01120273

Client Reference: 19125-0279: PCB, Metals, PAH & Cyanide i

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst
	(ug)	(mg/m³)	(ppm)			
Client ID: ATC-1211-234M-CN1	Lab ID: -28A	Date Sampled: 12/11/01		Matrix: Soda Lime		Air Vol.(L): 120
Hydrogen Cyanide	0.26	0.0022	—	0	N6010	12/21/2001 JWK
Client ID: ATC-1211-234M-CN2	Lab ID: -29A	Date Sampled: 12/11/01		Matrix: Soda Lime		Air Vol.(L): 120.2
Hydrogen Cyanide	0.74	0.0062	—	0.1	N6010	12/21/2001 JWK
Client ID: ATC-1211-234M-CN3, Blank	Lab ID: -30A	Date Sampled: 12/11/01		Matrix: Soda Lime		Air Vol.(L): NA
Hydrogen Cyanide	0.16	—	—	0.1	N6010	12/21/2001 JWK

(a) Analysis indicates possible breakthrough; back section result is greater than 0% of the front section result.

General Notes:

<: Less than the indicated limit of detection (LOD).

--: Information not available or not applicable.

Back sections were checked and showed no significant breakthrough.