



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPAN/LAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 589

• NY DOH/ELAC 10903
• PA DEP 08-353

• NJ DEP 77020
• CT DPH PH-0238

Analytical Results
for

ATC Associates

WorkOrder: R01120183

Client Reference: 19125-0279: Cyanide in Air (12/6/01)

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst
	(ug)	(mg/m³)	(ppm)			
Client ID: CN1-ATC-1206-234M Lab ID: -01A Date Sampled: 12/6/01 Matrix: Soda Lime Air Vol.(L): 123.4						
Hydrogen Cyanide <i>Playground</i> <i>Rear courtyard</i>	0.26	0.0021	--	0.1	HYDROGEN CYANID	12/17/2001 JWK
Client ID: CN2-ATC-1206-234M Lab ID: -02A Date Sampled: 12/6/01 Matrix: Soda Lime Air Vol.(L): 119.8						
Hydrogen Cyanide <i>Roof near intake</i>	0.26	0.0022	-	0.1	HYDROGEN CYANID	12/17/2001 JWK
Client ID: CN3-ATC-1206-234M, Blank Lab ID: -03A Date Sampled: 12/6/01 Matrix: Soda Lime Air Vol.(L): NA						
Hydrogen Cyanide <i>Blank</i>	0.34	-	-	0.1	HYDROGEN CYANID	12/17/2001 JWK

(a) Analysis indicates possible breakthrough; back section result is greater than 0% of the front section result.

General Notes:

<: Less than the indicated limit of detection (LOD).

--: Information not available or not applicable.

Back sections were checked and showed no significant breakthrough.