



104 East 25th St
New York, New York 10010
www.atc-enviro.com
212.353.8280
Fax 212.353.8306

January 31, 2002

Mr. Bernard P. Orlan
New York City Board of Education
Director, Environmental Health & Safety Unit
28-11 Queens Plaza North
Long Island City, NY 11101

Re: Limited settled dust bulk sampling for fiberglass at P.S. 234M

Dear Mr. Orlan:

At your request, ATC Associates, Inc. representative Mr. Yiannis Efstathiou visited P.S. 234M located at 292 Greenwich Street, New York, NY 10007 on January 29th, 2002. The purpose of the site visit was to perform a settled dust bulk sampling to be analyzed for fiberglass fiber content on areas indicated to ATC by ENVIRON Corp. the Parents Association environmental consultant and approved by New York City Board of Education (BOE). These areas are the following:

- 1st floor hallway
- Cafeteria
- Gymnasium
- Auditorium
- Two classrooms facing South
- Classroom Facing East

At the time of ATC's site visit it was no possible to collect a settled dust bulk sample from the cafeteria and Gymnasium.

The purposed of the dust bulk sampling is to determine if settled dust in the school contains fiberglass fibers. ATC will be repeating this sampling preferably every Tuesday as per the recommendation of ENVIRON and after the approval of NYC-BOE. This is the second week such a sampling is performed in P.S. 234M.

As per your request, a total of five (5) settled dust bulk samples were collected from the aforementioned areas and were analyzed utilizing Polarized Light Microscopy (PLM).

Analytical results indicated that none of the five (5) collected settled dust bulk samples contain fiberglass fibers.

CONFIDENTIAL,

CITY_21MC100_011532334

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008


The settled dust bulk sampling performed was limited to testing for fiberglass in locations indicated by ENVIRON and as outlined in the school's BOE approved sampling protocol.

Attached please find the following:

- Settled dust bulk sample chain of custody form and laboratory results
- Laboratory and personnel certificates

If you have any questions or require additional information regarding this limited settled dust bulk sampling, please do not hesitate to contact me at (212) 353-8280 extension #261.

Sincerely,

A handwritten signature in black ink, appearing to read "A. Andreou", with a stylized flourish at the end.

Andreas C. Andreou
Senior Project Manager

Cc: Mr. T. Fusillo (ENVIRON Corp.)
Ms. C. Procter (UFT)
Mr. C. D'Andrea (NYC-DOH)

CONFIDENTIAL,

CITY_21MC100_011532335

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008