

STL EDISON

777 New Durham Road
Edison, New Jersey 08817
Phone: (732) 549-3900 Fax: (732) 549-3679

CHAIN OF CUSTODY / ANALYSIS REQUEST

PAGE ___ OF ___

Name (for report and invoice)		Samplers Name (Printed) <i>Rick Spitzlei</i>		Site/Project Identification <i>World Trade Center</i>	
Company <i>Moretrench</i>		P.O. # <i>01-4906</i>		State (Location of site): NJ: ☐ NY: ☒ Other:	
Address <i>100 Stickle Ave.</i>		Analysis Turnaround Time Standard ☐		ANALYSIS REQUESTED (ENTER 'X' BELOW TO INDICATE REQUEST)	
City <i>ROCKAWAY</i>		Rush Charges Authorized For: 2 Week ☐		Metals * Pb, Cd, Cr, Cu, Fe, Hg, Mn, Ni, P, Se, Zn 694-BTEX Naphthalene 695-PBBN 608 PCB Dioxin Polychlorinated Asbestos Fragility ISS PH LAB USE ONLY Project No: Job No: <i>V281</i> Sample Numbers	
State <i>N.J.</i>		1 Week ☒			
Phone <i>(973) 627-2100</i>		Other ☐			
Fax					

Sample Identification	Date	Time	Matrix	No. of Cont.	Metals *	Pb, Cd, Cr, Cu, Fe, Hg, Mn, Ni, P, Se, Zn	694-BTEX	Naphthalene	695-PBBN	608 PCB	Dioxin	Polychlorinated	Asbestos	Fragility ISS PH	Sample Numbers
<i>B-6 30 H.P. Sump Pump</i>	<i>4/10/02</i>	<i>2:30pm</i>	<i>Water</i>	<i>11</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>		<i>343258</i>
<i>Dewatering Wells</i>	<i>4/10/02</i>	<i>2:00pm</i>	<i>Water</i>	<i>11</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>		<i>343259</i>

Preservation Used: 1 = ICE, 2 = HCl, 3 = H₂SO₄, 4 = HNO₃, 5 = NaOH
6 = Other _____, 7 = Other _____

Soil: _____ Water: _____

Special Instructions *Cd, Cr, Cu, Pb, Hg, Ni, Zn

Water Metals Filtered (Yes/No)?

Relinquished by 1) <i>Rick Spitzlei</i>	Company <i>Moretrench</i>	Date / Time <i>4/10/02 11:54</i>	Received by 1) <i>[Signature]</i>	Company <i>STL Edison</i>
Relinquished by 2)	Company	Date / Time	Received by 2)	Company
Relinquished by 3)	Company	Date / Time	Received by 3)	Company
Relinquished by 4)	Company	Date / Time	Received by 4)	Company

Laboratory Certifications: New Jersey (12028), New York (11452), Pennsylvania (68-522), Connecticut (PH-0200), Rhode Island (132).

0002/005
0002MORETRENCH AMERICAN
STL EDISON04/19/2002 16:50 FAX 973 627 3950
04/19/02 16:26 FAX 732 549 3679