NYC 9/11 Public Portal Document

ATC ASSOCIATES INC - NEW YORK BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor · New York, NY 10010 · Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NVLAP 101187
ELAP 10879
Microscope OLYP BH-2

Client / Project NYC-BOE/P.S. 234M/292 Greenwich St, NY 10007 Project No. 14584-823

Analysis Date 5/4/02 Analyst Milena Lovd Batch No. 20348

1 Field No. 01	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Granular	Morphology ____ Extinction ____	____ Chrysotile	TR Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity Y	RI ∥ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers M	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Asbestos ☐ ☒				____ Other	____ Other
Gravimetric (NOB) TEM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____				____ Asbestos
POINT COUNT RESULTS ON THE BACK	Comments:			Q.C. ☐		
	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

2 Field No. 02	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Gr	Morphology ____ Extinction ____	____ Chrysotile	____ Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity Y	RI ∥ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers M	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Asbestos ☐ ☒				____ Other	____ Other
Gravimetric (NOB) TEM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____				____ Asbestos
POINT COUNT RESULTS ON THE BACK	Comments:			Q.C. ☐		
	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

3 Field No. 03	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Gr	Morphology ____ Extinction ____	____ Chrysotile	____ Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity Y	RI ∥ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers M	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Asbestos ☐ ☒				____ Other	____ Other
Gravimetric (NOB) TEM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____				____ Asbestos
POINT COUNT RESULTS ON THE BACK	Comments:			Q.C. ☐		
	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

4 Field No. 04	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Gr	Morphology ____ Extinction ____	____ Chrysotile	____ Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity Y	RI ∥ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers M	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Asbestos ☐ ☒				____ Other	____ Other
Gravimetric (NOB) TEM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____				____ Asbestos
POINT COUNT RESULTS ON THE BACK	Comments:			Q.C. ☐		
	Method: ☐ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☐ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008 CONFIDENTIAL,
CITY_21MC100_003394843

NYC-WTC_000178679

NYC 9/11 Public Portal Document

ATC ASSOCIATES INC - NEW YORK BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor · New York, NY 10010 · Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NVLAP 101187
ELAP 10879
Microscope OLYP BH-2

Client / Project NYC-HOE/P.S. 234M/292 Greenwich St, NY 10007 Project No. 14584-823

Analysis Date 5/4/02 Analyst Milena Lovid Batch No. 20348

1 Field No. 05	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan	Texture Cnc	Morphology ____	Extinction ____	____ Chrysotile	2 Cellulose	98 Mineral Filler	____ Organic
Recommended ☐	Homogenity Y		RI ∥ ____	RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers 4	Asbestos ☐ ☒	DS Color ____	Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____	Detected Yes No	Biref ____	Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:					Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER	☒ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0						

2 Field No. 06	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color TGH Y	Texture Cnc	Morphology ____	Extinction ____	____ Chrysotile	____ Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity Y		RI ∥ ____	RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers 4	Asbestos ☐ ☒	DS Color ____	Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____	Detected Yes No	Biref ____	Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:					Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER	☒ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0						

3 Field No. 07	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color TGH Y	Texture Cnc	Morphology ____	Extinction ____	TR Chrysotile	____ Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity Y		RI ∥ ____	RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers 4	Asbestos ☐ ☒	DS Color ____	Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____	Detected Yes No	Biref ____	Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:					Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER	☒ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0						

4 Field No. 08	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color TGH Y	Texture Cnc	Morphology ____	Extinction ____	____ Chrysotile	____ Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity Y		RI ∥ ____	RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers 4	Asbestos ☐ ☒	DS Color ____	Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____	Detected Yes No	Biref ____	Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:					Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER	☒ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0						

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008 CONFIDENTIAL,
CITY_21MC100_00339484

NYC-WTC_000178680

NYC 9/11 Public Document

ATC ASSOCIATES INC - NEW YORK BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor · New York, NY 10010 · Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NVLAP 101187
ELAP 10878
Microscope OLYP BH-2

Client / Project NYC-BOE/P.S. 234M/292 Greenwich St, NY 10007 Project No. 14584-823

Analysis Date 5/4/02 Analyst Milena Lourd Batch No. 20348

1 Field No. 09	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Cr	Morphology ____ Extinction ____	____ Chrysotile	____ Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity Y	RI ∥ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers M Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

2 Field No. 10	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Cr	Morphology ____ Extinction ____	____ Chrysotile	2 Cellulose	98 Mineral Filler	____ Organic
Recommended ☐	Homogenity Y	RI ∥ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers M Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

3 Field No. 11	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Cr	Morphology ____ Extinction ____	____ Chrysotile	____ Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity Y	RI ∥ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers M Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

4 Field No. 12	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Cr	Morphology ____ Extinction ____	____ Chrysotile	____ Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity Y	RI ∥ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers M Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008 CONFIDENTIAL,

CITY_21MC100_00339484 5

NYC-WTC_000178681

NYC 9/11 Public Portal Document

ATC ASSOCIATES INC - NEW YORK BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor · New York, NY 10010 · Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NVLAP 101187
ELAP 10870
Microscope OLYP BH-2

Client / Project NYC-BOE/P.S. 234M/292 Greenwich St, NY 10007 Project No. 14584-823

Analysis Date 5/4/02 Analyst Milena Lowd Batch No. 20348

1 Field No. 13	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color T.C.N Texture Gr	Morphology ____ Extinction ____	____ Chrysotile	____ Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity Y	RI ∥ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers M Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

2 Field No. 14	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color T.C.N Texture Gr	Morphology ____ Extinction ____	____ Chrysotile	____ Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity Y	RI ∥ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers M Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

3 Field No. 15	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color T.C.N Texture Gr	Morphology ____ Extinction ____	____ Chrysotile	1 Cellulose	98 Mineral Filler	____ Organic
Recommended ☐	Homogenity Y	RI ∥ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers M Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	1% Synthetic	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

4 Field No. 16	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color T.C.N Texture Gr	Morphology ____ Extinction ____	____ Chrysotile	____ Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity Y	RI ∥ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers M Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☐ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☐ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008 CONFIDENTIAL,
CITY_21MC100_003394846

NYC-WTC_000178682

NYC 9/11 Public Portal Document

ATC ASSOCIATES INC - NEW YORK BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor · New York, NY 10010 · Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NVLAP 101167
ELAP 10879
Microscope OLYP BH-2

Client / Project NYC-BOE/P.S. 234M/292 Greenwich St, NY 10007 Project No. 14584-823

Analysis Date 5/4/02 Analyst Milena Lourd Batch No. 20348

1 Field No. 17	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Cor	Morphology ____ Extinction ____	____ Chrysotile	1% Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity V	RI l ____ RI ll ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers 11 Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

2 Field No. 18	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Cor	Morphology ____ Extinction ____	____ Chrysotile	1% Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity V	RI l ____ RI ll ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers 11 Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

3 Field No. 19	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Cor	Morphology ____ Extinction ____	____ Chrysotile	1% Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity V	RI l ____ RI ll ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers 11 Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

4 Field No. 20	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Cor	Morphology ____ Extinction ____	____ Chrysotile	2 Cellulose	98 Mineral Filler	____ Organic
Recommended ☐	Homogenity V	RI l ____ RI ll ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers 11 Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008 CONFIDENTIAL, CITY_21MC100_0033948 47

NYC-WTC_000178683

NYC 9/11 Public Portal Document

ATC ASSOCIATES INC - NEW YORK BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor - New York, NY 10010 - Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NVLAP 101187
ELAP 10878
Microscope OLYP BH-2

Client / Project NYC-HOE/P.S. 234M/292 Greenwich St, NY 10007 Project No. 14584-823

Analysis Date 5/4/02 Analyst Milena Loud Batch No. 20348

1 Field No. 21	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Cnr	Morphology ___ Extinction ___	___ Chrysotile	___ Cellulose	100 Mineral Filler	___ Organic
Recommended ☐	Homogenity ___	RI ∥ ___ RI ⊥ ___	___ Amosite	___ Fiberglass	___ Organic Binders	___ Residue
Gravimetric PREP ☐	# of Layers 4 Asbestos ☐ ☒	DS Color ___ Color,Pleo ___	___ Other	___ Other	___ Vermiculite	___ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ___ Detected Yes No	Biref ___ Sign ___			___ Other	___ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		___ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

2 Field No. 22	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Cnr	Morphology ___ Extinction ___	___ Chrysotile	___ Cellulose	100 Mineral Filler	___ Organic
Recommended ☐	Homogenity ___	RI ∥ ___ RI ⊥ ___	___ Amosite	___ Fiberglass	___ Organic Binders	___ Residue
Gravimetric PREP ☐	# of Layers 4 Asbestos ☐ ☒	DS Color ___ Color,Pleo ___	___ Other	___ Other	___ Vermiculite	___ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ___ Detected Yes No	Biref ___ Sign ___			___ Other	___ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		___ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

3 Field No. 23	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Cnr	Morphology ___ Extinction ___	___ Chrysotile	___ Cellulose	100 Mineral Filler	___ Organic
Recommended ☐	Homogenity ___	RI ∥ ___ RI ⊥ ___	___ Amosite	___ Fiberglass	___ Organic Binders	___ Residue
Gravimetric PREP ☐	# of Layers 4 Asbestos ☐ ☒	DS Color ___ Color,Pleo ___	___ Other	___ Other	___ Vermiculite	___ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ___ Detected Yes No	Biref ___ Sign ___			___ Other	___ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		___ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

4 Field No. 24	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Cnr	Morphology ___ Extinction ___	___ Chrysotile	___ Cellulose	100 Mineral Filler	___ Organic
Recommended ☐	Homogenity ___	RI ∥ ___ RI ⊥ ___	___ Amosite	___ Fiberglass	___ Organic Binders	___ Residue
Gravimetric PREP ☐	# of Layers 4 Asbestos ☐ ☒	DS Color ___ Color,Pleo ___	___ Other	___ Other	___ Vermiculite	___ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ___ Detected Yes No	Biref ___ Sign ___			___ Other	___ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		___ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008 CONFIDENTIAL,
CITY_21MC100_003394848

NYC-WTC_000178684

NYC 9/11 Public Portal Document

ATC ASSOCIATES INC - NEW YORK BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor · New York, NY 10010 · Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NVLAP 101187
ELAP 10879
Microscope OLYP BH-2

Client / Project NYC-DOE / P.S. 234M / 292 Greenwich St, NY 10007 Project No. 14584-823

Analysis Date 5/4/02 Analyst Milena Lovid Batch No. 20348

1 Field No. 25	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color TAN Texture GR	Morphology ____ Extinction ____	____ Chrysotile	____ Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity ____	RI l ____ RI ll ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers 4 Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER	☒ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0				

2 Field No. 26	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color TAN Texture GR	Morphology ____ Extinction ____	____ Chrysotile	2 Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity ____	RI l ____ RI ll ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers 4 Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER	☒ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0				

3 Field No. 27	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color TAN Texture GR	Morphology ____ Extinction ____	____ Chrysotile	2 Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity ____	RI l ____ RI ll ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers ____ Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER	☒ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0				

4 Field No. 28	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color TAN Texture GR	Morphology ____ Extinction ____	____ Chrysotile	2 Cellulose	98 Mineral Filler	____ Organic
Recommended ☐	Homogenity ____	RI l ____ RI ll ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers ____ Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER	☒ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0				

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008 CONFIDENTIAL,
CITY_21MC100_003394849

NYC-WTC_000178685

NYC 9/11 Public Portal Document

ATC ASSOCIATES INC - NEW YORK BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor · New York, NY 10010 · Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NVLAP 101187
ELAP 10878
Microscope OLYP BH-2

Client / Project NYC-DOE / P.S. 234M / 292 Greenwich St, NY 10007 Project No. 14584-823

Analysis Date 5/4/02 Analyst Milena Lovid Batch No. 20348

1 Field No. 29	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Gr	Morphology ___ Extinction ___	___ Chrysotile	___ Cellulose	100 Mineral Filler	___ Organic
Recommended ☐	Homogenity Y	RI l ___ RI ll ___	___ Amosite	___ Fiberglass	___ Organic Binders	___ Residue
Gravimetric PREP ☐	# of Layers M Asbestos ☐ ☒	DS Color ___ Color,Pleo ___	___ Other	___ Other	___ Vermiculite	___ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ___ Detected Yes No	Biref ___ Sign ___			___ Other	___ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		___ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

2 Field No. 30	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Gr	Morphology ___ Extinction ___	___ Chrysotile	TR Cellulose	100 Mineral Filler	___ Organic
Recommended ☐	Homogenity Y	RI l ___ RI ll ___	___ Amosite	___ Fiberglass	___ Organic Binders	___ Residue
Gravimetric PREP ☐	# of Layers M Asbestos ☐ ☒	DS Color ___ Color,Pleo ___	___ Other	___ Other	___ Vermiculite	___ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ___ Detected Yes No	Biref ___ Sign ___			___ Other	___ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		___ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

3 Field No. 31	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Gr	Morphology ___ Extinction ___	___ Chrysotile	TR Cellulose	100 Mineral Filler	___ Organic
Recommended ☐	Homogenity ___	RI l ___ RI ll ___	___ Amosite	___ Fiberglass	___ Organic Binders	___ Residue
Gravimetric PREP ☐	# of Layers ___ Asbestos ☐ ☒	DS Color ___ Color,Pleo ___	___ Other	___ Other	___ Vermiculite	___ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ___ Detected Yes No	Biref ___ Sign ___			___ Other	___ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		___ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

4 Field No. 32	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture Gr	Morphology ___ Extinction ___	___ Chrysotile	TR Cellulose	100 Mineral Filler	___ Organic
Recommended ☐	Homogenity Y	RI l ___ RI ll ___	___ Amosite	___ Fiberglass	___ Organic Binders	___ Residue
Gravimetric PREP ☐	# of Layers M Asbestos ☐ ☒	DS Color ___ Color,Pleo ___	___ Other	___ Other	___ Vermiculite	___ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ___ Detected Yes No	Biref ___ Sign ___			___ Other	___ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		___ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☒ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008 CONFIDENTIAL,
CITY_21MC100_003394850

NYC-WTC_000178686

NYC 9/11 Public Document

ATC ASSOCIATES INC - NEW YORK BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor . New York, NY 10010 . Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NVLAP 101187
ELAP 10878
Microscope OLYP BH-2

Client / Project NYC-BOE / P.S. 234M / 292 Greenwich St, NY 10007 Project No. 14584-823

Analysis Date 5/4/02 Analyst Milena Lovid Batch No. 20348

1 Field No. 33	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color Tan Texture GR	Morphology ____ Extinction ____	____ Chrysotile	____ Cellulose	100 Mineral Filler	____ Organic
Recommended ☐	Homogenity Y	RI ∥ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers 11 Asbestos ☐ ☒	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☐ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☐ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

2 Field No.	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color ____ Texture ____	Morphology ____ Extinction ____	____ Chrysotile	____ Cellulose	____ Mineral Filler	____ Organic
Recommended ☐	Homogenity ____	RI ∥ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers ____ Asbestos ☐ ☐	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☐ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☐ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

3 Field No.	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color ____ Texture ____	Morphology ____ Extinction ____	____ Chrysotile	____ Cellulose	____ Mineral Filler	____ Organic
Recommended ☐	Homogenity ____	RI ∥ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers ____ Asbestos ☐ ☐	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☐ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☐ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

4 Field No.	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐	Color ____ Texture ____	Morphology ____ Extinction ____	____ Chrysotile	____ Cellulose	____ Mineral Filler	____ Organic
Recommended ☐	Homogenity ____	RI ∥ ____ RI ⊥ ____	____ Amosite	____ Fiberglass	____ Organic Binders	____ Residue
Gravimetric PREP ☐	# of Layers ____ Asbestos ☐ ☐	DS Color ____ Color,Pleo ____	____ Other	____ Other	____ Vermiculite	____ Carbonate
Gravimetric (NOB) PLM ☐	Color of Layer ____ Detected Yes No	Biref ____ Sign ____			____ Other	____ Other
Gravimetric (NOB) TEM ☐	Comments:			Q.C. ☐		____ Asbestos
POINT COUNT RESULTS ON THE BACK	Method: ☐ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☐ SCANNING OPTION : ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008 CONFIDENTIAL,

CITY_21MC100_00339485

NYC-WTC_000178687