NYC 9/11 Public Portal Document

ATC ASSOCIATES INC - NEW YORK BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor · New York, NY 10010 · Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NYLAP 101187
ELAP 10878
Microscope OLYP BH-2

Client / Project NYC - BOE / P.S. 89M Project No. 14584-0819

Analysis Date 11/02/01 Analyst URey. Batch No. 19693

1 Field No. 29	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) ☐ Required ☐ Recommended ☐ Gravimetric PREP ☐ Gravimetric (NOB) PLM ☐ Gravimetric (NOB) TEM ☐	Color ____ Texture ____ Homogenity ____ # of Layers ____ Asbestos ☐ ☐ Color of Layer ____ Detected Yes No	Morphology ____ Extinction ____ RI I ____ RI II ____ DS Color ____ Color,Pleo ____ Biref ____ Sign ____	____ Chrysotile ____ Amosite ____ Other	✓ Cellulose ✓ Fiberglass ____ Other	✓ Mineral Filler ____ Organic Binders ____ Vermiculite ____ Other	____ Organic ____ Residue ____ Carbonate ____ Other ____ Asbestos
POINT COUNT RESULTS ON THE BACK	Comments:			Q.C. ☐		
	Method: ☐ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☑ OTHER ☐ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

2 Field No.	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) ☐ Required ☐ Recommended ☐ Gravimetric PREP ☐ Gravimetric (NOB) PLM ☐ Gravimetric (NOB) TEM ☐	Color ____ Texture ____ Homogenity ____ # of Layers ____ Asbestos ☐ ☐ Color of Layer ____ Detected Yes No	Morphology ____ Extinction ____ RI I ____ RI II ____ DS Color ____ Color,Pleo ____ Biref ____ Sign ____	____ Chrysotile ____ Amosite ____ Other	____ Cellulose ____ Fiberglass ____ Other	____ Mineral Filler ____ Organic Binders ____ Vermiculite ____ Other	____ Organic ____ Residue ____ Carbonate ____ Other ____ Asbestos
POINT COUNT RESULTS ON THE BACK	Comments:			Q.C. ☐		
	Method: ☐ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☐ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

3 Field No.	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) ☐ Required ☐ Recommended ☐ Gravimetric PREP ☐ Gravimetric (NOB) PLM ☐ Gravimetric (NOB) TEM ☐	Color ____ Texture ____ Homogenity ____ # of Layers ____ Asbestos ☐ ☐ Color of Layer ____ Detected Yes No	Morphology ____ Extinction ____ RI I ____ RI II ____ DS Color ____ Color,Pleo ____ Biref ____ Sign ____	____ Chrysotile ____ Amosite ____ Other	____ Cellulose ____ Fiberglass ____ Other	____ Mineral Filler ____ Organic Binders ____ Vermiculite ____ Other	____ Organic ____ Residue ____ Carbonate ____ Other ____ Asbestos
POINT COUNT RESULTS ON THE BACK	Comments:			Q.C. ☐		
	Method: ☐ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☐ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

4 Field No.	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) ☐ Required ☐ Recommended ☐ Gravimetric PREP ☐ Gravimetric (NOB) PLM ☐ Gravimetric (NOB) TEM ☐	Color ____ Texture ____ Homogenity ____ # of Layers ____ Asbestos ☐ ☐ Color of Layer ____ Detected Yes No	Morphology ____ Extinction ____ RI I ____ RI II ____ DS Color ____ Color,Pleo ____ Biref ____ Sign ____	____ Chrysotile ____ Amosite ____ Other	____ Cellulose ____ Fiberglass ____ Other	____ Mineral Filler ____ Organic Binders ____ Vermiculite ____ Other	____ Organic ____ Residue ____ Carbonate ____ Other ____ Asbestos
POINT COUNT RESULTS ON THE BACK	Comments:			Q.C. ☐		
	Method: ☐ ELAP + EPA¹ ☐ ELAP ☐ EPA¹ ☐ OTHER ☐ SCANNING OPTION: ELAP (P.C.) & EPA¹ First 4 preps. Asbestos = 0					

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008 CONFIDENTIAL, CITY_21MC100_00339144

NYC-WTC_000178931