



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414

Tel: 612-607-1700
Fax: 612-607-6444

Method 8290 Blank Analysis Results

Client - ATC

Lab Sample ID	BLANK-1344	Matrix	WIPE
Filename	F11201A_10	Dilution	NA
Total Amount Extracted	1 Sample	Extracted	11/27/2001
ICAL Date	11/19/2001	Analyzed	12/02/2001 00:59
CCal Filename(s)	F11201A_04 & F11201A_20	Injected By	BAL

Native Isomers	Conc ng/S	EMPC ng/S	LRL ng/S	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.00200	2,3,7,8-TCDF-13C	2.00	57
Total TCDF	ND	----	0.00200	2,3,7,8-TCDD-13C	2.00	57
				1,2,3,7,8-PeCDF-13C	2.00	54
2,3,7,8-TCDD	ND	----	0.00200	2,3,4,7,8-PeCDF-13C	2.00	55
Total TCDD	ND	----	0.00200	1,2,3,7,8-PeCDD-13C	2.00	61
				1,2,3,4,7,8-HxCDF-13C	2.00	80
1,2,3,7,8-PeCDF	ND	----	0.01000	1,2,3,6,7,8-HxCDF-13C	2.00	75
2,3,4,7,8-PeCDF	ND	----	0.01000	2,3,4,6,7,8-HxCDF-13C	2.00	75
Total PeCDF	ND	----	0.01000	1,2,3,7,8,9-HxCDF-13C	2.00	65
				1,2,3,4,7,8-HxCDD-13C	2.00	77
1,2,3,7,8-PeCDD	ND	----	0.01000	1,2,3,6,7,8-HxCDD-13C	2.00	76
Total PeCDD	ND	----	0.01000	1,2,3,4,6,7,8-HpCDF-13C	2.00	66
				1,2,3,4,7,8,9-HpCDF-13C	2.00	54
1,2,3,4,7,8-HxCDF	ND	----	0.01000	1,2,3,4,6,7,8-HpCDD-13C	2.00	51
1,2,3,6,7,8-HxCDF	ND	----	0.01000	OCDD-13C	4.00	35 P
2,3,4,6,7,8-HxCDF	ND	----	0.01000			
1,2,3,7,8,9-HxCDF	ND	----	0.01000	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	----	0.01000	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	----	0.01000	2,3,7,8-TCDD-37Cl4	0.20	60
1,2,3,6,7,8-HxCDD	ND	----	0.01000			
1,2,3,7,8,9-HxCDD	ND	----	0.01000			
Total HxCDD	ND	----	0.01000			
1,2,3,4,6,7,8-HpCDF	ND	----	0.01000	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	----	0.01000	Equivalence: 0.00027 ng/S		
Total HpCDF	ND	----	0.01000	(Using ITE Factors)		
1,2,3,4,6,7,8-HpCDD	0.016	----	0.01000 J			
Total HpCDD	0.038	----	0.01000 J			
OCDF	ND	----	0.02000			
OCDD	0.120	----	0.02000			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
LRL = Lower Reporting Limit
J = Concentration detected is below the calibration range
P = Recovery outside of target range
A = Detection Limit based on signal-to-noise measurement

I = Interference
E = PCDE Interference
ND = Not Detected
NA = Not Applicable
NC = Not Calculated
* = See Discussion

Report No.....01-1051376

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

CONFIDENTIAL,

CITY_21MC100_003458778

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414

Tel: 612-607-1700
Fax: 612-607-6444

Method 8290 Analysis Results

Client - ATC

Client's Sample ID	ATC-1120-STY-DX1		
Lab Sample ID	103162798		
Filename	F11201A_15		
Injected By	BAL		
Total Amount Extracted	1 Sample	Matrix	WIPE
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	11/20/2001
ICAL Date	11/19/2001	Received	11/21/2001
CCal Filename(s)	F11201A_04 & F11201A_20	Extracted	11/27/2001
Method Blank ID	BLANK-1344	Analyzed	12/02/2001 05:06

Native Isomers	Conc ng/S	EMPC ng/S	LRL ng/S	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.00200	2,3,7,8-TCDF-13C	2.00	55
Total TCDF	0.0026	----	0.00200 J	2,3,7,8-TCDD-13C	2.00	57
				1,2,3,7,8-PeCDF-13C	2.00	55
2,3,7,8-TCDD	ND	----	0.00200	2,3,4,7,8-PeCDF-13C	2.00	54
Total TCDD	0.0150	----	0.00200	1,2,3,7,8-PeCDD-13C	2.00	60
				1,2,3,4,7,8-HxCDF-13C	2.00	90
1,2,3,7,8-PeCDF	ND	----	0.01000	1,2,3,6,7,8-HxCDF-13C	2.00	84
2,3,4,7,8-PeCDF	ND	----	0.01000	2,3,4,6,7,8-HxCDF-13C	2.00	80
Total PeCDF	ND	----	0.01000	1,2,3,7,8,9-HxCDF-13C	2.00	70
				1,2,3,4,7,8-HxCDD-13C	2.00	71
1,2,3,7,8-PeCDD	ND	----	0.01000	1,2,3,6,7,8-HxCDD-13C	2.00	80
Total PeCDD	0.0120	----	0.01000 J	1,2,3,4,6,7,8-HpCDF-13C	2.00	67
				1,2,3,4,7,8,9-HpCDF-13C	2.00	50
1,2,3,4,7,8-HxCDF	ND	----	0.01000	1,2,3,4,6,7,8-HpCDD-13C	2.00	53
1,2,3,6,7,8-HxCDF	ND	----	0.01000	OCDD-13C	4.00	37 P
2,3,4,6,7,8-HxCDF	ND	----	0.01000			
1,2,3,7,8,9-HxCDF	ND	----	0.01000	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	----	0.01000	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	----	0.01000	2,3,7,8-TCDD-37Cl4	0.20	61
1,2,3,6,7,8-HxCDD	ND	----	0.01000			
1,2,3,7,8,9-HxCDD	ND	----	0.01000			
Total HxCDD	ND	----	0.01000			
1,2,3,4,6,7,8-HpCDF	0.0110	----	0.01000 J	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	----	0.01000	Equivalence: 0.0013 ng/S		
Total HpCDF	0.0110	----	0.01000 J	(Using ITE Factors)		
1,2,3,4,6,7,8-HpCDD	0.0630	----	0.01000 B			
Total HpCDD	0.0970	----	0.01000 B			
OCDF	0.0740	----	0.02000 J			
OCDD	0.4400	----	0.02000 B			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers)
EMPC = Estimated Maximum Possible Concentration
A = Detection Limit based on signal-to-noise measurement
J = Concentration detected is below the calibration range
B = Less than 10 times higher than method blank level
P = Recovery outside of target range
Nn = Value obtained from additional analysis

LRL = Lower Reporting Limit
I = Interference
E = PCDE Interference
S = Saturated signal
ND = Not Detected
NA = Not Applicable
NC = Not Calculated
* = See Discussion

Report No.....01-1051376


REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

CONFIDENTIAL,

CITY_21MC100_003458779

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008


Pace AnalyticalTM

 Pace Analytical Services, Inc.
 1700 Elm Street - Suite 200
 Minneapolis, MN 55414

 Tel: 612-607-1700
 Fax: 612-607-6444

Method 8290 Analysis Results

Client - ATC

Client's Sample ID	ATC-1120-STY-DX2		
Lab Sample ID	103162806		
Filename	F11201A_16		
Injected By	BAL		
Total Amount Extracted	1 Sample	Matrix	WIPE
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	11/20/2001
ICAL Date	11/19/2001	Received	11/21/2001
CCal Filename(s)	F11201A_04 & F11201A_20	Extracted	11/27/2001
Method Blank ID	BLANK-1344	Analyzed	12/02/2001 05:56

Native Isomers	Conc ng/S	EMPC ng/S	LRL ng/S	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.00200	2,3,7,8-TCDF-13C	2.00	52
Total TCDF	ND	----	0.00200	2,3,7,8-TCDD-13C	2.00	54
				1,2,3,7,8-PeCDF-13C	2.00	52
2,3,7,8-TCDD	ND	----	0.00200	2,3,4,7,8-PeCDF-13C	2.00	51
Total TCDD	0.016	----	0.00200	1,2,3,7,8-PeCDD-13C	2.00	57
				1,2,3,4,7,8-HxCDF-13C	2.00	88
1,2,3,7,8-PeCDF	ND	----	0.01000	1,2,3,6,7,8-HxCDF-13C	2.00	81
2,3,4,7,8-PeCDF	ND	----	0.01000	2,3,4,6,7,8-HxCDF-13C	2.00	80
Total PeCDF	ND	----	0.01000	1,2,3,7,8,9-HxCDF-13C	2.00	77
				1,2,3,4,7,8-HxCDD-13C	2.00	64
1,2,3,7,8-PeCDD	ND	----	0.01000	1,2,3,6,7,8-HxCDD-13C	2.00	81
Total PeCDD	ND	----	0.01000	1,2,3,4,6,7,8-HpCDF-13C	2.00	63
				1,2,3,4,7,8,9-HpCDF-13C	2.00	51
1,2,3,4,7,8-HxCDF	ND	----	0.01000	1,2,3,4,6,7,8-HpCDD-13C	2.00	55
1,2,3,6,7,8-HxCDF	ND	----	0.01000	OCDD-13C	4.00	40
2,3,4,6,7,8-HxCDF	ND	----	0.01000			
1,2,3,7,8,9-HxCDF	ND	----	0.01000	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	----	0.01000	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	----	0.01000	2,3,7,8-TCDD-37Cl4	0.20	56
1,2,3,6,7,8-HxCDD	ND	----	0.01000			
1,2,3,7,8,9-HxCDD	ND	----	0.01000			
Total HxCDD	0.038	----	0.01000 J			
1,2,3,4,6,7,8-HpCDF	ND	----	0.01000	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	----	0.01000	Equivalence: 0.00044 ng/S		
Total HpCDF	ND	----	0.01000	(Using ITE Factors)		
1,2,3,4,6,7,8-HpCDD	0.024	----	0.01000 BJ			
Total HpCDD	0.037	----	0.01000 BJ			
OCDF	0.021	----	0.02000 J			
OCDD	0.180	----	0.02000 B			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers)
 EMPC = Estimated Maximum Possible Concentration
 A = Detection Limit based on signal-to-noise measurement
 J = Concentration detected is below the calibration range
 B = Less than 10 times higher than method blank level
 P = Recovery outside of target range
 Nn = Value obtained from additional analysis

LRL = Lower Reporting Limit
 I = Interference
 E = PCDE Interference
 S = Saturated signal
 ND = Not Detected
 NA = Not Applicable
 NC = Not Calculated
 * = See Discussion

Report No.....01-1051376

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc.

CONFIDENTIAL,

CITY_21MC100_003458780

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414

Tel: 612-607-1700
Fax: 612-607-6444

Method 8290 Analysis Results

Client - ATC

Client's Sample ID	ATC-1120-STY-DX3		
Lab Sample ID	103162814		
Filename	F11201A_17		
Injected By	BAL		
Total Amount Extracted	1 Sample	Matrix	WIPE
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	11/20/2001
ICAL Date	11/19/2001	Received	11/21/2001
CCal Filename(s)	F11201A_04 & F11201A_20	Extracted	11/27/2001
Method Blank ID	BLANK-1344	Analyzed	12/02/2001 06:45

Native Isomers	Conc ng/S	EMPC ng/S	LRL ng/S		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.0095	----	0.00200	J	2,3,7,8-TCDF-13C	2.00	61
Total TCDF	0.2200	----	0.00200		2,3,7,8-TCDD-13C	2.00	66
					1,2,3,7,8-PeCDF-13C	2.00	57
2,3,7,8-TCDD	ND	----	0.00200		2,3,4,7,8-PeCDF-13C	2.00	57
Total TCDD	0.3100	----	0.00200		1,2,3,7,8-PeCDD-13C	2.00	63
					1,2,3,4,7,8-HxCDF-13C	2.00	89
1,2,3,7,8-PeCDF	0.0130	----	0.01000	J	1,2,3,6,7,8-HxCDF-13C	2.00	77
2,3,4,7,8-PeCDF	0.0180	----	0.01000	J	2,3,4,6,7,8-HxCDF-13C	2.00	84
Total PeCDF	0.1700	----	0.01000		1,2,3,7,8,9-HxCDF-13C	2.00	80
					1,2,3,4,7,8-HxCDD-13C	2.00	73
1,2,3,7,8-PeCDD	ND	----	0.01000		1,2,3,6,7,8-HxCDD-13C	2.00	86
Total PeCDD	0.3100	----	0.01000		1,2,3,4,6,7,8-HpCDF-13C	2.00	66
					1,2,3,4,7,8,9-HpCDF-13C	2.00	56
1,2,3,4,7,8-HxCDF	0.0190	----	0.01000	J	1,2,3,4,6,7,8-HpCDD-13C	2.00	59
1,2,3,6,7,8-HxCDF	0.0150	----	0.01000	J	OCDD-13C	4.00	43
2,3,4,6,7,8-HxCDF	ND	----	0.01000				
1,2,3,7,8,9-HxCDF	ND	----	0.01000		1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	0.1600	----	0.01000		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	----	0.01000		2,3,7,8-TCDD-37Cl4	0.20	68
1,2,3,6,7,8-HxCDD	0.0170	----	0.01000	J			
1,2,3,7,8,9-HxCDD	0.0100	----	0.01000	J			
Total HxCDD	0.3700	----	0.01000				
1,2,3,4,6,7,8-HpCDF	0.0820	----	0.01000		Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	0.0110	----	0.01000	J	Equivalence: 0.020 ng/S		
Total HpCDF	0.0930	----	0.01000		(Using ITE Factors)		
1,2,3,4,6,7,8-HpCDD	0.1400	----	0.01000	B			
Total HpCDD	0.2100	----	0.01000	B			
OCDF	0.0800	----	0.02000	J			
OCDD	0.7700	----	0.02000	B			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers)
EMPC = Estimated Maximum Possible Concentration
A = Detection Limit based on signal-to-noise measurement
J = Concentration detected is below the calibration range
B = Less than 10 times higher than method blank level
P = Recovery outside of target range
Nn = Value obtained from additional analysis

LRL = Lower Reporting Limit
I = Interference
E = PCDE Interference
S = Saturated signal
ND = Not Detected
NA = Not Applicable
NC = Not Calculated
* = See Discussion

Report No.....01-1051376

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

CONFIDENTIAL,

CITY_21MC100_003458781

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414

Tel: 612-607-1700
Fax: 612- 607-6444

Method 8290 Analysis Results

Client - ATC

Client's Sample ID	ATC-1120-STY-DX4		
Lab Sample ID	103162822		
Filename	F11201A_18		
Injected By	BAL		
Total Amount Extracted	1 Sample	Matrix	WIPE
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	11/20/2001
ICAL Date	11/19/2001	Received	11/21/2001
CCal Filename(s)	F11201A_04 & F11201A_20	Extracted	11/27/2001
Method Blank ID	BLANK-1344	Analyzed	12/02/2001 07:35

Native Isomers	Conc ng/S	EMPC ng/S	LRL ng/S	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.00200	2,3,7,8-TCDF-13C	2.00	69
Total TCDF	ND	----	0.00200	2,3,7,8-TCDD-13C	2.00	73
				1,2,3,7,8-PeCDF-13C	2.00	68
2,3,7,8-TCDD	ND	----	0.00200	2,3,4,7,8-PeCDF-13C	2.00	67
Total TCDD	0.0032	----	0.00200 J	1,2,3,7,8-PeCDD-13C	2.00	74
				1,2,3,4,7,8-HxCDF-13C	2.00	119
1,2,3,7,8-PeCDF	ND	----	0.01000	1,2,3,6,7,8-HxCDF-13C	2.00	107
2,3,4,7,8-PeCDF	ND	----	0.01000	2,3,4,6,7,8-HxCDF-13C	2.00	115
Total PeCDF	ND	----	0.01000	1,2,3,7,8,9-HxCDF-13C	2.00	105
				1,2,3,4,7,8-HxCDD-13C	2.00	92
1,2,3,7,8-PeCDD	ND	----	0.01000	1,2,3,6,7,8-HxCDD-13C	2.00	105
Total PeCDD	ND	----	0.01000	1,2,3,4,6,7,8-HpCDF-13C	2.00	87
				1,2,3,4,7,8,9-HpCDF-13C	2.00	70
1,2,3,4,7,8-HxCDF	ND	----	0.01000	1,2,3,4,6,7,8-HpCDD-13C	2.00	74
1,2,3,6,7,8-HxCDF	ND	----	0.01000	OCDD-13C	4.00	48
2,3,4,6,7,8-HxCDF	ND	----	0.01000			
1,2,3,7,8,9-HxCDF	ND	----	0.01000	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	----	0.01000	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	----	0.01000	2,3,7,8-TCDD-37Cl4	0.20	76
1,2,3,6,7,8-HxCDD	ND	----	0.01000			
1,2,3,7,8,9-HxCDD	ND	----	0.01000			
Total HxCDD	0.0110	----	0.01000 J			
1,2,3,4,6,7,8-HpCDF	0.0170	----	0.01000 J	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	----	0.01000	Equivalence: 0.00091 ng/S		
Total HpCDF	0.0310	----	0.01000 J	(Using ITE Factors)		
1,2,3,4,6,7,8-HpCDD	0.0400	----	0.01000 BJ			
Total HpCDD	0.0650	----	0.01000 B			
OCDF	0.1200	----	0.02000			
OCDD	0.2200	----	0.02000 B			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers)
EMPC = Estimated Maximum Possible Concentration
A = Detection Limit based on signal-to-noise measurement
J = Concentration detected is below the calibration range
B = Less than 10 times higher than method blank level
P = Recovery outside of target range
Nn = Value obtained from additional analysis

LRL = Lower Reporting Limit
I = Interference
E = PCDE Interference
S = Saturated signal
ND = Not Detected
NA = Not Applicable
NC = Not Calculated
* = See Discussion

Report No.....01-1051376


REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

CONFIDENTIAL,

CITY_21MC100_003458782

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008


Pace Analytical™

Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414

Tel: 612-607-1700
Fax: 612-607-6444

Method 8290 Laboratory Control Spike Results

Client - ATC

Lab Sample ID	SPIKE-1347	Matrix	WIPE
Filename	F11201A_05	Dilution	NA
Total Amount Extracted	1 Sample	Extracted	11/27/2001
ICAL Date	11/19/2001	Analyzed	12/01/2001 20:51
CCal Filename(s)	F11201A_04 & F11201A_20	Injected By	BAL
Method Blank ID	BLANK-1344		

Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.20	102	2,3,7,8-TCDF-13C	2.00	66
				2,3,7,8-TCDD-13C	2.00	71
				1,2,3,7,8-PeCDF-13C	2.00	63
2,3,7,8-TCDD	0.20	0.19	96	2,3,4,7,8-PeCDF-13C	2.00	62
				1,2,3,7,8-PeCDD-13C	2.00	70
				1,2,3,4,7,8-HxCDF-13C	2.00	86
1,2,3,7,8-PeCDF	1.00	0.97	97	1,2,3,6,7,8-HxCDF-13C	2.00	82
2,3,4,7,8-PeCDF	1.00	0.99	99	2,3,4,6,7,8-HxCDF-13C	2.00	84
				1,2,3,7,8,9-HxCDF-13C	2.00	81
				1,2,3,4,7,8-HxCDD-13C	2.00	83
1,2,3,7,8-PeCDD	1.00	1.01	101	1,2,3,6,7,8-HxCDD-13C	2.00	88
				1,2,3,4,6,7,8-HpCDF-13C	2.00	76
				1,2,3,4,7,8,9-HpCDF-13C	2.00	67
1,2,3,4,7,8-HxCDF	1.00	1.05	105	1,2,3,4,6,7,8-HpCDD-13C	2.00	65
1,2,3,6,7,8-HxCDF	1.00	1.10	110	OCDD-13C	4.00	45
2,3,4,6,7,8-HxCDF	1.00	1.07	107			
1,2,3,7,8,9-HxCDF	1.00	1.04	104	1,2,3,4-TCDD-13C	2.00	NA
				1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	1.00	1.10	110	2,3,7,8-TCDD-37Cl4	0.20	74
1,2,3,6,7,8-HxCDD	1.00	1.06	106			
1,2,3,7,8,9-HxCDD	1.00	1.06	106			
1,2,3,4,6,7,8-HpCDF	1.00	1.06	106			
1,2,3,4,7,8,9-HpCDF	1.00	1.04	104			
1,2,3,4,6,7,8-HpCDD	1.00	1.11	111			
OCDF	2.00	2.18	109			
OCDD	2.00	2.27	114			

Qs = Quantity Spiked
Qm = Quantity Measured
Rec. = Recovery (Expressed as Percent)
P = Recovery outside of target range
X = Background subtracted value
Nn = Value obtained from additional analysis
NA = Not Applicable
* = See Discussion

Report No.....01-1051376

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

CONFIDENTIAL,

CITY_21MC100_003458783

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008