

May 06 02 03:35p

PSC

610-521-3301



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA NVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

• NY DOH/ELAC 10903
• PA DEP 06-353

• NJ DEP PA020
• CT DPH PH-0238

Analytical Results
for

ATC Associates

WorkOrder: R02041161

Client Reference: 19125-0291

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
	(ug)	(mg/m³)	(ppm)				
Client ID: VOC1 ATC-0427-M833 Lab ID: -01A Date Sampled: 4/27/2002 Matrix: Charcoal Air Vol.(L): 120							
1,1,1-Trichloroethane	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	05/01/2002 JMM	
1,2-Dichloroethane	<20	<0.17	<0.041	20	Total Hydrocarbon Sc	05/01/2002 JMM	
A Hydrocarbons, Total	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	05/01/2002 JMM	
Acetone	<20	<0.17	<0.070	20	Total Hydrocarbon Sc	05/01/2002 JMM	
B Hydrocarbons, Total	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	05/01/2002 JMM	
Benzene	<20	<0.17	<0.052	20	Total Hydrocarbon Sc	05/01/2002 JMM	
Chlorobenzene	<20	<0.17	<0.036	20	Total Hydrocarbon Sc	05/01/2002 JMM	
Chloroform	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	05/01/2002 JMM	
Ethylbenzene	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	05/01/2002 JMM	
Hexane	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	05/01/2002 JMM	
Isopropylbenzene	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	05/01/2002 JMM	
Methylene Chloride	<20	<0.17	<0.048	20	Total Hydrocarbon Sc	05/01/2002 JMM	
Pentane	<20	<0.17	<0.056	20	Total Hydrocarbon Sc	05/01/2002 JMM	
Styrene	<20	<0.17	<0.039	20	Total Hydrocarbon Sc	05/01/2002 JMM	
Tetrachloroethene	<20	<0.17	<0.025	20	Total Hydrocarbon Sc	05/01/2002 JMM	
Toluene	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	05/01/2002 JMM	
Trichloroethene	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	05/01/2002 JMM	
Xylenes, Total	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	05/01/2002 JMM	

CONFIDENTIAL,

CITY_21MC100_003463140

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

NYC-WTC_000180098



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA NVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

• NY DOH/NELAC 10903
• PA DEP 05-353

• NJ DEP PA020
• CT DPH PH-0238

**Analytical Results
for**

ATC Associates

WorkOrder: R02041161

Client Reference: 19125-0291

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
	(ug)	(mg/m³)	(ppm)				
Client ID: VOC2 ATC-0427-M833 Lab ID: -02A Date Sampled: 4/27/2002 Matrix: Charcoal Air Vol.(L): 120							
1,1,1-Trichloroethane	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	05/01/2002	JMM
1,2-Dichloroethane	<20	<0.17	<0.041	20	Total Hydrocarbon Sc	05/01/2002	JMM
A Hydrocarbons, Total	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	05/01/2002	JMM
Acetone	<20	<0.17	<0.070	20	Total Hydrocarbon Sc	05/01/2002	JMM
B Hydrocarbons, Total	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	05/01/2002	JMM
Benzene	<20	<0.17	<0.052	20	Total Hydrocarbon Sc	05/01/2002	JMM
Chlorobenzene	<20	<0.17	<0.036	20	Total Hydrocarbon Sc	05/01/2002	JMM
Chloroform	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	05/01/2002	JMM
Ethylbenzene	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	05/01/2002	JMM
Hexane	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	05/01/2002	JMM
Isopropylbenzene	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	05/01/2002	JMM
Methylene Chloride	<20	<0.17	<0.048	20	Total Hydrocarbon Sc	05/01/2002	JMM
Pentane	<20	<0.17	<0.056	20	Total Hydrocarbon Sc	05/01/2002	JMM
Styrene	<20	<0.17	<0.039	20	Total Hydrocarbon Sc	05/01/2002	JMM
Tetrachloroethene	<20	<0.17	<0.025	20	Total Hydrocarbon Sc	05/01/2002	JMM
Toluene	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	05/01/2002	JMM
Trichloroethene	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	05/01/2002	JMM
Xylenes, Total	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	05/01/2002	JMM

May 06 02 03:35p

PSC

610-921-9667



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA NVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

• NY DOH NELAC 10903
• PA DEP 08-353

• NJ DEP PAD20
• CT DPH PH-0238

Analytical Results
for

ATC Associates

WorkOrder: R02041161

Client Reference: 19125-0291

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst
	(ug)	(mg/m³)	(ppm)			
Client ID: VOC3 ATC-0427-M833 Lab ID: -03A Date Sampled: 4/27/2002 Matrix: Charcoal Air Vol.(L): 120						
1,1,1-Trichloroethane	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	05/01/2002 JMM
1,2-Dichloroethane	<20	<0.17	<0.041	20	Total Hydrocarbon Sc	05/01/2002 JMM
A Hydrocarbons, Total	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	05/01/2002 JMM
Acetone	<20	<0.17	<0.070	20	Total Hydrocarbon Sc	05/01/2002 JMM
B Hydrocarbons, Total	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	05/01/2002 JMM
Benzene	<20	<0.17	<0.052	20	Total Hydrocarbon Sc	05/01/2002 JMM
Chlorobenzene	<20	<0.17	<0.036	20	Total Hydrocarbon Sc	05/01/2002 JMM
Chloroform	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	05/01/2002 JMM
Ethylbenzene	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	05/01/2002 JMM
Hexane	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	05/01/2002 JMM
Isopropylbenzene	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	05/01/2002 JMM
Methylene Chloride	<20	<0.17	<0.048	20	Total Hydrocarbon Sc	05/01/2002 JMM
Pentane	<20	<0.17	<0.056	20	Total Hydrocarbon Sc	05/01/2002 JMM
Styrene	<20	<0.17	<0.039	20	Total Hydrocarbon Sc	05/01/2002 JMM
Tetrachloroethene	<20	<0.17	<0.025	20	Total Hydrocarbon Sc	05/01/2002 JMM
Toluene	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	05/01/2002 JMM
Trichloroethene	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	05/01/2002 JMM
Xylenes, Total	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	05/01/2002 JMM

CONFIDENTIAL,

CITY_21MC100_003463142

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

NYC-WTC_000180100

May 06 02 03:35p

PSC

610-921-3001



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPANVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 589

• NY DOH/NELAC 10803
• PA DEP 06-353

• NJ DEP PA020
• CT DPH PH-0238

**Analytical Results
for**

ATC Associates

WorkOrder: R02041161

Client Reference: 19125-0291

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst
	(ug)	(mg/m³)	(ppm)			
Client ID: VOC4 ATC-0427-M833 Lab ID: -04A Date Sampled: 4/27/2002 Matrix: Charcoal Air Vol.(L): 120						
1,1,1-Trichloroethane	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	05/01/2002 JMM
1,2-Dichloroethane	<20	<0.17	<0.041	20	Total Hydrocarbon Sc	05/01/2002 JMM
A Hydrocarbons, Total	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	05/01/2002 JMM
Acetone	<20	<0.17	<0.070	20	Total Hydrocarbon Sc	05/01/2002 JMM
B Hydrocarbons, Total	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	05/01/2002 JMM
Benzene	<20	<0.17	<0.052	20	Total Hydrocarbon Sc	05/01/2002 JMM
Chlorobenzene	<20	<0.17	<0.036	20	Total Hydrocarbon Sc	05/01/2002 JMM
Chloroform	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	05/01/2002 JMM
Ethylbenzene	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	05/01/2002 JMM
Hexane	<20	<0.17	<0.047	20	Total Hydrocarbon Sc	05/01/2002 JMM
Isopropylbenzene	<20	<0.17	<0.034	20	Total Hydrocarbon Sc	05/01/2002 JMM
Methylene Chloride	<20	<0.17	<0.048	20	Total Hydrocarbon Sc	05/01/2002 JMM
Pentane	<20	<0.17	<0.056	20	Total Hydrocarbon Sc	05/01/2002 JMM
Styrene	<20	<0.17	<0.039	20	Total Hydrocarbon Sc	05/01/2002 JMM
Tetrachloroethene	<20	<0.17	<0.025	20	Total Hydrocarbon Sc	05/01/2002 JMM
Toluene	<20	<0.17	<0.044	20	Total Hydrocarbon Sc	05/01/2002 JMM
Trichloroethene	<20	<0.17	<0.031	20	Total Hydrocarbon Sc	05/01/2002 JMM
Xylenes, Total	<20	<0.17	<0.038	20	Total Hydrocarbon Sc	05/01/2002 JMM

CONFIDENTIAL,

CITY_21MC100_003463143

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPANVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

• NY DOH/NELAC 10903
• PA DEP 06-353

• NJ DEP PA020
• CT DPH PH-0239

**Analytical Results
for**

ATC Associates

WorkOrder: R02041161

Client Reference: 19125-0291

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed/Analyst
	(ug)	(mg/m³)	(ppm)			
Client ID: VOC5 ATC-0427-M833 Lab ID: -05A Date Sampled: 4/27/2002 Matrix: Charcoal Air Vol.(L): N						
1,1,1-Trichloroethane	<20	--	--	20	Total Hydrocarbon Sc	05/01/2002 JI
1,2-Dichloroethane	<20	--	--	20	Total Hydrocarbon Sc	05/01/2002 JI
A Hydrocarbons, Total	<20	--	--	20	Total Hydrocarbon Sc	05/01/2002 JI
Acetone	<20	--	--	20	Total Hydrocarbon Sc	05/01/2002 JI
B Hydrocarbons, Total	<20	--	--	20	Total Hydrocarbon Sc	05/01/2002 JI
Benzene	<20	--	--	20	Total Hydrocarbon Sc	05/01/2002 JI
Chlorobenzene	<20	--	--	20	Total Hydrocarbon Sc	05/01/2002 JI
Chloroform	<20	--	--	20	Total Hydrocarbon Sc	05/01/2002 JI
Ethylbenzene	<20	--	--	20	Total Hydrocarbon Sc	05/01/2002 JI
Hexane	<20	--	--	20	Total Hydrocarbon Sc	05/01/2002 JI
Isopropylbenzene	<20	--	--	20	Total Hydrocarbon Sc	05/01/2002 JI
Methylene Chloride	<20	--	--	20	Total Hydrocarbon Sc	05/01/2002 JI
Pentane	<20	--	--	20	Total Hydrocarbon Sc	05/01/2002 JI
Styrene	<20	--	--	20	Total Hydrocarbon Sc	05/01/2002 JI
Tetrachloroethene	<20	--	--	20	Total Hydrocarbon Sc	05/01/2002 JI
Toluene	<20	--	--	20	Total Hydrocarbon Sc	05/01/2002 JI
Trichloroethene	<20	--	--	20	Total Hydrocarbon Sc	05/01/2002 JI
Xylenes, Total	<20	--	--	20	Total Hydrocarbon Sc	05/01/2002 JI

(a) Analysis indicates possible breakthrough; back section result is greater than % of the front section result.

General Notes:

<: Less than the indicated limit of detection (LOD).

--: Information not available or not applicable.

Back sections were checked and showed no significant breakthrough.