



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA/MLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

• NY DOH/ELAC 10903
• PA DEP 06-353

• NJ DEP 77026
• CT DPH PH-0238

ANALYTICAL SERVICES

Date: 22-Jan-02

CLIENT: ATC Associates
Project: 19125-0291

Lab Order: R02010240

Lab ID: R02010240-01
Client Sample ID: M01-ATC-0114-M833

Collection Date: 1/14/02
Matrix: WIPE

Lobby

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
N7300 WIPE		N7300		Analyst: TH		
Aluminum	48.9	5.00		µg, Total	1	1/17/02 11:10:00 AM
Cadmium	2.57	0.200		µg, Total	1	1/17/02 11:10:00 AM
Chromium	0.876	0.200		µg, Total	1	1/17/02 11:10:00 AM
Cobalt	BRL	0.200		µg, Total	1	1/17/02 11:10:00 AM
Copper	1.92	0.200		µg, Total	1	1/17/02 11:10:00 AM
Iron	159	5.00		µg, Total	1	1/17/02 11:10:00 AM
Magnesium	109	5.00		µg, Total	1	1/17/02 11:10:00 AM
Manganese	2.79	0.500		µg, Total	1	1/17/02 11:10:00 AM
Molybdenum	BRL	0.500		µg, Total	1	1/17/02 11:10:00 AM
Nickel	BRL	0.500		µg, Total	1	1/17/02 11:10:00 AM
Zinc	21.1	0.500		µg, Total	1	1/17/02 11:10:00 AM

Lab ID: R02010240-02
Client Sample ID: M02-ATC-0114-M833

Collection Date: 1/14/02
Matrix: WIPE

Room 304
Table Top

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
N7300 WIPE		N7300		Analyst: TH		
Aluminum	BRL	5.00		µg, Total	1	1/17/02 11:14:00 AM
Cadmium	BRL	0.200		µg, Total	1	1/17/02 11:14:00 AM
Chromium	BRL	0.200		µg, Total	1	1/17/02 11:14:00 AM
Cobalt	BRL	0.200		µg, Total	1	1/17/02 11:14:00 AM
Copper	0.430	0.200		µg, Total	1	1/17/02 11:14:00 AM
Iron	5.38	5.00		µg, Total	1	1/17/02 11:14:00 AM
Magnesium	21.8	5.00		µg, Total	1	1/17/02 11:14:00 AM
Manganese	BRL	0.500		µg, Total	1	1/17/02 11:14:00 AM
Molybdenum	BRL	0.500		µg, Total	1	1/17/02 11:14:00 AM
Nickel	0.965	0.500		µg, Total	1	1/17/02 11:14:00 AM
Zinc	4.67	0.500		µg, Total	1	1/17/02 11:14:00 AM

Qualifiers:
BRL - Below Reporting Limit
J - Value Reported is Estimated
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

Page 1 of 4

CONFIDENTIAL,

CITY_21MC100_003463148

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA/NVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

• NY DOH/NELAC 10903
• PA DEP 06-353

• NJ DEP 77020
• CT DPH PH-0238

ANALYTICAL SERVICES

Date: 22-Jan-02

CLIENT: ATC Associates
Project: 19125-0291

Lab Order: R02010240

Lab ID: R02010240-03

Collection Date: 1/14/02

Client Sample ID: M03-ATC-0114-M833

Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
N7300 WIPE						
N7300						
Aluminum	39.4	5.00		µg, Total	1	1/17/02 11:17:00 AM
Cadmium	BRL	0.200		µg, Total	1	1/17/02 11:17:00 AM
Chromium	0.356	0.200		µg, Total	1	1/17/02 11:17:00 AM
Cobalt	1.25	0.200		µg, Total	1	1/17/02 11:17:00 AM
Copper	3.41	0.200		µg, Total	1	1/17/02 11:17:00 AM
Iron	74.9	5.00		µg, Total	1	1/17/02 11:17:00 AM
Magnesium	75.1	5.00		µg, Total	1	1/17/02 11:17:00 AM
Manganese	2.26	0.500		µg, Total	1	1/17/02 11:17:00 AM
Molybdenum	BRL	0.500		µg, Total	1	1/17/02 11:17:00 AM
Nickel	BRL	0.500		µg, Total	1	1/17/02 11:17:00 AM
Zinc	20.4	0.500		µg, Total	1	1/17/02 11:17:00 AM

Analyst: TH

Lab ID: R02010240-04

Collection Date: 1/14/02

Client Sample ID: M04-ATC-0114-M833

Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
N7300 WIPE						
N7300						
Aluminum	57.6	5.00		µg, Total	1	1/17/02 11:21:00 AM
Cadmium	0.253	0.200		µg, Total	1	1/17/02 11:21:00 AM
Chromium	0.744	0.200		µg, Total	1	1/17/02 11:21:00 AM
Cobalt	BRL	0.200		µg, Total	1	1/17/02 11:21:00 AM
Copper	5.21	0.200		µg, Total	1	1/17/02 11:21:00 AM
Iron	144	5.00		µg, Total	1	1/17/02 11:21:00 AM
Magnesium	75.0	5.00		µg, Total	1	1/17/02 11:21:00 AM
Manganese	2.49	0.500		µg, Total	1	1/17/02 11:21:00 AM
Molybdenum	BRL	0.500		µg, Total	1	1/17/02 11:21:00 AM
Nickel	BRL	0.500		µg, Total	1	1/17/02 11:21:00 AM
Zinc	34.2	0.500		µg, Total	1	1/17/02 11:21:00 AM

Analyst: TH

Qualifiers:

BRL - Below Reporting Limit

J - Value Reported is Estimated

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

Page 2 of 4

CONFIDENTIAL,

CITY_21MC100_003463149

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA/MLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

• NY DOH/ELAC 10903
• PA DEP 06-353

• NJ DEP 77029
• CT DPH PH-0238

ANALYTICAL SERVICES

Date: 22-Jan-02

CLIENT: ATC Associates
Project: 19125-0291

Lab Order: R02010240

Lab ID: R02010240-05

8th floor

Collection Date: 1/14/02

Client Sample ID: M05-ATC-0114-M833

Kitchen counter

Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
N7300 WIPE		N7300				Analyst: TH
Aluminum	BRL	5.00		µg, Total	1	1/17/02 11:34:00 AM
Cadmium	BRL	0.200		µg, Total	1	1/17/02 11:34:00 AM
Chromium	0.370	0.200		µg, Total	1	1/17/02 11:34:00 AM
Cobalt	BRL	0.200		µg, Total	1	1/17/02 11:34:00 AM
Copper	0.552	0.200		µg, Total	1	1/17/02 11:34:00 AM
Iron	8.05	5.00		µg, Total	1	1/17/02 11:34:00 AM
Magnesium	21.1	5.00		µg, Total	1	1/17/02 11:34:00 AM
Manganese	BRL	0.500		µg, Total	1	1/17/02 11:34:00 AM
Molybdenum	BRL	0.500		µg, Total	1	1/17/02 11:34:00 AM
Nickel	BRL	0.500		µg, Total	1	1/17/02 11:34:00 AM
Zinc	5.08	0.500		µg, Total	1	1/17/02 11:34:00 AM

Lab ID: R02010240-06

Room 907

Collection Date: 1/14/02

Client Sample ID: M06-ATC-0114-M833

Table top

Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
N7300 WIPE		N7300				Analyst: TH
Aluminum	BRL	5.00		µg, Total	1	1/17/02 11:38:00 AM
Cadmium	BRL	0.200		µg, Total	1	1/17/02 11:38:00 AM
Chromium	BRL	0.200		µg, Total	1	1/17/02 11:38:00 AM
Cobalt	BRL	0.200		µg, Total	1	1/17/02 11:38:00 AM
Copper	0.422	0.200		µg, Total	1	1/17/02 11:38:00 AM
Iron	BRL	5.00		µg, Total	1	1/17/02 11:38:00 AM
Magnesium	17.1	5.00		µg, Total	1	1/17/02 11:38:00 AM
Manganese	BRL	0.500		µg, Total	1	1/17/02 11:38:00 AM
Molybdenum	BRL	0.500		µg, Total	1	1/17/02 11:38:00 AM
Nickel	BRL	0.500		µg, Total	1	1/17/02 11:38:00 AM
Zinc	2.94	0.500		µg, Total	1	1/17/02 11:38:00 AM

Qualifiers:

BRL - Below Reporting Limit

J - Value Reported is Estimated

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

Page 3 of 4

CONFIDENTIAL,

CITY_21MC100_003463150

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008

Jan 22 02 01:08p

PSC Analytical Services

6109219667

p.6



INDUSTRIAL HYGIENE

• EPA NVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

ENVIRONMENTAL TESTING

• NY DOH/NELAC 10903
• PA DEP 06-353
• NJ DEP 77020
• CT DPH PH-0238

ANALYTICAL SERVICES

Date: 22-Jan-02

CLIENT: ATC Associates
Project: 19125-0291

Lab Order: R02010240

Lab ID: R02010240-07

Collection Date: 1/14/02

Client Sample ID: M07-ATC-0114-M833

Matrix: WIPE

Room 100 is
table top

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
N7300 WIPE		N7300		Analyst: TH		
Aluminum	18.6	5.00		µg, Total	1	1/20/02 11:34:00 AM
Cadmium	BRL	0.200		µg, Total	1	1/20/02 11:34:00 AM
Chromium	0.248	0.200		µg, Total	1	1/20/02 11:34:00 AM
Cobalt	BRL	0.200		µg, Total	1	1/20/02 11:34:00 AM
Copper	1.74	0.200		µg, Total	1	1/20/02 11:34:00 AM
Iron	17.0	5.00		µg, Total	1	1/20/02 11:34:00 AM
Magnesium	51.1	5.00		µg, Total	1	1/20/02 11:34:00 AM
Manganese	0.802	0.500		µg, Total	1	1/20/02 11:34:00 AM
Molybdenum	BRL	0.500		µg, Total	1	1/20/02 11:34:00 AM
Nickel	BRL	0.500		µg, Total	1	1/20/02 11:34:00 AM
Zinc	13.9	0.500		µg, Total	1	1/20/02 11:34:00 AM

Lab ID: R02010240-08

Collection Date: 1/14/02

Client Sample ID: M08-Blank-ATC-0114-M833

Matrix: WIPE

Blank

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
N7300 WIPE		N7300		Analyst: TH		
Aluminum	BRL	5.00		µg, Total	1	1/20/02 11:37:00 AM
Cadmium	BRL	0.200		µg, Total	1	1/20/02 11:37:00 AM
Chromium	BRL	0.200		µg, Total	1	1/20/02 11:37:00 AM
Cobalt	BRL	0.200		µg, Total	1	1/20/02 11:37:00 AM
Copper	0.391	0.200		µg, Total	1	1/20/02 11:37:00 AM
Iron	5.01	5.00		µg, Total	1	1/20/02 11:37:00 AM
Magnesium	37.9	5.00		µg, Total	1	1/20/02 11:37:00 AM
Manganese	BRL	0.500		µg, Total	1	1/20/02 11:37:00 AM
Molybdenum	BRL	0.500		µg, Total	1	1/20/02 11:37:00 AM
Nickel	BRL	0.500		µg, Total	1	1/20/02 11:37:00 AM
Zinc	3.53	0.500		µg, Total	1	1/20/02 11:37:00 AM

Qualifiers:

BRL - Below Reporting Limit

J - Value Reported is Estimated

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

Page 4 of 4

CONFIDENTIAL,

CITY_21MC100_003463151

SUBJECT TO PROTECTIVE ORDER NO. 2, SEPT. 2008