NYC 9/11 Public Portal Document

IT CORPORATION

INTERNATIONAL TECHNOLOGY CORPORATION

Page 1 of 2

R011204/6

RESPIRABLE PARTICULATES AND QUARTZ

IT Project Name: NYC Law 100 Church St	Inspector: Mike Vollo
IT Project Number: 834345	Lab Destination: PSC
Report & Invoices to: IT Corporation Attn.: Mike Vollo 2200 Cottontail Lane Somerset, NJ 08873	Requested Turnaround Time: Normal Sample Disposal: Archieve 6 Months
Shipping Carrier/Tracking:	IT Purchase Order Number: 834345

Date	Sample ID No.	Material Description	Sample Volume (Liters)	Analysis Requested
12/18/01	RESP-1218-2nd-A1	Rm 2-181	492	NIOSH 0600/7500
12/18/01	RESP-1218-2nd-A2	Rm 2-100	490	NIOSH 0600/7500
12/18/01	RESP-1218-2nd-A3	Rm 2-149	488	NIOSH 0600/7500
12/18/01	RESP-1218-2nd-A4	Rm 2-160C	484	NIOSH 0600/7500
12/18/01	RESP-1218-2nd-A5	~~Center~~ Hallway - Just outside Freight elevator	484	NIOSH 0600/7500
12/18/01	RESP-1218-3rd-A6	SW 3 600216	480	NIOSH 0600/7500
12/18/01	RESP-1218-3rd-A7	NW 3 600750	480	NIOSH 0600/7500
12/18/01	RESP-1218-3rd-A8	NE 3 600378	484	NIOSH 0600/7500
12/18/01	RESP-1218-3rd-A9	SE 3 600723	486	NIOSH 0600/7500
12/18/01	RESP-1218-3rd-A10	CTR 3 600752	488	NIOSH 0600/7500
12/18/01	RESP-1218-4th-A11	CTR 4 612023	498	NIOSH 0600/7500
12/18/01	RESP-1218-4th-A12	NE 4 612068	498	NIOSH 0600/7500
12/18/01	RESP-1218-4th-A13	NW 4 612027	498	NIOSH 0600/7500
12/18/01	RESP-1218-4th-A14	SW 4 612557 (2.0)	498	NIOSH 0600/7500
12/18/01	RESP-1218-4th-A15	SE 4 602852	498	NIOSH 0600/7500
12/18/01	RESP-1218-5th-A16	SW 5 107891	520 ~~498~~	NIOSH 0600/7500
12/18/01	RESP-1218-5th-A17	NW 5 107-881	520	NIOSH 0600/7500
12/18/01	RESP-1218-5th-A18	NE 5 107-956	520	NIOSH 0600/7500
12/18/01	RESP-1218-5th-A19	~~5W~~ - 5 - SE 107884	520	NIOSH 0600/7500
12/18/01	RESP-1218-5th-A20	5 CTR 107873	520	NIOSH 0600/7500
12/18/01	RESP-1218-6th-A21	~~RESP-1218-5th-A16~~ 6 SW ~~107891~~ 600216	520	NIOSH 0600/7500
12/18/01	RESP-1218-6th-A22	6 NW 600750	510	NIOSH 0600/7500
12/18/01	RESP-1218-6th-A23	6 NE 600378	510	NIOSH 0600/7500
12/18/01	RESP-1218-6th-A24	6 SE 600723	510	NIOSH 0600/7500
12/18/01	RESP-1218-6th-A25	6 CTR 600752	508	NIOSH 0600/7500

Collected/Relinquished By (1): Mike Vollo	Date 12/21/01	Time 1530	Received By: Fed Ex 12/26/01	1000
Collected/Relinquished By (2):	Date	Time	Received By	
Collected/Relinquished By (3):	Date	Time	Received By:	

NYC-WTC_000182287

NYC 9/11 Public Portal Document

IT CORPORATION

INTERNATIONAL TECHNOLOGY CORPORATION

Page 2 of 2

R011204/6

RESPIRABLE PARTICULATES AND QUARTZ

IT Project Name: NYC Law 100 Church St	Inspector: Mike Vollo
IT Project Number: 834345	Lab Destination: PSC
Report & Invoices to: IT Corporation	Requested Turnaround Time: Normal
Attn.: Mike Vollo	Sample Disposal: Archieve 6 Months
2200 Cottontail Lane	
Somerset, NJ 08873	
Shipping Carrier/Tracking:	IT Purchase Order Number: 834345

Date	Sample ID No.	Material Description				Sample Volume	Analysis Requested
12/18/01	RESP-1218-20th-A26	SW	20	2.0 L/min	101463	518	NIOSH 0600/7500
12/18/01	RESP-1218-20th-A27	NW	20		~~602603~~ 602978	518	NIOSH 0600/7500
12/18/01	RESP-1218-20th-A28	NE	20		602965	518	NIOSH 0600/7500
12/18/01	RESP-1218-20th-A29	SE	20		626563	518	NIOSH 0600/7500
12/18/01	RESP-1218-20th-A30	CTR	20	2	01501 (2.0)		NIOSH 0600/7500
~~12/18/01~~	~~RESP-1218-FB-A31~~						~~NIOSH 0600/7500~~
~~12/18/01~~	~~RESP-1218-FB-~~A32						NIO~~SH 0600/7500~~
12/21/01	RESP-1218-FB1	Field Blank					
↓	RESP-1218-FB2	Field Blank					
	RESP-1218-FB3	Field Blank					

Collected/Relinquished By (1): Mike Vollo	Date 12/21/01	Time 1530	Received By: Fedex 12/26/01	1000
Collected/Relinquished By (2):	Date	Time	Received By:	
Collected/Relinquished By (3):	Date	Time	Received By:	

NYC-WTC_000182288

NYC 9/11 Public Portal Document

ANALYTICAL SERVICES

INDUSTRIAL HYGIENE ENVIRONMENTAL TESTING

• EPA/NVLAP 101262-0 • NY DOH/NELAC 10903 • NJ DEP 77020
• AIHA ACCREDITATION NO. 100439 • PA DEP 06-353 • CT DPH PH-0238
• NC DENR 599

Analytical Results
for
IT Corporation

WorkOrder: R01120416
Client Reference: NIOSH 0600/7500: NYC Law 100 Church St

Analyte	Concentration (ug)	Concentration (mg/m³)	Concentration (ppm)	Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
Client ID: RESP-1221-2nd-A1	**Lab ID:** -01A	**Date Sampled:** 12/18/01		**Matrix:** Filter		**Air Vol.(L):** 492	
Total Particulate Matter	<100	<0.203	--	100	N0600	01/02/2002	ADM
Silica (Quartz Total)	<5.00	<0.0102	--	5	AIRBORNE SILICA	01/02/2002	ADM
Client ID: RESP-1221-2nd-A2	**Lab ID:** -02A	**Date Sampled:** 12/18/01		**Matrix:** Filter		**Air Vol.(L):** 490	
Total Particulate Matter	<100	<0.204	--	100	N0600	01/02/2002	ADM
Silica (Quartz Total)	<5.00	<0.0102	--	5	AIRBORNE SILICA	01/02/2002	ADM
Client ID: RESP-1221-2nd-A3	**Lab ID:** -03A	**Date Sampled:** 12/18/01		**Matrix:** Filter		**Air Vol.(L):** 488	
tal Particulate Matter	<100	<0.205	--	100	N0600	01/02/2002	ADM
Silica (Quartz Total)	<5.00	<0.0102	--	5	AIRBORNE SILICA	01/02/2002	ADM
Client ID: RESP-1221-2nd-A4	**Lab ID:** -04A	**Date Sampled:** 12/18/01		**Matrix:** Filter		**Air Vol.(L):** 484	
Total Particulate Matter	<100	<0.207	--	100	N0600	01/02/2002	ADM
Silica (Quartz Total)	<5.00	<0.0103	--	5	AIRBORNE SILICA	01/02/2002	ADM
Client ID: RESP-1221-2nd-A5	**Lab ID:** -05A	**Date Sampled:** 12/18/01		**Matrix:** Filter		**Air Vol.(L):** 484	
Total Particulate Matter	<100	<0.207	--	100	N0600	01/02/2002	ADM
Silica (Quartz Total)	<5.00	<0.0103	--	5	AIRBORNE SILICA	01/02/2002	ADM
Client ID: RESP-1218-3rd-A6	**Lab ID:** -06A	**Date Sampled:** 12/18/01		**Matrix:** Filter		**Air Vol.(L):** 480	
Total Particulate Matter	<100	<0.208	--	100	N0600	01/02/2002	ADM
Silica (Quartz Total)	<5.00	<0.0104	--	5	AIRBORNE SILICA	01/02/2002	ADM

CITY_21MC100_006261849

NYC-WTC_000182289

NYC 9/11 Public Portal Document

INDUSTRIAL HYGIENE ENVIRONMENTAL TESTING

• EPA/NVLAP 101262-0 • NY DOH/NELAC 10903 • NJ DEP 77020
• AIHA ACCREDITATION NO. 100439 • PA DEP 06-353 • CT DPH PH-0238
• NC DENR 599

ANALYTICAL SERVICES

Analytical Results
for
IT Corporation

WorkOrder: R01120416
Client Reference: NIOSH 0600/7500: NYC Law 100 Church St

Analyte	Concentration (ug)	Concentration (mg/m³)	Concentration (ppm)	Limit of Detection (ug)	Test Method	Date Analyzed /Analyst
Client ID: RESP-1218-3rd-A7	**Lab ID: -07A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 480**
Total Particulate Matter	<100	<0.208	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.0104	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-3rd-A8	**Lab ID: -08A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 484**
Total Particulate Matter	<100	<0.207	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.0103	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-3rd-A9	**Lab ID: -09A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 486**
tal Particulate Matter	<100	<0.206	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.0103	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-3rd-A10	**Lab ID: -10A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 488**
Total Particulate Matter	<100	<0.205	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.0102	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-4th-A11	**Lab ID: -11A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 498**
Total Particulate Matter	<100	<0.201	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.0100	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-4th-A12	**Lab ID: -12A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 498**
Total Particulate Matter	<100	<0.201	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.0100	--	5	AIRBORNE SILICA	01/02/2002 ADM

CITY_21MC100_006261850

NYC-WTC_000182290

NYC 9/11 Public Portal Document

ANALYTICAL SERVICES

INDUSTRIAL HYGIENE ENVIRONMENTAL TESTING

• EPA/NVLAP 101262-0 • NY DOH/NELAC 10903 • NJ DEP 77020
• AIHA ACCREDITATION NO. 100439 • PA DEP 06-353 • CT DPH PH-0238
• NC DENR 599

Analytical Results
for
IT Corporation

WorkOrder: R01120416
Client Reference: NIOSH 0600/7500: NYC Law 100 Church St

Analyte	Concentration (ug)	Concentration (mg/m³)	Concentration (ppm)	Limit of Detection (ug)	Test Method	Date Analyzed /Analyst
Client ID: RESP-1218-4th-A13	**Lab ID: -13A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 498**
Total Particulate Matter	<100	<0.201	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.0100	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-4th-A14	**Lab ID: -14A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 498**
Total Particulate Matter	<100	<0.201	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.0100	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-4th-A15	**Lab ID: -15A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 498**
Total Particulate Matter	<100	<0.201	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.0100	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-5th-A16	**Lab ID: -16A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 520**
Total Particulate Matter	<100	<0.192	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.00962	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-5th-A17	**Lab ID: -17A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 520**
Total Particulate Matter	<100	<0.192	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.00962	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-5th-A18	**Lab ID: -18A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 520**
Total Particulate Matter	<100	<0.192	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.00962	--	5	AIRBORNE SILICA	01/02/2002 ADM

CITY_21MC100_006261851

NYC-WTC_000182291

NYC 9/11 Public Portal Document

ANALYTICAL SERVICES

INDUSTRIAL HYGIENE ENVIRONMENTAL TESTING

• EPA/NVLAP 101262-0 • NY DOH/NELAC 10903 • NJ DEP 77020
• AIHA ACCREDITATION NO. 100439 • PA DEP 06-353 • CT DPH PH-0238
• NC DENR 599

Analytical Results
for
IT Corporation

WorkOrder: R01120416
Client Reference: NIOSH 0600/7500: NYC Law 100 Church St

Analyte	Concentration (ug)	Concentration (mg/m³)	Concentration (ppm)	Limit of Detection (ug)	Test Method	Date Analyzed /Analyst
Client ID: RESP-1218-5th-A19	**Lab ID: -19A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 520**
Total Particulate Matter	<100	<0.192	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.00962	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-5th-A20	**Lab ID: -20A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 520**
Total Particulate Matter	<100	<0.192	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.00962	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-6th-A21	**Lab ID: -21A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 520**
al Particulate Matter	<100	<0.192	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.00962	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-6th-A22	**Lab ID: -22A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 510**
Total Particulate Matter	<100	<0.196	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.00980	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-6th-A23	**Lab ID: -23A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 510**
Total Particulate Matter	<100	<0.196	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.00980	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-6th-A24	**Lab ID: -24A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 510**
Total Particulate Matter	<100	<0.196	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.00980	--	5	AIRBORNE SILICA	01/02/2002 ADM

CITY_21MC100_006261852

NYC-WTC_000182292

NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES

INDUSTRIAL HYGIENE ENVIRONMENTAL TESTING

• EPA/NVLAP 101262-0 • NY DOH/NELAC 10903 • NJ DEP 77020
• AIHA ACCREDITATION NO. 100439 • PA DEP 06-353 • CT DPH PH-0238
• NC DENR 599

Analytical Results
for
IT Corporation

WorkOrder: R01120416
Client Reference: NIOSH 0600/7500: NYC Law 100 Church St

Analyte	Concentration (ug)	Concentration (mg/m³)	Concentration (ppm)	Limit of Detection (ug)	Test Method	Date Analyzed /Analyst
Client ID: RESP-1218-6th-A25	**Lab ID: -25A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 508**
Total Particulate Matter	<100	<0.197	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.00984	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-20th-A26	**Lab ID: -26A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 518**
Total Particulate Matter	<100	<0.193	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.00965	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-20th-A27	**Lab ID: -27A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 518**
Particulate Matter	<100	<0.193	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.00965	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-20th-A28	**Lab ID: -28A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 518**
Total Particulate Matter	<100	<0.193	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.00965	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-20th-A29	**Lab ID: -29A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): 518**
Total Particulate Matter	<100	<0.193	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	<5.00	<0.00965	--	5	AIRBORNE SILICA	01/02/2002 ADM
Client ID: RESP-1218-20th-A30	**Lab ID: -30A**	**Date Sampled: 12/18/01**		**Matrix: Filter**		**Air Vol.(L): NA**
Total Particulate Matter	<100	--	--	100	N0600	01/02/2002 ADM
Silica (Quartz Total)	12.0	--	--	5	AIRBORNE SILICA	01/02/2002 ADM

CITY_21MC100_006261853

NYC-WTC_000182293

NYC 9/11 Public Portal Document

ANALYTICAL SERVICES

INDUSTRIAL HYGIENE ENVIRONMENTAL TESTING

- EPA/NVLAP 101262-0
- AIHA ACCREDITATION NO. 100439
- NC DENR 599
- NY DOH/NELAC 10903
- PA DEP 06-353
- NJ DEP 77020
- CT DPH PH-0238

Analytical Results
for
IT Corporation

WorkOrder: R01120416
Client Reference: NIOSH 0600/7500: NYC Law 100 Church St

Analyte	Concentration (ug)	Concentration (mg/m³)	Concentration (ppm)	Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
Client ID: RESP-1218-FB1	**Lab ID: -31A**	**Date Sampled: 12/21/01**		**Matrix: Filter**		**Air Vol.(L): NA**	
Total Particulate Matter	<100	--	--	100	N0600	01/02/2002	ADM
Silica (Quartz Total)	<5.00	--	--	5	AIRBORNE SILICA	01/02/2002	ADM
Client ID: RESP-1218-FB2	**Lab ID: -32A**	**Date Sampled: 12/21/01**		**Matrix: Filter**		**Air Vol.(L): NA**	
Total Particulate Matter	<100	--	--	100	N0600	01/02/2002	ADM
Silica (Quartz Total)	<5.00	--	--	5	AIRBORNE SILICA	01/02/2002	ADM
Client ID: RESP-1218-FB3	**Lab ID: -33A**	**Date Sampled: 12/21/01**		**Matrix: Filter**		**Air Vol.(L): NA**	
Particulate Matter	<100	--	--	100	N0600	01/02/2002	ADM
Silica (Quartz Total)	<5.00	--	--	5	AIRBORNE SILICA	01/02/2002	ADM

(a) Analysis indicates possible breakthrough; back section result is greater than 0% of the front section result.

General Notes:
<: Less than the indicated limit of detection (LOD).
--: Information not available or not applicable.
Back sections were checked and showed no significant breakthrough.

CITY_21MC100_006261854

NYC-WTC_000182294

NYC 9/11 Public Portal Document

PSC ANALYTICAL SERVICES

Chain of Custody Record

4418 Pottsville Pike Reading, PA 19605
phone: (610) 921-8833 fax: (610) 921-9667

Report Results To:

PO # 834345 Job ID NYC LAW-100 Chuck
Name NEW YORK City Law Dept/M VOLLO
Company IT Corporation
Mailing Address 2200 Cottontail Lane
City Somerset State NJ ZIP 08873
Telephone # 732 560-4218 Fax # (732) 469-7275

Send Invoice To:

Name Mike Vollo Telephone # 732-469-7275
Company IT Corporation Dept.
Mailing Address 2200 Cottontail Lane
City Somerset State NJ ZIP 08873
Credit Card # Exp. Date

Sample Container Information

Bottle Type (G P IH)	N/A											
# of Containers	1											
Preserved? (Y/N)	N											

Analysis Requested

R01120417

Page ___ of ___

PAS Quote#

Sampled by: M Vollo

	SAMPLE DESCRIPTION	Air Vol. (Liters or min)	Matrix Type	Date Sampled	Time Sampled	NIOSH 5506 For Polynuclear Aromatic Hydrocarbons												Comments/Hazards/ Location Details
1	PNA-1218-3RD-A1	1072	Filter/Tube	12/18/01	536	X												
2	PNA-1218-4TH-A2	1072		12/18/01	536	X												
3	PNA-1218-5TH-A3	1074		12/18/01	537	X												
4	PNA-1218-6TH-A4	1066		12/18/01	533	X												
5	PNA-1218-20TH-A5	1070		12/18/01	535	X												
6	PNA-1218-FB-A6	—		12/18/01	—	X												
7	PNA-1228/1221-2ND-A7	940		12/21/01	470	X												
8																		
9																		
10																		

Special Instructions (including Data Deliverables and Turn Around Time): NORMAL TAT

Samples relinquished to shipper or courier by:	Date	Time
M Vollo	12/21/01	1630
Samples received by:	Date	Time

Samples Relinquished by:	Samples Relinquished to:	Date	Time
Samples Relinquished by:	Samples Relinquished to Laboratory: Fed Ex	Date 12/26/01	Time 1000

Method of Shipment/Delivery: UPS FED-EX PAS Courier Client drop off Other ____

Samples Rec'd. on Ice? (Y N n/a) Temp. Blank ____ Sample Temp. ____
Samples rec'd intact (Y) N) Custody seals intact? (Y N n/a) ID on samples match COC? (Y) N)
VOC Samples have zero headspace? (Y N n/a) Samples properly preserved? (Y N n/a)

Notes:

Feb 11 02 04:45p PSC Analytical Services 6109219667 p.7

CITY_21MC100_0062618555

NYC-WTC_000182295