

|                         |                                                                                   |                                   |                         |
|-------------------------|-----------------------------------------------------------------------------------|-----------------------------------|-------------------------|
| <u>Client Name:</u>     | NYC BOE                                                                           | <u>Volume (liters):</u>           | 1800                    |
| <u>Lab Group #:</u>     | 7577                                                                              | <u>Filter Type / Filter Area:</u> | MCE 385 mm <sup>2</sup> |
| <u>Lab Sample #:</u>    | 3                                                                                 | <u>Grid Opening Size:</u>         | 0.01124                 |
| <u>Client Sample #:</u> | 06                                                                                | <u>Area Examined:</u>             | 0.04496 mm <sup>2</sup> |
| <u>GRID BOX:</u>        |  | <u>Magnification:</u>             | 20,000                  |
| <u>GRID ID:</u>         |  | <u>Accelerating Voltage:</u>      | 100 KeV                 |
| <u># Grid Openings:</u> | 4                                                                                 | <u>Analysis Date:</u>             | 4/29/02                 |

Analysis Performed By: RI-2  
ROMAN PEYSAKHOV

| GO.      | Structure No | Structure Type |   |   |   | Length        |      | ID of Structure N or √ |           |        |          | EDS (Nonadb Elements) |
|----------|--------------|----------------|---|---|---|---------------|------|------------------------|-----------|--------|----------|-----------------------|
|          |              | F              | B | C | M | >=05 μ<br><5μ | >=5μ | Chrys                  | Amphibole | Nonasb | Ambig/ND |                       |
| IP<br>/R | 1 PV         |                |   |   |   |               |      |                        |           |        |          |                       |
|          | 2 T2         |                |   |   |   |               |      |                        |           |        |          |                       |
|          | 3 T2         |                |   |   |   |               |      |                        |           |        |          |                       |
|          | 4 Q2         |                |   |   |   |               |      |                        |           |        |          |                       |

Amosite  
Crocidolite  
Anthophyllite  
Tremolite  
Actinolite

|                | F | B | C | M | >5μ |
|----------------|---|---|---|---|-----|
| Chrysotile     |   |   |   |   |     |
| Amphibole      |   |   |   |   |     |
| Ambiguous      |   |   |   |   |     |
| Non-Asbestos   |   |   |   |   |     |
| Non-Identified |   |   |   |   |     |