

Internal Review Draft

# CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - UNIT 2A, TEST 1B

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |      |    | Post - First Cleaning |      |    | Post - Second Cleaning |      |    | Post - Third Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|------|----|-----------------------|------|----|------------------------|------|----|-----------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe | MV | Air                   | Wipe | MV | Air                    | Wipe | MV | Air                   | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |      |    |                       |      |    |                        |      |    |                       |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |              |      |    |                       |      |    |                        |      |    |                       |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |              |      |    | OL                    |      |    |                        |      |    |                       |      |    |
|          |                  |           |           |              |      |    | OL                    |      |    |                        |      |    |                       |      |    |
|          |                  |           |           |              |      |    | OL                    |      |    |                        |      |    |                       |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 49.4 |    |                       |      |    |                        |      |    |                       |      |    |
|          |                  |           |           |              | 44.6 |    |                       |      |    |                        |      |    |                       |      |    |
|          |                  |           |           |              | 35.4 |    |                       |      |    |                        |      |    |                       |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |              |      |    |                       |      |    |                        |      |    |                       |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |      |    |                       |      |    |                        |      |    |                       |      |    |

OL = Overloading of particulates

MV = Microvac

CITY\_21MC100\_011109260

## CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - UNIT 2B, TEST 3A

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |      |    | Post - First Cleaning |      |    | Post - Second Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|------|----|-----------------------|------|----|------------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe | MV | Air                   | Wipe | MV | Air                    | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |      |    |                       |      |    |                        |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |              |      |    |                       |      |    |                        |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |              |      |    |                       |      |    |                        |      |    |
|          |                  |           |           |              |      |    |                       |      |    |                        |      |    |
|          |                  |           |           |              |      |    |                       |      |    |                        |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 97   |    |                       |      |    |                        |      |    |
|          |                  |           |           |              |      |    |                       |      |    |                        |      |    |
|          |                  |           |           |              |      |    |                       |      |    |                        |      |    |
|          |                  |           |           |              |      |    |                       |      |    |                        |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |              |      |    |                       |      |    |                        |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |      |    |                       |      |    |                        |      |    |

UD = Uneven distribution of material

OL = Overloading of particulates

MV = Microvac

# CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - RETAIL MATTRESS STORE, TEST A (Industrial HEPA filtered vacuums, AFD)

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |      |    | Post - First Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|------|----|-----------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe | MV | Air                   | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |      |    |                       |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           | LT 2.7       |      |    |                       |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           | OL           |      |    | OL                    |      |    |
|          |                  |           |           | OL           |      |    | OL                    |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 38.9 |    |                       | 43.9 |    |
|          |                  |           |           |              | 77   |    |                       | 42.2 |    |
| MMVF     | 0.01 f/cc        | n/a       |           | 11.716       |      |    |                       |      |    |
|          |                  |           |           | 92.184       |      |    |                       |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |      |    |                       |      |    |

OL = Overloading of particulates

MV = Microvac

LT = Concentration is less than the specified level of detection

## CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - RETAIL MATTRESS STORE, TEST B (Wet wipe all walls)

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |      |    | Post - First Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|------|----|-----------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe | MV | Air                   | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |      |    |                       |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           | 2.7          |      |    |                       |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           | OL           |      |    | OL                    |      |    |
|          |                  |           |           | OL           |      |    | OL                    |      |    |
|          |                  |           |           |              |      |    | OL                    |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 38.9 |    |                       | 91.5 |    |
|          |                  |           |           |              | 77   |    |                       | 79.3 |    |
| MMVF     | 0.01 f/cc        | n/a       |           | 11.716       |      |    |                       |      |    |
|          |                  |           |           | 92.184       |      |    |                       |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |      |    |                       |      |    |

OL = Overloading of particulates

MV = Microvac

# CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - RETAIL MATTRESS STORE, TEST C (Hot water carpet shampoo)

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |      |    | Post - First Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|------|----|-----------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe | MV | Air                   | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |      |    |                       |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           | 2.7          |      |    |                       |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           | OL           |      |    | 0.0025                |      |    |
|          |                  |           |           | OL           |      |    | 0.0016                |      |    |
|          |                  |           |           |              |      |    | 0.0025                |      |    |
|          |                  |           |           |              |      |    | 0.0016                |      |    |
|          |                  |           |           |              |      |    | 0.0016                |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 38.9 |    |                       |      |    |
|          |                  |           |           |              | 77   |    |                       |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           | 11.716       |      |    |                       |      |    |
|          |                  |           |           | 92.184       |      |    |                       |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |      |    |                       |      |    |

OL = Overloading of particulates

MV = Microvac

**CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT****TABLE [ADD] - RETAIL MATTRESS STORE, TEST D (A/C duct cleaning)**

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |      |    | Post - First Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|------|----|-----------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe | MV | Air                   | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |      |    |                       |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           | 2.7          |      |    |                       |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           | OL           |      |    |                       |      |    |
|          |                  |           |           | OL           |      |    |                       |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 38.9 |    |                       |      |    |
|          |                  |           |           |              | 77   |    |                       |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           | 11.716       |      |    |                       |      |    |
|          |                  |           |           | 92.184       |      |    |                       |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |      |    |                       |      |    |

OL = Overloading of particulates

MV = Microvac

# CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - RETAIL MATTRESS STORE, TEST E

(Cleaning of vinyl floor tile and window ledge wet wipe using water only)

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |      |    | Pre-Water | Post - First Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|------|----|-----------|-----------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe | MV | Wipe      | Air                   | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |      |    |           |                       |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           | 2.7          |      |    |           |                       |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           | OL           |      |    |           |                       |      |    |
|          |                  |           |           | OL           |      |    |           |                       |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 38.9 |    |           |                       | 38.2 |    |
|          |                  |           |           |              | 77   |    |           |                       |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           | 11.716       |      |    |           |                       |      |    |
|          |                  |           |           | 92.184       |      |    |           |                       |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |      |    |           |                       |      |    |

OL = Overloading of particulates

MV = Microvac

**CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT****TABLE [ADD] - CHIROPRACTOR, TEST A (Industrial HEPA filtered vacuums, AFD)**

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |      |        | Post - First Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|------|--------|-----------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe | MV     | Air                   | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |      |        |                       |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |              |      |        |                       |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |              |      |        | UD                    |      |    |
|          |                  |           |           |              |      |        | OL                    |      |    |
|          |                  |           |           |              |      |        | OL                    |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 433  | 28.2   |                       | 146  |    |
|          |                  |           |           |              | 346  | 181 J  |                       | 64.5 |    |
|          |                  |           |           |              | 116  | 69.3 J |                       |      |    |
|          |                  |           |           |              | 74.7 |        |                       |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |              |      |        |                       |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |      |        | LT 8                  |      |    |

UD = Uneven distribution of material

OL = Overloading of particulates

MV = Microvac

J = Estimated concentration

LT = Concentration is less than the specified level of detection

## CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - CHIROPRACTOR, TEST B (Wet Wipe all walls)

| COPC     | Cleanup Criteria |           |          | Pre-Cleaning |      |      | Post - First Cleaning |      |    |
|----------|------------------|-----------|----------|--------------|------|------|-----------------------|------|----|
|          | Air              | Wipe      | MV       | Air          | Wipe | MV   | Air                   | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |          |              |      |      |                       |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |          |              |      |      |                       |      |    |
|          |                  |           |          |              |      |      |                       |      |    |
|          |                  |           |          |              |      |      |                       |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |          |              |      |      | OL                    |      |    |
|          |                  |           |          |              |      |      | 0.039                 |      |    |
|          |                  |           |          |              |      |      | OL                    |      |    |
| Lead     | 1 ug/m3          | 25 ug/m2  | 25 ug/m2 |              | 433  | 28.2 |                       | 147  |    |
|          |                  |           |          |              | 346  | 181  |                       | 556  |    |
|          |                  |           |          |              | 116  | 69.3 |                       |      |    |
|          |                  |           |          |              | 74.7 |      |                       |      |    |
| MMVF     | 0.01 f/cc        | n/a       |          |              |      |      | 17.579                |      |    |
|          |                  |           |          |              |      |      | 60.606                |      |    |
| Silica   | 4 ug/m3          | n/a       |          |              |      |      |                       |      |    |

OL = Overloading of particulates

M.V. = Microvac

# CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TEST [ADD] - CHIROPRACTOR, TEST C (Hot water wet vacuum)

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |      |      | Post - First Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|------|------|-----------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe | MV   | Air                   | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |      |      |                       |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |              |      |      |                       |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |              |      |      | OL                    |      |    |
|          |                  |           |           |              |      |      | 0.0033                |      |    |
|          |                  |           |           |              |      |      | OL                    |      |    |
|          |                  |           |           |              |      |      | OL                    |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 433  | 28.2 | 1.89                  |      |    |
|          |                  |           |           |              | 346  | 181  | 2.56                  |      |    |
|          |                  |           |           |              | 116  | 69.3 |                       |      |    |
|          |                  |           |           |              | 74.7 |      |                       |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |              |      |      |                       |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |      |      |                       |      |    |

OL = Overloading of particulates

MV = Microvac

## CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - CHIROPRACTOR, TEST D (A/C duct cleaning)

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |      |      | Post - First Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|------|------|-----------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe | MV   | Air                   | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |      |      |                       |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |              |      |      |                       |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |              |      |      |                       |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 433  | 28.2 |                       |      |    |
|          |                  |           |           |              | 346  | 181  |                       |      |    |
|          |                  |           |           |              | 116  | 69.3 |                       |      |    |
|          |                  |           |           |              | 74.7 |      |                       |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |              |      |      |                       |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |      |      |                       |      |    |

MV = Microvac

## CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - CHIROPRACTOR, TEST E (Cleaning of bathroom floor and desk top wet wipe using water only)

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |      |      | Pre-Water         | Post - First Cleaning |            |    |
|----------|------------------|-----------|-----------|--------------|------|------|-------------------|-----------------------|------------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe | MV   | Wipe              | Air                   | Wipe       | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |      |      |                   |                       |            |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |              |      |      |                   |                       |            |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |              |      |      |                   |                       |            |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 433  | 28.2 | 147 ug/ft2 (Tile) |                       | 954 (Tile) |    |
|          |                  |           |           |              | 346  | 181  | 556 ug/ft2 (Desk) |                       |            |    |
|          |                  |           |           |              | 116  | 69.3 |                   |                       |            |    |
|          |                  |           |           |              | 74.7 |      |                   |                       |            |    |
| MMVF     | 0.01 f/cc        | n/a       |           |              |      |      |                   |                       |            |    |
| Silica   | 4 ug/m3          | n/a       |           |              |      |      |                   |                       |            |    |

MV = Microvac

# CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - UNIT 3, UNIT 3A, TEST 2B

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |      |    | Post - First Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|------|----|-----------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe | MV | Air                   | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |      |    |                       |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |              |      |    |                       |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |              |      |    | OL                    |      |    |
|          |                  |           |           |              |      |    |                       |      |    |
|          |                  |           |           |              |      |    |                       |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 38.9 |    | 0.116 R               |      |    |
|          |                  |           |           |              |      |    | 0.131 R               |      |    |
|          |                  |           |           |              |      |    |                       |      |    |
|          |                  |           |           |              |      |    |                       |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |              |      |    |                       |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |      |    |                       |      |    |

OL = Overloading of particulates

MV = Microvac

R = Result rejected

Internal Review Draft

**CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT****TABLE [ADD] - UNIT 3B, SCOPE A**

| <b>COPC</b> | <b>Cleanup Criteria</b> |             |           | <b>Pre-Cleaning</b> |             |           | <b>Post-First Cleaning</b> |             |           | <b>Post-Second Cleaning</b> |             |           |
|-------------|-------------------------|-------------|-----------|---------------------|-------------|-----------|----------------------------|-------------|-----------|-----------------------------|-------------|-----------|
|             | <b>Air</b>              | <b>Wipe</b> | <b>MV</b> | <b>Air</b>          | <b>Wipe</b> | <b>MV</b> | <b>Air</b>                 | <b>Wipe</b> | <b>MV</b> | <b>Air</b>                  | <b>Wipe</b> | <b>MV</b> |
| Dioxin      | 0.001 ng/m3             | 4 ng/m2     |           |                     |             |           |                            |             |           |                             |             |           |
| PAH         | 0.2 ug/m3               | 300 ug/m2   |           |                     |             |           |                            |             |           |                             |             |           |
| Asbestos    | 0.0009 f/cc             | n/a         |           |                     |             |           | OL                         |             |           |                             |             |           |
|             |                         |             |           |                     |             |           | OL                         |             |           |                             |             |           |
|             |                         |             |           |                     |             |           | OL                         |             |           |                             |             |           |
| Lead        | 1 ug/m3                 | 25 ug/ft2   | 25 ug/ft2 |                     | SAMPLE LOST |           |                            | 51.6        |           |                             | SB          |           |
| MMVF        | 0.01 f/cc               | n/a         |           | 14.78               |             |           |                            |             |           |                             |             |           |
| Silica      | 4 ug/m3                 | n/a         |           |                     |             |           |                            |             |           |                             |             |           |

OL = Overloading of particulates

MV = Microvac

SB = Sample broken

# CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - UNIT 3C, TEST 1A, 3B

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |        |      | Post-First Cleaning |      |      | Post-Second Cleaning |      |    | Post-Third Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|--------|------|---------------------|------|------|----------------------|------|----|---------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe   | MV   | Air                 | Wipe | MV   | Air                  | Wipe | MV | Air                 | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              | 6.2    |      |                     |      |      |                      |      |    |                     |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |              | 1046.6 |      |                     |      |      |                      |      |    |                     |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |              |        |      | OL                  |      |      | OL                   |      |    |                     |      |    |
|          |                  |           |           |              |        |      | OL                  |      |      | OL                   |      |    |                     |      |    |
|          |                  |           |           |              |        |      | OL                  |      |      | OL                   |      |    |                     |      |    |
|          |                  |           |           |              |        |      |                     |      |      | OL                   |      |    |                     |      |    |
|          |                  |           |           |              |        |      |                     |      |      | OL                   |      |    |                     |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 750    | 68.4 |                     |      | 26.9 |                      |      |    |                     |      |    |
|          |                  |           |           |              | 48.7   | 135  |                     |      |      |                      |      |    |                     |      |    |
|          |                  |           |           |              |        | 43.3 |                     |      |      |                      |      |    |                     |      |    |
|          |                  |           |           |              |        | 39.4 |                     |      |      |                      |      |    |                     |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |              |        |      |                     |      |      | 91.796               |      |    |                     |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |        |      |                     |      |      |                      |      |    |                     |      |    |

OL = Overloading of particulates

MV = Microvac

## CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - UNIT 3D, TEST 1A

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |      |      | Post-First Cleaning |      |        | Post-Second Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|------|------|---------------------|------|--------|----------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe | MV   | Air                 | Wipe | MV     | Air                  | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |      |      |                     |      |        |                      |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |              |      |      |                     |      |        |                      |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |              |      |      | OL                  |      |        |                      |      |    |
|          |                  |           |           |              |      |      | OL                  |      |        |                      |      |    |
|          |                  |           |           |              |      |      | OL                  |      |        |                      |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 201  | 50.7 | 0.074 R             |      | 5.71 R |                      |      |    |
|          |                  |           |           |              | 112  |      | 0.126 R             |      |        |                      |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |              |      |      |                     |      |        |                      |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |      |      |                     |      |        |                      |      |    |

OL = Overloading of particulates

MV = Microvac

R = Result rejected

# CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - UNIT 4A, TEST 2A

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |      |    | Post - First Cleaning |      |    | Post - Second Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|------|----|-----------------------|------|----|------------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe | MV | Air                   | Wipe | MV | Air                    | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |      |    |                       |      |    |                        |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |              |      |    |                       |      |    |                        |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |              |      |    | OL                    |      |    |                        |      |    |
|          |                  |           |           |              |      |    | OL                    |      |    |                        |      |    |
|          |                  |           |           |              |      |    | OL                    |      |    |                        |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              |      |    |                       |      |    |                        |      |    |
|          |                  |           |           |              |      |    |                       |      |    |                        |      |    |
|          |                  |           |           |              |      |    |                       |      |    |                        |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |              |      |    |                       |      |    |                        |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |      |    | 0.008                 |      |    |                        |      |    |

OL = Overloading of particulates

MV = Microvac

Internal Review Draft

# CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - UNIT 4B, TEST 2B

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |      |    | Post - First Cleaning |      |    | Post - Second Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|------|----|-----------------------|------|----|------------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe | MV | Air                   | Wipe | MV | Air                    | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |      |    |                       |      |    |                        |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |              |      |    |                       |      |    |                        |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |              |      |    |                       |      |    |                        |      |    |
|          |                  |           |           |              |      |    |                       |      |    |                        |      |    |
|          |                  |           |           |              |      |    |                       |      |    |                        |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              |      | 50 |                       |      |    |                        |      |    |
|          |                  |           |           |              |      | 30 |                       |      |    |                        |      |    |
|          |                  |           |           |              |      |    |                       |      |    |                        |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |              |      |    |                       |      |    |                        |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |      |    |                       |      |    |                        |      |    |

MV = Microvac

CITY\_21MC100\_011109277

## CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - UNIT 4C, TEST 1A

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |      |      | Post - First Cleaning |              |    | Post - Second Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|------|------|-----------------------|--------------|----|------------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe | MV   | Air                   | Wipe         | MV | Air                    | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |      |      |                       |              |    |                        |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |              |      |      |                       |              |    |                        |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |              |      |      |                       |              |    |                        |      |    |
|          |                  |           |           |              |      |      |                       |              |    |                        |      |    |
|          |                  |           |           |              |      |      |                       |              |    |                        |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 181  | 76.1 |                       | NOT ANALYZED |    |                        |      |    |
|          |                  |           |           |              | 77.5 | 83.7 |                       | 14.9 R       |    |                        |      |    |
|          |                  |           |           |              |      | 69.8 |                       | 8.28 R       |    |                        |      |    |
|          |                  |           |           |              |      | 70.8 |                       | 7.81 R       |    |                        |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |              |      |      |                       |              |    |                        |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |      |      |                       |              |    |                        |      |    |

MV = Microvac

R = Result rejected

Internal Review Draft

# CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - UNIT 4D, TEST 2A

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |       |      | Post - First Cleaning |        |    | Post - Second Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|-------|------|-----------------------|--------|----|------------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe  | MV   | Air                   | Wipe   | MV | Air                    | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |       |      |                       |        |    |                        |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |              | 325.8 |      |                       |        |    |                        |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |              |       |      |                       |        |    |                        |      |    |
|          |                  |           |           |              |       |      |                       |        |    |                        |      |    |
|          |                  |           |           |              |       |      |                       |        |    |                        |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 169   | 83.5 | 0.146 R               | 20.4 R |    |                        |      |    |
|          |                  |           |           |              |       | 66   | 0.137 R               | 66 R   |    |                        |      |    |
|          |                  |           |           |              |       | 26.2 |                       | 10.6 R |    |                        |      |    |
|          |                  |           |           |              |       | 39.9 |                       | 15.6 R |    |                        |      |    |
|          |                  |           |           |              |       | 78.2 |                       |        |    |                        |      |    |
|          |                  |           |           |              |       | 72.1 |                       |        |    |                        |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |              |       |      |                       |        |    |                        |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |       |      |                       |        |    |                        |      |    |

MV = Microvac

R = Result rejected

CITY\_21MC100\_011109279

# CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - UNIT 5A, TEST 3B

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |      |      | Post-First Cleaning |      |      | Post - Second Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|------|------|---------------------|------|------|------------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe | MV   | Air                 | Wipe | MV   | Air                    | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |      |      |                     |      |      |                        |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |              |      |      |                     |      |      |                        |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |              |      |      |                     |      |      |                        |      |    |
|          |                  |           |           |              |      |      |                     |      |      |                        |      |    |
|          |                  |           |           |              |      |      |                     |      |      |                        |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              |      | 191  |                     |      | 43.5 |                        |      |    |
|          |                  |           |           |              |      | 2000 |                     |      | 39.7 |                        |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |              |      |      |                     |      |      |                        |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |      |      | LT 0.007            |      |      |                        |      |    |

OL = Overloading of particulates

MV = Microvac

LT = Concentration is less than the specified level of detection

# CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - UNIT 5C, TEST 3A, 3B

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |       |     | Post-First Cleaning |      |    | Post-Second Cleaning |      |    | Post-Third Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|-------|-----|---------------------|------|----|----------------------|------|----|---------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe  | MV  | Air                 | Wipe | MV | Air                  | Wipe | MV | Air                 | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |       |     |                     |      |    |                      |      |    |                     |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |              | 303.5 |     |                     |      |    |                      |      |    |                     |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |              |       |     | OL                  |      |    | OL                   |      |    | 0.0016              |      |    |
|          |                  |           |           |              |       |     | OL                  |      |    | OL                   |      |    | 0.0015              |      |    |
|          |                  |           |           |              |       |     | OL                  |      |    | OL                   |      |    |                     |      |    |
|          |                  |           |           |              |       |     |                     |      |    | OL                   |      |    |                     |      |    |
|          |                  |           |           |              |       |     |                     |      |    | OL                   |      |    |                     |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 336   | 104 |                     | SB   |    |                      |      |    |                     |      |    |
|          |                  |           |           |              | 43.6  | 293 |                     |      |    |                      |      |    |                     |      |    |
|          |                  |           |           |              |       | 133 |                     |      |    |                      |      |    |                     |      |    |
|          |                  |           |           |              |       |     |                     |      |    |                      |      |    |                     |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |              |       |     | 13.399              |      |    | 16.598               |      |    |                     |      |    |
|          |                  |           |           |              |       |     | 19.25               |      |    | 12.621               |      |    |                     |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |       |     |                     |      |    |                      |      |    |                     |      |    |

OL = Overloading of particulates

MV = Microvac

SB = Sample broken

Internal Review Draft

# CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - UNIT 5D, TEST 3B

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |      |      | Post-First Cleaning |      |    |
|----------|------------------|-----------|-----------|--------------|------|------|---------------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe | MV   | Air                 | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |      |      |                     |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |              |      |      |                     |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |              |      |      |                     |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 25.3 | 27.1 |                     |      |    |
|          |                  |           |           |              | 32.1 | 49.1 |                     |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |              |      |      |                     |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |      |      |                     |      |    |

MV = Microvac

CITY\_21MC100\_011109282

CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - SECOND FLOOR HALLWAY, TEST 4A

| COPC     | Cleanup Criteria |           |           | Post - First Cleaning |      |    |
|----------|------------------|-----------|-----------|-----------------------|------|----|
|          | Air              | Wipe      | MV        | Air                   | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |                       |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |                       |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |                       |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |                       |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |                       |      |    |
| Silica   | 4 ug/m3          | n/a       |           |                       |      |    |

MV = Microvac

**CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT****TABLE [ADD] - THIRD FLOOR HALLWAY, TEST 4A**

| COPC     | Cleanup Criteria |           |           | Post - FirstCleaning |      |    |
|----------|------------------|-----------|-----------|----------------------|------|----|
|          | Air              | Wipe      | MV        | Air                  | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |                      |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |                      |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |                      |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |                      |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |                      |      |    |
| Silica   | 4 ug/m3          | n/a       |           |                      |      |    |

**MV = Microvac**

# CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - FOURTH FLOOR HALLWAY, TEST 4A

| COPC     | Cleanup Criteria |           |           | Post-Cleaning |      |    |
|----------|------------------|-----------|-----------|---------------|------|----|
|          | Air              | Wipe      | MV        | Air           | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |               |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |               |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |               |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |               |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |               |      |    |
| Silica   | 4 ug/m3          | n/a       |           |               |      |    |

MV = Microvac

# CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - FIFTH FLOOR HALLWAY, TEST 4A

| COPC     | Cleanup Criteria |           |           | Post-First Cleaning |      |    | Post-Second Cleaning |      |    |
|----------|------------------|-----------|-----------|---------------------|------|----|----------------------|------|----|
|          | Air              | Wipe      | MV        | Air                 | Wipe | MV | Air                  | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |                     |      |    |                      |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |                     |      |    |                      |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           | OL                  |      |    |                      |      |    |
|          |                  |           |           | OL                  |      |    |                      |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |                     |      |    |                      |      |    |
|          |                  |           |           |                     |      |    |                      |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |                     |      |    |                      |      |    |
| Silica   | 4 ug/m3          | n/a       |           |                     |      |    |                      |      |    |

OL = Overloading of particulates

MV = Microvac

# CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - CEDAR STREET STAIRCASE, TEST 4A, 4B

| COPC     | Cleanup Criteria |           |           | Post - First Cleaning |      |    |
|----------|------------------|-----------|-----------|-----------------------|------|----|
|          | Air              | Wipe      | MV        | Air                   | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |                       |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |                       |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |                       |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |                       |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |                       |      |    |
| Silica   | 4 ug/m3          | n/a       |           |                       |      |    |

MV = Microvac

CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - LIBERTY STREET STAIRCASE, TEST 4A, 4B

| COPC     | Cleanup Criteria |           |           | Post - First Cleaning |      |    |
|----------|------------------|-----------|-----------|-----------------------|------|----|
|          | Air              | Wipe      | MV        | Air                   | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |                       |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |                       |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |                       |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |                       |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |                       |      |    |
| Silica   | 4 ug/m3          | n/a       |           | 22                    |      |    |

MV = Microvac

CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - ELEVATOR SHAFT/COMPACTOR ROOM, TEST 4A

| COPC     | Cleanup Criteria |           |           | Post - First Cleaning |      |    |
|----------|------------------|-----------|-----------|-----------------------|------|----|
|          | Air              | Wipe      | MV        | Air                   | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |                       |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |                       |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |                       |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |                       |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |                       |      |    |
| Silica   | 4 ug/m3          | n/a       |           |                       |      |    |

MV = Microvac

# CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - THE BARBER SHOP, TEST 4A, 4E

| COPC     | Cleanup Criteria |           |           | Pre-Water Wipe |        | Post-Water Wipe |      |
|----------|------------------|-----------|-----------|----------------|--------|-----------------|------|
|          | Air              | Wipe      | MV        | Air            | Wipe   | Air             | Wipe |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |                |        |                 |      |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |                |        |                 |      |
| Asbestos | 0.0009 f/cc      | n/a       |           |                |        |                 |      |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |                | 12.1 R |                 |      |
|          |                  |           |           |                | 25.9 R |                 |      |
|          |                  |           |           |                | 42.9   |                 |      |
| MMVF     | 0.01 f/cc        | n/a       |           |                |        |                 |      |
| Silica   | 4 ug/m3          | n/a       |           |                |        |                 |      |

MV = Microvac

R = Result rejected

## CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - THE FOOD EXCHANGE RESTAURANT, TEST 4A

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |      |    | Post - First Cleaning |      |    | Post-Encap. |      |    |
|----------|------------------|-----------|-----------|--------------|------|----|-----------------------|------|----|-------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe | MV | Air                   | Wipe | MV | Air         | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |      |    |                       |      |    |             |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |              |      |    |                       |      |    |             |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |              |      |    |                       |      |    |             |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 1310 |    |                       | 136  |    |             |      |    |
|          |                  |           |           |              |      |    |                       | 183  |    |             |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |              |      |    |                       |      |    |             |      |    |
|          |                  |           |           |              |      |    |                       |      |    |             |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |      |    |                       |      |    |             |      |    |

MV = Microvac

# CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - THE FOOD EXCHANGE RESTAURANT BASEMENT

| COPC     | Cleanup Criteria |           |           | Post-First Cleaning |      |    |
|----------|------------------|-----------|-----------|---------------------|------|----|
|          | Air              | Wipe      | MV        | Air                 | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |                     |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |                     |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |                     |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |                     |      |    |
|          |                  |           |           |                     |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |                     |      |    |
|          |                  |           |           |                     |      |    |
| Silica   | 4 ug/m3          | n/a       |           |                     |      |    |

MV = Microvac

Internal Review Draft

# CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - LEMONGRASS GRILL, TEST 4A

| COPC     | Cleanup Criteria |           |           | Pre-Cleaning |         |    | Post-First Cleaning |        |    | Post-Second Cleaning |      |    | Post-Encap. |      |    |
|----------|------------------|-----------|-----------|--------------|---------|----|---------------------|--------|----|----------------------|------|----|-------------|------|----|
|          | Air              | Wipe      | MV        | Air          | Wipe    | MV | Air                 | Wipe   | MV | Air                  | Wipe | MV | Air         | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |              |         |    |                     |        |    |                      |      |    |             |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |              |         |    |                     |        |    |                      |      |    |             |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |              |         |    | OL                  |        |    |                      |      |    |             |      |    |
|          |                  |           |           |              |         |    | OL                  |        |    |                      |      |    |             |      |    |
|          |                  |           |           |              |         |    | OL                  |        |    |                      |      |    |             |      |    |
|          |                  |           |           |              |         |    | OL                  |        |    |                      |      |    |             |      |    |
|          |                  |           |           |              |         |    | OL                  |        |    |                      |      |    |             |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |              | 10700 J |    |                     | 25.9 R |    |                      |      |    |             |      |    |
|          |                  |           |           |              |         |    |                     | 166    |    |                      |      |    |             |      |    |
| MMVF     | 0.01 f/cc        | n/a       |           |              |         |    |                     |        |    |                      |      |    |             |      |    |
| Silica   | 4 ug/m3          | n/a       |           |              |         |    |                     |        |    |                      |      |    |             |      |    |

OL = Overloading of particulates

MV = Microvac

R = Result rejected

J = Estimated concentration

CITY\_21MC100\_011109293

CONTAMINANT OF POTENTIAL CONCERN (COPC) EXCEEDANCE BY EVENT

TABLE [ADD] - LEMONGRASS GRILL BASEMENT

| COP      | Cleanup Criteria |           |           | Post-First Cleaning |      |    |
|----------|------------------|-----------|-----------|---------------------|------|----|
|          | Air              | Wipe      | MV        | Air                 | Wipe | MV |
| Dioxin   | 0.001 ng/m3      | 4 ng/m2   |           |                     |      |    |
| PAH      | 0.2 ug/m3        | 300 ug/m2 |           |                     |      |    |
| Asbestos | 0.0009 f/cc      | n/a       |           |                     |      |    |
| Lead     | 1 ug/m3          | 25 ug/ft2 | 25 ug/ft2 |                     |      |    |
| MMV      | 0.01 f/cc        | n/a       |           |                     |      |    |
| Silica   | 4 ug/m3          | n/a       |           |                     |      |    |

MV = Microvac