

**NO QC EVALUATION HAS BEEN PERFORMED,
DATA VALIDITY IS UNSUBSTANTIATED
AND THE DATA SHOULD BE USED WITH DISCRETION
WTC TEDLAR BAG AIR ANALYSIS, TO-15 MODIFIED METHOD
DRAFT GC/MS Results for 12/18/01**

File Name	NYC495	NYC496	NYC497	NYC498	NYC499	NYC501
Sample Location	Instrument Blank	Tedlar Bag Blank	Location R	Austin Tobin Plaza	North Tower	South Tower
			Ambient Air		Plume	Plume
Sample Number			A07235	A07238	A07236	A07237
Sample Height			Breathing Level	Breathing Level	Ground Level	Ground Level
Sample Volume		250 mL	250 mL	250 mL	10 mL	250 mL
Reporting Limit (RL)	20	20	20	20	500	20
Sample Conc. Units	ppb _v	ppb _v	ppb _v	ppb _v	ppb _v	ppb _v
Propylene	RL	RL	RL	RL	4900	RL
Chlorodifluoromethane	RL	RL	RL	RL	RL	150
Dichlorodifluoromethane	RL	RL	RL	RL	RL	32
Dichlorotetrafluoroethane	RL	RL	RL	RL	RL	RL
Chloromethane	RL	RL	RL	RL	6300	RL
Vinyl Chloride	RL	RL	RL	RL	RL	RL
1,3-Butadiene	RL	RL	RL	RL	RL	RL
Bromomethane	RL	RL	RL	RL	RL	RL
Chloroethane	RL	RL	RL	RL	RL	RL
Trichlorofluoromethane	RL	RL	RL	RL	RL	42
Isopropyl Alcohol	RL	RL	RL	RL	RL	25
Acetone	RL	RL	RL	RL	13000	53
Trichlorotrifluoroethane	RL	RL	RL	RL	RL	RL
1,1-Dichloroethene	RL	RL	RL	RL	RL	RL
3-Chloropropene	RL	RL	RL	RL	RL	RL
Methylene Chloride	RL	RL	RL	RL	RL	31
MTBE	RL	RL	RL	RL	RL	RL
trans-1,2-Dichloroethene	RL	RL	RL	RL	RL	RL
Hexane	RL	RL	RL	RL	RL	27
1,1-Dichloroethane	RL	RL	RL	RL	RL	RL
Vinyl Acetate	RL	RL	RL	RL	RL	RL
2-Butanone	RL	RL	RL	RL	3100	RL
cis-1,2-Dichloroethene	RL	RL	RL	RL	RL	RL
Ethyl Acetate	RL	RL	RL	RL	RL	RL
Chloroform	RL	RL	RL	RL	RL	RL
Tetrahydrofuran	RL	RL	RL	RL	1200	RL
1,1,1-Trichloroethane	RL	RL	RL	RL	RL	59
Cyclohexane	RL	RL	RL	RL	RL	RL
Carbon Tetrachloride	RL	RL	RL	RL	RL	RL
1,2-Dichloroethane	RL	RL	RL	RL	RL	RL
Benzene	RL	RL	RL	RL	4400	RL
Heptane	RL	RL	RL	RL	RL	RL
Trichloroethene	RL	RL	RL	RL	RL	RL
1,2-Dichloropropane	RL	RL	RL	RL	RL	RL
1,4-Dioxane	RL	RL	RL	RL	RL	51
Methyl Isobutyl Ketone	RL	RL	RL	RL	RL	RL
cis-1,3-Dichloropropene	RL	RL	RL	RL	RL	RL
Toluene	RL	RL	RL	RL	2700	37
trans-1,3-Dichloropropene	RL	RL	RL	RL	RL	RL
1,1,2-Trichloroethane	RL	RL	RL	RL	RL	RL
2-Hexanone	RL	RL	RL	RL	RL	RL
Tetrachloroethene	RL	RL	RL	RL	RL	RL
Dibromochloromethane	RL	RL	RL	RL	RL	RL
1,2-Dibromoethane	RL	RL	RL	RL	RL	RL
Chlorobenzene	RL	RL	RL	RL	RL	RL
Ethylbenzene	RL	RL	RL	RL	2600	RL
m&p-Xylenes	RL	RL	RL	RL	RL	76
o-Xylene	RL	RL	RL	RL	RL	47
Styrene	RL	RL	RL	RL	1000	RL
Bromoform	RL	RL	RL	RL	RL	RL
1,1,2,2-Tetrachloroethane	RL	RL	RL	RL	RL	RL
4-Ethyltoluene	RL	RL	RL	RL	RL	RL
1,3,5-Trimethylbenzene	RL	RL	RL	RL	RL	RL
1,2,4-Trimethylbenzene	RL	RL	RL	RL	RL	RL
1,3-Dichlorobenzene	RL	RL	RL	RL	RL	RL
1,4-Dichlorobenzene	RL	RL	RL	RL	RL	RL
Benzyl Chloride	RL	RL	RL	RL	RL	RL
1,2-Dichlorobenzene	RL	RL	RL	RL	RL	RL
1,2,4-Trichlorobenzene	RL	RL	RL	RL	RL	RL
Hexachloro-1,3-Butadiene	RL	RL	RL	RL	RL	RL