

NO QC EVALUATION HAS BEEN PERFORMED,
DATA VALIDITY IS UNSUBSTANTIATED
AND THE DATA SHOULD BE USED WITH DISCRETION
WTC TEDLAR BAG AIR ANALYSIS, TO-15 MODIFIED METHOD
DRAFT GC/MS Results for 02/06/02

File Name	NYC973	NYC974	NYC975	NYC976	NYC978	NYC977
Sample Location	Instrument Blank	Tedlar Bag Blank	Washing Tent Ambient Air	Austin Tobin Plaza	North Tower	South Tower
Sample Number			A07437	A07438	A07440	A07439
Sample Height			Breathing Level	Breathing Level	Ground Level	Ground Level
Sample Volume		250 mL	250 mL	250 mL	250 mL	250 mL
Reporting Limit (RL)	20	20	20	20	20	20
Sample Conc. Units	ppb _v	ppb _v	ppb _v	ppb _v	ppb _v	ppb _v
Propylene	RL	RL	RL	RL	27	RL
Chlorodifluoromethane	RL	RL	RL	RL	RL	RL
Dichlorodifluoromethane	RL	RL	RL	RL	34	RL
Dichlorotetrafluoroethane	RL	RL	RL	RL	RL	RL
Chloromethane	RL	RL	RL	RL	RL	RL
Vinyl Chloride	RL	RL	RL	RL	RL	RL
1,3-Butadiene	RL	RL	RL	RL	RL	RL
Bromomethane	RL	RL	RL	RL	RL	RL
Chloroethane	RL	RL	RL	RL	RL	RL
Trichlorofluoromethane	RL	RL	RL	RL	RL	RL
Isopropyl Alcohol	RL	RL	RL	RL	RL	RL
Acetone	RL	RL	RL	RL	45	RL
Trichlorotrifluoroethane	RL	RL	RL	RL	RL	RL
1,1-Dichloroethene	RL	RL	RL	RL	70	RL
3-Chloropropene	RL	RL	RL	RL	RL	RL
Methylene Chloride	RL	RL	RL	RL	RL	27
MTBE	RL	RL	RL	RL	28	RL
trans-1,2-Dichloroethene	RL	RL	RL	RL	RL	RL
Hexane	RL	RL	RL	RL	RL	RL
1,1-Dichloroethane	RL	RL	RL	RL	RL	RL
Vinyl Acetate	RL	RL	RL	RL	RL	RL
2-Butanone	RL	RL	RL	RL	RL	RL
cis-1,2-Dichloroethene	RL	RL	RL	RL	RL	RL
Ethyl Acetate	RL	RL	RL	RL	RL	RL
Chloroform	RL	RL	RL	RL	RL	RL
Tetrahydrofuran	RL	RL	RL	RL	RL	RL
1,1,1-Trichloroethane	RL	RL	RL	RL	RL	RL
Cyclohexane	RL	RL	RL	RL	RL	RL
Carbon Tetrachloride	RL	RL	RL	RL	RL	RL
1,2-Dichloroethane	RL	RL	RL	RL	RL	RL
Benzene	RL	RL	RL	RL	53	RL
Heptane	RL	RL	RL	RL	RL	RL
Trichloroethene	RL	RL	RL	RL	RL	RL
1,2-Dichloropropane	RL	RL	RL	RL	RL	RL
1,4-Dioxane	RL	RL	RL	RL	RL	RL
Methyl Isobutyl Ketone	RL	RL	RL	RL	RL	RL
cis-1,3-Dichloropropene	RL	RL	RL	RL	RL	RL
Toluene	RL	RL	RL	RL	27	RL
trans-1,3-Dichloropropene	RL	RL	RL	RL	RL	RL
1,1,2-Trichloroethane	RL	RL	RL	RL	RL	RL
2-Hexanone	RL	RL	RL	RL	RL	RL
Tetrachloroethene	RL	RL	RL	RL	RL	RL
Dibromochloromethane	RL	RL	RL	RL	RL	RL
1,2-Dibromoethane	RL	RL	RL	RL	RL	RL
Chlorobenzene	RL	RL	RL	RL	RL	RL
Ethylbenzene	RL	RL	RL	RL	RL	RL
m&p-Xylenes	RL	RL	RL	RL	RL	RL
o-Xylene	RL	RL	RL	RL	RL	RL
Styrene	RL	RL	RL	RL	RL	RL
Bromoform	RL	RL	RL	RL	RL	RL
1,1,2,2-Tetrachloroethane	RL	RL	RL	RL	RL	RL
4-Ethyltoluene	RL	RL	RL	RL	RL	RL
1,3,5-Trimethylbenzene	RL	RL	RL	RL	RL	RL
1,2,4-Trimethylbenzene	RL	RL	RL	RL	RL	RL
1,3-Dichlorobenzene	RL	RL	RL	RL	RL	RL
1,4-Dichlorobenzene	RL	RL	RL	RL	RL	RL
Benzyl Chloride	RL	RL	RL	RL	RL	RL
1,2-Dichlorobenzene	RL	RL	RL	RL	RL	RL
1,2,4-Trichlorobenzene	RL	RL	RL	RL	RL	RL
Hexachloro-1,3-Butadiene	RL	RL	RL	RL	RL	RL

**NO QC EVALUATION HAS BEEN PERFORMED,
DATA VALIDITY IS UNSUBSTANTIATED
AND THE DATA SHOULD BE USED WITH DISCRETION**

DRAFT GC/MS Results for 02/06/02
Tentatively Identified Compounds

File Name	NYC973	NYC974	NYC975
Sample Location	Instrument Blank	Tedlar Bag Blank	Washing Tent
Sample Number			A07437
Sample Height			Breathing Level
Volume		250 mL	250 mL
	None	None	None

File Name	NYC976	NYC978	NYC977
Sample Location	Austin Tobin Plaza	North Tower	South Tower
Sample Number	A07438	A07440	A07439
Sample Height	Breathing Level	Ground Level	Ground Level
Volume	250 mL	250 mL	250 mL
	None	Unknown 64 ppb _v	Unknown 22 ppb _v
		Carbon Disulfide 25 ppb _v	Unknown 21 ppb _v
		Isooctane 24 ppb _v	Unknown 45 ppb _v
			Unknown 26 ppb _v