



AIRBORNE ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY

CLIENT: Warren & Panzer Engineers, P.C.
LABORATORY ID #: T02-08-114
ANALYT. METHODOLOGY: AHERA
FILTER TYPE: M.C.B.
AVERAGE G.O. AREA (mm²): 0.012422

PROJECT: NYC DBP, 127 Fulton St.
DATE OF REPORT: 08/23/02
DATE OF ANALYSIS: 08/22/02
EFFECTIVE FILTER AREA (mm²): 385

LABORATORY RESULTS

CLIENT #	LAB. ID #	LOCATION	VOLUME (l)	G.O.'s ANALYZED	AREA ANALYZED (mm ²)	ANALYT. SENSITIV. (struct./cm ²)	TOTAL ASBESTOS AIR CONC. (struct./cm ³)	TOTAL ASBESTOS FILTER CONC. (str./mm ²)	AIR CONC. FOR STRUCT. 0.55-5µm	AIR CONC. FOR STRUCT. ≥5.0µm	ASBEST. TYPE CHRYS.	AMPHIB. ASBEST. TYPE SPECIFY
01	T02-08-114-1792	5 th Floor Entrance	1800	4	0.0497	0.0043	<0.0043	<20.13	NA	NA	NA	NA
02	T02-08-114-1793	7 th Floor	1800	4	0.0497	0.0043	<0.0043	<20.13	NA	NA	NA	NA
03	T02-08-114-1794	Entrance to roof	1800	4	0.0497	0.0043	<0.0043	<20.13	NA	NA	NA	NA
04	T02-08-114-1795	South of roof	1800	4	0.0497	0.0043	<0.0043	<20.13	NA	NA	NA	NA
05	T02-08-114-1796	North of roof	1800	4	0.0497	0.0043	<0.0043	<20.13	NA	NA	NA	NA

ANALYST

E. Singler

LABORATORY DIRECTOR

Spiru Dougaris

LABORATORY CERTIFICATION NUMBERS: NVLAP 101958, ELAP 10955

- Air sampling cassettes will be stored for sixty (60) days. AES Inc., should be notified within this time frame for a true duplicate analysis.
- If AES Inc., did not conduct the sampling, the reported airborne concentration was derived based on information provided by the client. Under these circumstances, the air concentration data is supplied solely for the convenience of the client.
- The report relates only to items tested. This report must not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. Test reports may not be reproduced except in full and with prior approval of AES Inc.
- The liability of Athenica Environmental Services Inc. with respect to the services charged, shall in no event exceed the amount of the invoice.