

P.13



AIRBORNE ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY

CLIENT: Warren & Panzer Engineers, P.C.
LABORATORY ID #: T02-10-049
ANALYT. METHODOLOGY: AHERA
FILTER TYPE: M.C.E.
AVERAGE G.O. AREA (mm²): 0.013838

PROJECT: NYC DEP, 17 John Street
DATE OF REPORT: 10/09/02
DATE OF ANALYSIS: 10/09/02
EFFECTIVE FILTER AREA (cm²): 385

LABORATORY RESULTS

CLIENT #	LAB. ID #	LOCATION	VOLUME (l)	G.O. % ANALYZED	AREA ANALYZED (mm ²)	ANALYT. SENSITIV. (struct./cm ²)	TOTAL ASBESTOS AIR CONC. (struct./cm ³)	TOTAL ASBESTOS FILTER CONC. (struct./mm ²)	AIR CONC. FOR STRUCT. (fscs/cm ³)	AIR CONC. FOR STRUCT. (fscs/cm ³)	ASBEST. TYPE CHRYS.	ASBEST. TYPE SPECIFY
01	T02-10-049-2923	Personal decon clean room	1680	4	0.0554	0.0041	<0.0041	<18.07	NA	NA	NA	NA
02	T02-10-049-2924	North area on roof	1680	4	0.0554	0.0041	<0.0041	<18.07	NA	NA	NA	NA
03	T02-10-049-2925	East area on roof	1680	4	0.0554	0.0041	<0.0041	<18.07	NA	NA	NA	NA
04	T02-10-049-2926	West area on roof	1680	4	0.0554	0.0041	<0.0041	<18.07	NA	NA	NA	NA
05	T02-10-049-2927	South area on roof	1680	4	0.0554	0.0041	<0.0041	<18.07	NA	NA	NA	NA

ANALYST
E. Dimitrakas

LABORATORY DIRECTOR
Spiro Dosgaris

LABORATORY CERTIFICATION NUMBERS: NYLAP 101958, ELAP 10955

- Athenica Environmental Services Inc. (AES), is responsible only for information pertaining to samples taken by its employees.
- Air sampling containers will be stored for sixty (60) days. AES Inc., should be notified within this time frame for a true duplicate analysis.
- If AES Inc., did not conduct the sampling, the reported airborne concentration was derived based on information provided by the client. Under these circumstances, the air concentration data is supplied solely for the convenience of the client.
- The report relates only to items tested. This report must not be used to claim product endorsement by NYLAP or any other agency of the U.S. Government. Test reports may not be reproduced except in full and with prior approval of AES Inc.
- The liability of Athenica Environmental Services Inc. with respect to the services charged, shall in no event exceed the amount of the invoice.

BAMM LABORATORY UNIT

OCT-11-2002 15:48

CITY_21MC100_002950101