

228 East 45th Street
New York, NY 10017
(212) 922-0077
Fax (212) 922-0630

WARREN & PANZER ENGINEERS, P. C.

AIR MONITORING LOG SHEET/CHAIN-OF-CUSTODY FORM

PAGE 1 OF 124 hr⁺/a 12 hr⁺/a 6 hr⁺/a 3 hr⁺/a Immediate ⁺/a

P.O. _____

CLIENT: NY DEP
PROJECT: FAÇADES
LOCATION: 15 PARK ROW

W&P FILE #: 1079-01-02
LABORATORY: ATMOSPHERIC
ANALYSIS METHOD: PCM (TEM TEM
circle one 7400 AHERA EPA LEVEL II
TECHNICIAN: Celestine Nwoko

CONTACT: Mr. Mike Nwoko

SAMPLE NUMBER	SAMPLE DESCRIPTION/LOCATION	SAMPLE TYPE	PUMP #	FLOWRATE START STOP	TIME ON OFF	TOTAL TIME	VOLUME (liters)	CONCENTR. (fib./cc.)
01	By the Decon	3	1	04 04	0800 1530	450	1800	
02	Inside work area South	3	2	04 04	0802 1532	450	1800	
03	Inside work area East	3	3	04 04	0804 1534	450	1800	
04	Inside work area West	3	4	04 04	0806 1536	450	1800	
05	Inside work area North	3	5	04 04	0808 1538	450	1800	
06	Field Blank	1	6					
07	Field Blank	1	7					
08	Copped Blank	1	8					

COMMENTS:

SAMPLE BY: Celestine Nwoko DATE: 01/29/03
SIGNATURE: C. Nwoko
RELEASED BY: Celestine Nwoko DATE: 01/29/03
SIGNATURE: C. Nwoko
RECEIVED BY: A. CAGIGAL DATE: 1/30/03
SIGNATURE: A. Cagigal

T03-01-025

SAMPLE TYPE CODES	
① Blank	5 - Final Clearance (inside)
2 - Pre-Abatement	6 - Final Clearance (outside)
③ - During Abatement	7 - Personal
4 - During Glove Bag Removal	8 - Background

SEE REVERSE SIDE FOR ANALYSIS INFORMATION

CITY_21MC100_002964468

A. INFORMATION FOR PCM ANALYSIS

1. Samples shall be analyzed using NIOSH 7400 method.
2. The laboratory performing the sample analysis must be accredited for PCM analysis by the AIHA or by the Department of Health pursuant to Section 502 of the Public Health Law (ELAP Certification).

B. INFORMATION FOR TEM ANALYSIS

1. For schools, clearance samples must be analyzed ny the AHERA method as per 40 CFR 763 Appendix A to Subpart E. The five inside samples shall be read first. If the five inside fail, then the five outside, two field blanks and one sealed blank shall be read.
2. For non-schools, clearance samples shall be read by EPA Level II. performed by the Yamate et al. Method.

C. GENERAL INFORMATION FOR BOTH PCM & TEM

1. All sample results shall include the name and address of the laboratory performing the analysis, the laboratory certification Number, the date of the analysis, the analytical method used, and the name and signature of the person performing the analysis.
2. The completed original (white) sheet of the CHAIN-OF-CUSTODY from should be returned to Warren & Panzer, the carbon (yellow) should be retained by the laboratory, and the pink copy should be retained by the field technician.
3. All air sample cassettes shall be returned to Warren & Panzer Engineers, P.C.
4. All invoices should be sent to Warren & Panzer Engineers, P.C., 228 East 45th Street 10th Floor New York, New York 10017 Attn: Accounts Payable. Please include W & P File # on all invoices.
5. Two (2) original copies of the laboratory results should be sent to Warren & Panzer Engineers, P.C., 228 East 45th Street 10th Floor New York, New York 10017

CITY_21NC100_002964469