



AIRBORNE ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY

CLIENT: Warren & Panzer Engineers, P.C.
LABORATORY ID #: T02-09-043
ANALYT. METHODOLOGY: AHERA
FILTER TYPE: M.C.E.
AVERAGE G.O. AREA (mm²): 0.013771

PROJECT: NYC DEP, 211/213/215 Pearl St.
DATE OF REPORT: 09/14/02
DATE OF ANALYSIS: 09/14/02
EFFECTIVE FILTER AREA (mm²): 385

LABORATORY RESULTS

CLIENT #	LAB. ID #	LOCATION	VOLUME (lt)	G.O.'s ANALYZED	AREA ANALYZED (mm ²)	ANALYT. SENSITIV. (struct./cm ³)	TOTAL ASBESTOS AIR CONC. (struc./cm ³)	TOTAL ASBESTOS FILTER CONC. (str./mm ²)	AIR CONC. FOR STRUCT. 0.5≤S<5μm	AIR CONC. FOR STRUCT. S≥5.0μm	ASBEST. TYPE CHRYS.	AMPHIB. ASBEST TYPE SPECIFY
JB9 01	T02-09-043-2282	By Decon	1710	4	0.0551	0.0041	<0.0041	<18.15	NA	NA	NA	NA
JB9 02	T02-09-043-2283	On roof 205 Pearl St. right	1710	4	0.0551	0.0041	<0.0041	<18.15	NA	NA	NA	NA
JB9 03	T02-09-043-2284	On roof 205 Pearl St. right middle	1710	4	0.0551	0.0041	<0.0041	<18.15	NA	NA	NA	NA
JB9 04	T02-09-043-2285	On roof 205 Pearl St. left middle	1710	4	0.0551	0.0041	<0.0041	<18.15	NA	NA	NA	NA
JB9 05	T02-09-043-2286	On roof 205 Pearl St. left	1710	4	0.0551	0.0041	<0.0041	<18.15	NA	NA	NA	NA

E. Sioukri

ANALYST
E. Sioukri

LABORATORY DIRECTOR
Spiro Dongaris

LABORATORY CERTIFICATION NUMBERS: NVLAP 101958, ELAP 10955

- Athenica Environmental Services Inc. (AES), is responsible only for information pertaining to samples taken by its employees.
- Air sampling cassettes will be stored for sixty (60) days. AES Inc., should be notified within this time frame for a true duplicate analysis.
- If AES Inc., did not conduct the sampling, the reported airborne concentration was derived based on information provided by the client. Under these circumstances, the air concentration data is supplied solely for the convenience of the client.
- The report relates only to items tested. This report must not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. Test reports may not be reproduced except in full and with prior approval of AES Inc.
- The liability of Athenica Environmental Services Inc. with respect to the services charged, shall in no event exceed the amount of the invoice.