




AIRBORNE ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY

CLIENT: Warren & Panzer Engineers, P.C.
 LABORATORY ID #: T02-10-069
 ANALYT. METHODOLOGY: AHERA
 FILTER TYPE: M.C.E.
 AVERAGE G.O. AREA (mm²): 0.013838

PROJECT: NYC DEP, 170 Williams Street
 DATE OF REPORT: 10/12/02
 DATE OF ANALYSIS: 10/12/02
 EFFECTIVE FILTER AREA (mm²): 385

LABORATORY RESULTS

CLIENT #	LAB. ID #	LOCATION	VOLUME (lt)	G.O.'s ANALYZED	AREA ANALYZED (mm ²)	ANALYT. SENSITIV. (struct./cm ³)	TOTAL ASBESTOS AIR CONC. (struc./cm ³)	TOTAL ASBESTOS FILTER CONC. (str./mm ²)	AIR CONC. FOR STRUCT. 0.5 ≤ S < 5 μm	AIR CONC. FOR STRUCT. S ≥ 5.0 μm	ASBEST. TYPE CHRYS.	AMPHIB. ASBEST TYPE SPECIFY
01	T02-10-069-3033	IWA NYU hospital entrance	1575	4	0.0554	0.0044	<0.0044	<18.07	NA	NA	NA	NA
02	T02-10-069-3034	IWA right side (NYU entrance)	1575	4	0.0554	0.0044	<0.0044	<18.07	NA	NA	NA	NA
03	T02-10-069-3035	IWA 1 st middle (NYU entrance)	1575	4	0.0554	0.0044	<0.0044	<18.07	NA	NA	NA	NA
04	T02-10-069-3036	IWA 2 nd middle (NYU entrance)	1575	4	0.0554	0.0044	0.0044	18.07	<0.0044	0.0044	Chrys.	NA
05	T02-10-069-3037	IWA left side (NYU entrance)	1575	4	0.0554	0.0044	<0.0044	<18.07	NA	NA	NA	NA



ANALYST
E. Sioukri



LABORATORY DIRECTOR
Spiro Dongaris

LABORATORY CERTIFICATION NUMBERS: NVLAP 101958, ELAP 10955

- Athenica Environmental Services Inc. (AES), is responsible only for information pertaining to samples taken by its employees.
- Air sampling cassettes will be stored for sixty (60) days. AES Inc., should be notified within this time frame for a true duplicate analysis.
- If AES Inc. did not conduct the sampling, the reported airborne concentration was derived based on information provided by the client. Under these circumstances, the air concentration data is supplied solely for the convenience of the client.
- The report relates only to items tested. This report must not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. Test reports may not be reproduced except in full and with prior approval of AES Inc.
- The liability of Athenica Environmental Services Inc. with respect to the services charged, shall in no event exceed the amount of the invoice.