



PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205

BOHEMIA, N.Y. 11716

Phone: (631) 467-8477 Fax: (631) 467-6905

AMERICA'S TEST LAB!

Prepared Exclusively For:

N.Y.C. D.E.P. HAZMAT DIVISION

59-17 JUNCTION BOULEVARD

CORONA, NY 11368

(718) 595-6431

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090180

PROJECT ID : WORLD TRADE CENTER

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/14/01	9/14/01	9/15/01	9/15/01
SAMPLE ID: 01090180-001 MATRIX AIR/GAS		SAMPLE ORIGIN: BROADWAY AVE & 31st ST., QUEENS	
PARAMETER	METHOD	RESULT	UNITS
Aluminum (Al)	OSHA ID121	<0.01	mg/m3
Antimony (Sb)	OSHA ID121	0.19	mg/m3
Copper (Cu)	OSHA ID121	0.21	mg/m3
Arsenic (As)	OSHA ID121	0.08	mg/m3
Barium (Ba)	OSHA ID121	0.02	mg/m3
Beryllium (Be)	OSHA ID121	<0.01	mg/m3
Cadmium (Cd)	OSHA ID121	0.02	mg/m3
Calcium (Ca)	OSHA ID121	2.23	mg/m3
Chromium (Cr)	OSHA ID121	0.02	mg/m3
Iron (Fe)	OSHA ID121	0.21	mg/m3
Lead (Pb)	OSHA ID121	0.05	mg/m3
Magnesium (Mg)	OSHA ID121	0.43	mg/m3
Manganese (Mn)	OSHA ID121	0.01	mg/m3
Mercury (Hg)	OSHA ID121	<0.01	mg/m3
Nickel (Ni)	OSHA ID121	0.01	mg/m3
Potassium (K)	OSHA ID121	0.23	mg/m3
Selenium (Se)	OSHA ID121	0.15	mg/m3
Silver (Ag)	OSHA ID121	0.38	mg/m3
Sodium (Na)	OSHA ID121	0.51	mg/m3
Thallium (Tl)	OSHA ID121	0.01	mg/m3
Zinc (Zn)	OSHA ID121	0.11	mg/m3

John Pedneault
Lab Director

Page 1 of 7
NYS ELAP #10224
MWBE #46075

CITY_21MC100_002952486

09/17/2001 03:08 6314676905

PEDNEAULT ASSOCIATES

PAGE 14

Prepared Exclusively For:

N.Y.C. D.E.P. HAZMAT DIVISION
59-17 JUNCTION BOULEVARD
CORONA, NY 11368
(718) 595-6431

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090180**PROJECT ID : WORLD TRADE CENTER**

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/14/01	9/14/01	9/15/01	9/15/01
SAMPLE ID#: 01090180-002 MATRIX AIR/GAS		SAMPLE ORIGIN: 138th St. & 3rd AVENUE, BRONX	
PARAMETER	METHOD	RESULT	UNITS
Aluminum (Al)	OSHA ID121	<0.01	mg/m3
Antimony (Sb)	OSHA ID121	0.08	mg/m3
Copper (Cu)	OSHA ID121	0.09	mg/m3
Arsenic (As)	OSHA ID121	<0.01	mg/m3
Barium (Ba)	OSHA ID121	0.01	mg/m3
Beryllium (Be)	OSHA ID121	<0.01	mg/m3
Cadmium (Cd)	OSHA ID121	<0.01	mg/m3
Calcium (Ca)	OSHA ID121	0.69	mg/m3
Chromium (Cr)	OSHA ID121	0.02	mg/m3
Iron (Fe)	OSHA ID121	0.10	mg/m3
Lead (Pb)	OSHA ID121	<0.01	mg/m3
Magnesium (Mg)	OSHA ID121	0.26	mg/m3
Manganese (Mn)	OSHA ID121	0.02	mg/m3
Mercury (Hg)	OSHA ID121	<0.01	mg/m3
Nickel (Ni)	OSHA ID121	<0.01	mg/m3
Potassium (K)	OSHA ID121	0.02	mg/m3
Selenium (Se)	OSHA ID121	0.05	mg/m3
Silver (Ag)	OSHA ID121	0.16	mg/m3
Sodium (Na)	OSHA ID121	1.91	mg/m3
Thallium (Tl)	OSHA ID121	0.03	mg/m3
Zinc (Zn)	OSHA ID121	0.07	mg/m3

John Pedneault
Lab Director

Page 2 of 7
NYS ELAP #10224
MWBE #46075

CITY_21MC100_002952487

09/17/2001 03:08 6314676905

PEDNEAULT ASSOCIATES

PAGE 15

Prepared Exclusively For:

N.Y.C. D.E.P. HAZMAT DIVISION

59-17 JUNCTION BOULEVARD

CORONA, NY 11368

(718) 595-6431

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090180**PROJECT ID : WORLD TRADE CENTER**

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/14/01	9/14/01	9/15/01	9/15/01
SAMPLE ID#: 01090180-003 MATRIX AIR/GAS		SAMPLE ORIGIN: CENTRAL PARK N. & LENOX, MANHATTAN	
PARAMETER	METHOD	RESULT	UNITS
Aluminum (Al)	OSHA ID121	0.03	mg/m3
Antimony (Sb)	OSHA ID121	0.16	mg/m3
Barium (Ba)	OSHA ID121	0.01	mg/m3
Arsenic (As)	OSHA ID121	0.03	mg/m3
Copper (Cu)	OSHA ID121	0.12	mg/m3
Beryllium (Be)	OSHA ID121	<0.01	mg/m3
Cadmium (Cd)	OSHA ID121	0.01	mg/m3
Calcium (Ca)	OSHA ID121	1.72	mg/m3
Chromium (Cr)	OSHA ID121	0.02	mg/m3
Iron (Fe)	OSHA ID121	0.23	mg/m3
Lead (Pb)	OSHA ID121	0.03	mg/m3
Magnesium (Mg)	OSHA ID121	0.36	mg/m3
Manganese (Mn)	OSHA ID121	0.01	mg/m3
Mercury (Hg)	OSHA ID121	<0.01	mg/m3
Nickel (Ni)	OSHA ID121	0.01	mg/m3
Potassium (K)	OSHA ID121	0.07	mg/m3
Selenium (Se)	OSHA ID121	0.09	mg/m3
Silver (Ag)	OSHA ID121	0.31	mg/m3
Sodium (Na)	OSHA ID121	0.86	mg/m3
Thallium (Tl)	OSHA ID121	0.04	mg/m3
Zinc (Zn)	OSHA ID121	0.15	mg/m3

John Pedneault
Lab DirectorPage 3 of 7
NYS ELAP #10224
MWBE #46075

CITY_21MC100_002952488

09/17/2001 03:08 6314676905

PEDNEAULT ASSOCIATES

PAGE 16

Prepared Exclusively For:

N.Y.C. D.E.P. HAZMAT DIVISION
59-17 JUNCTION BOULEVARD
CORONA, NY 11368
(718) 595-6431

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090180**PROJECT ID : WORLD TRADE CENTER**

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/14/01	9/14/01	9/15/01	9/15/01
SAMPLE ID#: 01090180-004 MATRIX AIR/GAS		SAMPLE ORIGIN: BERRY ST. & NORTH 11th ST, BROOKLYN	
PARAMETER	METHOD	RESULT	UNITS
Aluminum (Al)	OSHA ID121	<0.01	mg/m3
Antimony (Sb)	OSHA ID121	0.05	mg/m3
Barium (Ba)	OSHA ID121	<0.01	mg/m3
Copper (Cu)	OSHA ID121	0.06	mg/m3
Arsenic (As)	OSHA ID121	<0.01	mg/m3
Beryllium (Be)	OSHA ID121	<0.01	mg/m3
Cadmium (Cd)	OSHA ID121	<0.01	mg/m3
Calcium (Ca)	OSHA ID121	0.46	mg/m3
Chromium (Cr)	OSHA ID121	0.01	mg/m3
Iron (Fe)	OSHA ID121	0.14	mg/m3
Lead (Pb)	OSHA ID121	<0.01	mg/m3
Magnesium (Mg)	OSHA ID121	0.27	mg/m3
Manganese (Mn)	OSHA ID121	0.01	mg/m3
Mercury (Hg)	OSHA ID121	<0.01	mg/m3
Nickel (Ni)	OSHA ID121	<0.01	mg/m3
Potassium (K)	OSHA ID121	0.06	mg/m3
Selenium (Se)	OSHA ID121	0.06	mg/m3
Silver (Ag)	OSHA ID121	<0.01	mg/m3
Thallium (Tl)	OSHA ID121	0.05	mg/m3
Sodium (Na)	OSHA ID121	<0.01	mg/m3
Zinc (Zn)	OSHA ID121	0.06	mg/m3

John Pedneault
Lab Director

Page 4 of 7
NYS ELAP #10224
MWBE #46075

CITY_21MC100_002952489

09/17/2001 03:08 6314676905

PEDNEAULT ASSOCIATES

PAGE 17

Prepared Exclusively For:

N.Y.C. D.E.P. HAZMAT DIVISION
59-17 JUNCTION BOULEVARD
CORONA, NY 11368
(718) 595-6431

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090180**PROJECT ID : WORLD TRADE CENTER**

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/14/01	9/14/01	9/15/01	9/15/01
SAMPLE ID#: 01090180-005 MATRIX AIRGAS		SAMPLE ORIGIN: ATLANTIC AVE. & SMITH ST., BROOKLYN	
PARAMETER	METHOD	RESULT	UNITS
Aluminum (Al)	OSHA ID121	<0.01	mg/m3
Antimony (Sb)	OSHA ID121	0.08	mg/m3
Copper (Cu)	OSHA ID121	0.09	mg/m3
Arsenic (As)	OSHA ID121	<0.01	mg/m3
Barium (Ba)	OSHA ID121	0.01	mg/m3
Beryllium (Be)	OSHA ID121	<0.01	mg/m3
Cadmium (Cd)	OSHA ID121	0.01	mg/m3
Calcium (Ca)	OSHA ID121	0.22	mg/m3
Chromium (Cr)	OSHA ID121	<0.01	mg/m3
Iron (Fe)	OSHA ID121	0.16	mg/m3
Lead (Pb)	OSHA ID121	0.01	mg/m3
Magnesium (Mg)	OSHA ID121	0.23	mg/m3
Manganese (Mn)	OSHA ID121	0.02	mg/m3
Mercury (Hg)	OSHA ID121	<0.01	mg/m3
Nickel (Ni)	OSHA ID121	<0.01	mg/m3
Potassium (K)	OSHA ID121	0.64	mg/m3
Selenium (Se)	OSHA ID121	0.04	mg/m3
Silver (Ag)	OSHA ID121	0.21	mg/m3
Sodium (Na)	OSHA ID121	284	mg/m3
Thallium (Tl)	OSHA ID121	0.03	mg/m3
Zinc (Zn)	OSHA ID121	0.09	mg/m3

John Pedneault
Lab Director

Page 5 of 7
NYS ELAP #10224
MWBE #46075

CITY_21MC100_002952490

NYC-WTC_000187413

09/17/2001 03:08 6314676905

PEDNEAULT ASSOCIATES

PAGE 18

Prepared Exclusively For:

N.Y.C. D.E.P. HAZMAT DIVISION

59-17 JUNCTION BOULEVARD

CORONA, NY 11368

(718) 595-6431

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090180

PROJECT ID : WORLD TRADE CENTER

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/14/01	9/14/01	9/15/01	9/15/01
SAMPLE ID#: 01090180-006 MATRIX AIR/GAS		SAMPLE ORIGIN: BAY ST & VICTORY BLVD., STATEN ISLAND	
PARAMETER	METHOD	RESULT	UNITS
Aluminum (Al)	OSHA ID121	<0.01	mg/m3
Antimony (Sb)	OSHA ID121	<0.01	mg/m3
Arsenic (As)	OSHA ID121	<0.01	mg/m3
Barium (Ba)	OSHA ID121	0.01	mg/m3
Copper (Cu)	OSHA ID121	0.08	mg/m3
Beryllium (Be)	OSHA ID121	<0.01	mg/m3
Cadmium (Cd)	OSHA ID121	<0.01	mg/m3
Calcium (Ca)	OSHA ID121	0.34	mg/m3
Chromium (Cr)	OSHA ID121	0.01	mg/m3
Iron (Fe)	OSHA ID121	0.10	mg/m3
Lead (Pb)	OSHA ID121	<0.01	mg/m3
Magnesium (Mg)	OSHA ID121	0.26	mg/m3
Manganese (Mn)	OSHA ID121	0.01	mg/m3
Mercury (Hg)	OSHA ID121	<0.01	mg/m3
Nickel (Ni)	OSHA ID121	<0.01	mg/m3
Potassium (K)	OSHA ID121	0.03	mg/m3
Selenium (Se)	OSHA ID121	0.01	mg/m3
Silver (Ag)	OSHA ID121	0.04	mg/m3
Sodium (Na)	OSHA ID121	0.53	mg/m3
Thallium (Tl)	OSHA ID121	0.01	mg/m3
Zinc (Zn)	OSHA ID121	0.07	mg/m3

John Pedneault
Lab DirectorPage 6 of 7
NYS ELAP #10224
MWBE #46075

CITY_21MC100_002952491

09/17/2001 03:08 6314676905

PEDNEAULT ASSOCIATES

PAGE 19

Prepared Exclusively For:

N.Y.C. D.E.P. HAZMAT DIVISION
59-17 JUNCTION BOULEVARD
CORONA, NY 11368
(718) 595-6431

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090180**PROJECT ID : WORLD TRADE CENTER**

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/14/01	9/14/01	9/15/01	9/15/01
SAMPLE ID#: 01090180-007 MATRIX AIR/GAS		SAMPLE ORIGIN: TRIP BLANKS	
PARAMETER	METHOD	RESULT	UNITS
Aluminum (Al)	OSHA ID121	<0.01	mg/m3
Antimony (Sb)	OSHA ID121	0.04	mg/m3
Barium (Ba)	OSHA ID121	0.01	mg/m3
Arsenic (As)	OSHA ID121	0.01	mg/m3
Copper (Cu)	OSHA ID121	0.12	mg/m3
Beryllium (Be)	OSHA ID121	<0.01	mg/m3
Cadmium (Cd)	OSHA ID121	<0.01	mg/m3
Calcium (Ca)	OSHA ID121	0.68	mg/m3
Calcium (Ca)	OSHA ID121	0.68	mg/m3
Chromium (Cr)	OSHA ID121	0.02	mg/m3
Iron (Fe)	OSHA ID121	0.08	mg/m3
Lead (Pb)	OSHA ID121	0.01	mg/m3
Magnesium (Mg)	OSHA ID121	0.26	mg/m3
Manganese (Mn)	OSHA ID121	0.02	mg/m3
Mercury (Hg)	OSHA ID121	<0.01	mg/m3
Nickel (Ni)	OSHA ID121	0.01	mg/m3
Potassium (K)	OSHA ID121	0.17	mg/m3
Selenium (Se)	OSHA ID121	0.02	mg/m3
Silver (Ag)	OSHA ID121	0.14	mg/m3
Sodium (Na)	OSHA ID121	2.14	mg/m3
Thallium (Tl)	OSHA ID121	0.04	mg/m3
Zinc (Zn)	OSHA ID121	0.10	mg/m3

John Pedneault
Lab Director

Page 7 of 7
NYS ELAP #10224
MWBE #46075

CITY_21MC100_002952492

NYC-WTC_000187415