

DRAFT

Inter-Agency Environmental Sampling Log

1/16/2002, team0111a, Page: 1 of 20

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME	COUNTY	SITE_NAME OR ADDRESS	BUILDING_FLOOR	1 NORTH, SOUTH, STREET OR AVENUE	2 NORTH, SOUTH, STREET OR AVENUE	1 EAST, WEST, STREET	2 EAST, WEST, STREET	TEST_METHOD	SAMPLE_DURATION	CODE DETECTION LIMIT	RESULTS, CONCENTRATION	UNIT	ANALYSIS_METHOD
		PM 2.5		NYSDEC		1/11/2002	0		PS 274	Roof top					Ambient Air	1 hour		18.29 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	1		PS 274	Roof top					Ambient Air	1 hour		17.95 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	2		PS 274	Roof top					Ambient Air	1 hour		16.80 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	3		PS 274	Roof top					Ambient Air	1 hour		23.14 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	4		PS 274	Roof top					Ambient Air	1 hour		17.31 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	5		PS 274	Roof top					Ambient Air	1 hour		17.91 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	6		PS 274	Roof top					Ambient Air	1 hour		18.58 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	7		PS 274	Roof top					Ambient Air	1 hour		26.39 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	8		PS 274	Roof top					Ambient Air	1 hour		33.53 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	9		PS 274	Roof top					Ambient Air	1 hour		16.06 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	10		PS 274	Roof top					Ambient Air	1 hour		16.05 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	11		PS 274	Roof top					Ambient Air	1 hour		11.29 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	12		PS 274	Roof top					Ambient Air	1 hour		14.68 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	13		PS 274	Roof top					Ambient Air	1 hour		12.21 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	14		PS 274	Roof top					Ambient Air	1 hour		10.54 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	15		PS 274	Roof top					Ambient Air	1 hour		9.34 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	16		PS 274	Roof top					Ambient Air	1 hour		7.44 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	17		PS 274	Roof top					Ambient Air	1 hour		9.80 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	18		PS 274	Roof top					Ambient Air	1 hour		7.27 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	19		PS 274	Roof top					Ambient Air	1 hour		8.12 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	20		PS 274	Roof top					Ambient Air	1 hour		3.89 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	21		PS 274	Roof top					Ambient Air	1 hour		4.82 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	22		PS 274	Roof top					Ambient Air	1 hour		6.18 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	23		PS 274	Roof top					Ambient Air	1 hour		5.14 ug/m3		
		PM 2.5		NYSDEC		1/11/2002				Roof top					Ambient Air	24 hours/ave		ug/m3		
									PS 274 Daily Average								13.86			
		PM 2.5		NYSDEC		1/11/2002	0		PS 64	Roof top					Ambient Air	1 hour		19.41 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	1		PS 64	Roof top					Ambient Air	1 hour		16.80 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	2		PS 64	Roof top					Ambient Air	1 hour		23.55 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	3		PS 64	Roof top					Ambient Air	1 hour		18.93 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	4		PS 64	Roof top					Ambient Air	1 hour		21.67 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	5		PS 64	Roof top					Ambient Air	1 hour		14.85 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	6		PS 64	Roof top					Ambient Air	1 hour		19.42 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	7		PS 64	Roof top					Ambient Air	1 hour		18.60 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	8		PS 64	Roof top					Ambient Air	1 hour		27.43 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	9		PS 64	Roof top					Ambient Air	1 hour		ug/m3		
		PM 2.5		NYSDEC		1/11/2002	10		PS 64	Roof top					Ambient Air	1 hour		ug/m3		
		PM 2.5		NYSDEC		1/11/2002	11		PS 64	Roof top					Ambient Air	1 hour		12.67 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	12		PS 64	Roof top					Ambient Air	1 hour		11.26 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	13		PS 64	Roof top					Ambient Air	1 hour		13.28 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	14		PS 64	Roof top					Ambient Air	1 hour		11.58 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	15		PS 64	Roof top					Ambient Air	1 hour		9.25 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	16		PS 64	Roof top					Ambient Air	1 hour		10.63 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	17		PS 64	Roof top					Ambient Air	1 hour		11.50 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	18		PS 64	Roof top					Ambient Air	1 hour		10.47 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	19		PS 64	Roof top					Ambient Air	1 hour		10.85 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	20		PS 64	Roof top					Ambient Air	1 hour		8.57 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	21		PS 64	Roof top					Ambient Air	1 hour		9.04 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	22		PS 64	Roof top					Ambient Air	1 hour		9.33 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	23		PS 64	Roof top					Ambient Air	1 hour		6.74 ug/m3		
		PM 2.5		NYSDEC		1/11/2002				Roof top					Ambient Air	24 hours/ave		ug/m3		
									PS 64 Daily Average								14.35			
		PM 2.5		NYSDEC		1/11/2002	0		Fresh Kills Met	Roof top					Ambient Air	1 hour		31.14 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	1		Fresh Kills Met	Roof top					Ambient Air	1 hour		30.73 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	2		Fresh Kills Met	Roof top					Ambient Air	1 hour		29.62 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	3		Fresh Kills Met	Roof top					Ambient Air	1 hour		28.73 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	4		Fresh Kills Met	Roof top					Ambient Air	1 hour		23.42 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	5		Fresh Kills Met	Roof top					Ambient Air	1 hour		14.81 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	6		Fresh Kills Met	Roof top					Ambient Air	1 hour		ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000030210

DRAFT

Inter-Agency Environmental Sampling Log

1/16/2002, team0111a, Page: 2 of 20

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING	1 NORTH SOUTH STREET OR AVENUE	2 NORTH SOUTH STREET OR AVENUE	1 EAST WEST STREET	2 EAST WEST STREET	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS METHOD
		PM 2.5		NYSDEC		1/11/2002	7		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3	
		PM 2.5		NYSDEC		1/11/2002	8		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3	
		PM 2.5		NYSDEC		1/11/2002	9		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3	
		PM 2.5		NYSDEC		1/11/2002	10		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3	
		PM 2.5		NYSDEC		1/11/2002	11		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3	
		PM 2.5		NYSDEC		1/11/2002	12		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3	
		PM 2.5		NYSDEC		1/11/2002	13		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3	
		PM 2.5		NYSDEC		1/11/2002	14		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3	
		PM 2.5		NYSDEC		1/11/2002	15		Fresh Kills Met	Roof top					Ambient Air	1 hour		10.80	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	16		Fresh Kills Met	Roof top					Ambient Air	1 hour		3.52	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	17		Fresh Kills Met	Roof top					Ambient Air	1 hour		3.32	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	18		Fresh Kills Met	Roof top					Ambient Air	1 hour		2.82	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	19		Fresh Kills Met	Roof top					Ambient Air	1 hour		5.31	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	20		Fresh Kills Met	Roof top					Ambient Air	1 hour		4.36	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	21		Fresh Kills Met	Roof top					Ambient Air	1 hour		0.10	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	22		Fresh Kills Met	Roof top					Ambient Air	1 hour		3.99	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	23		Fresh Kills Met	Roof top					Ambient Air	1 hour		4.91	ug/m3	
									Fresh Kills Daily Average	Roof top					Ambient Air	24 hour/ave			ug/m3	
		PM 2.5		NYSDEC		1/11/2002	0		PS 44	Roof top					Ambient Air	1 hour			12.59	ug/m3
		PM 2.5		NYSDEC		1/11/2002	1		PS 44	Roof top					Ambient Air	1 hour		26.79	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	2		PS 44	Roof top					Ambient Air	1 hour		39.11	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	3		PS 44	Roof top					Ambient Air	1 hour		34.95	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	4		PS 44	Roof top					Ambient Air	1 hour		34.32	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	5		PS 44	Roof top					Ambient Air	1 hour		23.64	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	6		PS 44	Roof top					Ambient Air	1 hour		16.45	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	7		PS 44	Roof top					Ambient Air	1 hour		25.72	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	8		PS 44	Roof top					Ambient Air	1 hour		34.72	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	9		PS 44	Roof top					Ambient Air	1 hour		25.48	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	10		PS 44	Roof top					Ambient Air	1 hour		27.10	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	11		PS 44	Roof top					Ambient Air	1 hour		16.17	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	12		PS 44	Roof top					Ambient Air	1 hour		9.48	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	13		PS 44	Roof top					Ambient Air	1 hour		10.44	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	14		PS 44	Roof top					Ambient Air	1 hour		8.50	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	15		PS 44	Roof top					Ambient Air	1 hour		5.87	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	16		PS 44	Roof top					Ambient Air	1 hour		6.10	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	17		PS 44	Roof top					Ambient Air	1 hour		5.62	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	18		PS 44	Roof top					Ambient Air	1 hour		4.89	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	19		PS 44	Roof top					Ambient Air	1 hour		4.89	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	20		PS 44	Roof top					Ambient Air	1 hour		5.44	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	21		PS 44	Roof top					Ambient Air	1 hour		2.46	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	22		PS 44	Roof top					Ambient Air	1 hour		3.69	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	23		PS 44	Roof top					Ambient Air	1 hour		3.79	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	23		PS 44	Roof top					Ambient Air	1 hour		3.85	ug/m3	
									PS 44 Daily Average	Roof top					Ambient Air	24 hour/ave			ug/m3	
		PM 2.5		NYSDEC		1/11/2002	0		IS 74	Roof top					Ambient Air	1 hour			15.82	ug/m3
		PM 2.5		NYSDEC		1/11/2002	1		IS 74	Roof top					Ambient Air	1 hour		27.58	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	2		IS 74	Roof top					Ambient Air	1 hour		14.02	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	3		IS 74	Roof top					Ambient Air	1 hour		8.47	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	4		IS 74	Roof top					Ambient Air	1 hour		13.54	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	5		IS 74	Roof top					Ambient Air	1 hour		22.33	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	6		IS 74	Roof top					Ambient Air	1 hour		18.35	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	7		IS 74	Roof top					Ambient Air	1 hour		27.06	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	8		IS 74	Roof top					Ambient Air	1 hour		41.24	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	9		IS 74	Roof top					Ambient Air	1 hour		21.95	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	10		IS 74	Roof top					Ambient Air	1 hour		16.85	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	11		IS 74	Roof top					Ambient Air	1 hour		15.33	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	12		IS 74	Roof top					Ambient Air	1 hour		14.52	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	13		IS 74	Roof top					Ambient Air	1 hour		11.08	ug/m3	
										Roof top					Ambient Air	1 hour		12.52	ug/m3	

CITY_DEP_WORBY_CANNATA_SUBP_000030211

DRAFT

Inter-Agency Environmental Sampling Log

1/16/2002 team0111a, Page 3 of 20

UNIQUE_DOCUMENT_ID IC	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START TIME ME_SAMP LED	COUNTY	SITE NAME OR ADDRESS	BUILDING FLOOR	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	3. EAST WEST STREET OR AVENUE	4. EAST WEST STREET OR AVENUE	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS METHOD
		PM 2.5		NYSDEC		1/11/2002	14	IS 74		Roof top					Ambient Air	1 hour		9.15 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	15	IS 74		Roof top					Ambient Air	1 hour		8.67 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	16	IS 74		Roof top					Ambient Air	1 hour		10.22 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	17	IS 74		Roof top					Ambient Air	1 hour		7.99 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	18	IS 74		Roof top					Ambient Air	1 hour		8.95 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	19	IS 74		Roof top					Ambient Air	1 hour		7.98 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	20	IS 74		Roof top					Ambient Air	1 hour		4.63 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	21	IS 74		Roof top					Ambient Air	1 hour		7.43 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	22	IS 74		Roof top					Ambient Air	1 hour		5.21 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	23	IS 74		Roof top					Ambient Air	1 hour		4.71 ug/m3		
		PM 2.5		NYSDEC		1/11/2002				Roof top					Ambient Air	24 hour/ave		ug/m3		
									IS 74 Daily Average									14.16		
		PM 2.5		NYSDEC		1/11/2002	0	PS 154		Roof top					Ambient Air	1 hour		12.07 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	1	PS 154		Roof top					Ambient Air	1 hour		11.20 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	2	PS 154		Roof top					Ambient Air	1 hour		9.79 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	3	PS 154		Roof top					Ambient Air	1 hour		5.79 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	4	PS 154		Roof top					Ambient Air	1 hour		15.72 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	5	PS 154		Roof top					Ambient Air	1 hour		27.88 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	6	PS 154		Roof top					Ambient Air	1 hour		21.59 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	7	PS 154		Roof top					Ambient Air	1 hour		26.27 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	8	PS 154		Roof top					Ambient Air	1 hour		29.09 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	9	PS 154		Roof top					Ambient Air	1 hour		17.61 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	10	PS 154		Roof top					Ambient Air	1 hour		19.91 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	11	PS 154		Roof top					Ambient Air	1 hour		14.81 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	12	PS 154		Roof top					Ambient Air	1 hour		11.61 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	13	PS 154		Roof top					Ambient Air	1 hour		11.88 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	14	PS 154		Roof top					Ambient Air	1 hour		10.00 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	15	PS 154		Roof top					Ambient Air	1 hour		9.49 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	16	PS 154		Roof top					Ambient Air	1 hour		7.47 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	17	PS 154		Roof top					Ambient Air	1 hour		8.32 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	18	PS 154		Roof top					Ambient Air	1 hour		9.52 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	19	PS 154		Roof top					Ambient Air	1 hour		8.59 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	20	PS 154		Roof top					Ambient Air	1 hour		5.25 ug/m3		
		PM 2.5		NYSDEC		1/11/2002				Roof top					Ambient Air	1 hour		ug/m3		
		PM 2.5		NYSDEC		1/11/2002	21	PS 154		Roof top					Ambient Air	1 hour		6.05 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	22	PS 154		Roof top					Ambient Air	1 hour		5.55 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	23	PS 154		Roof top					Ambient Air	1 hour		4.57 ug/m3		
		PM 2.5		NYSDEC		1/11/2002			PS 154 Daily Average						Ambient Air	24 hour/ave		12.92		
		PM 2.5		NYSDEC		1/11/2002	0	Maspeth Library		Roof top					Ambient Air	1 hour		24.86 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	1	Maspeth Library		Roof top					Ambient Air	1 hour		22.44 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	2	Maspeth Library		Roof top					Ambient Air	1 hour		23.26 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	3	Maspeth Library		Roof top					Ambient Air	1 hour		23.71 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	4	Maspeth Library		Roof top					Ambient Air	1 hour		14.83 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	5	Maspeth Library		Roof top					Ambient Air	1 hour		16.85 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	6	Maspeth Library		Roof top					Ambient Air	1 hour		18.97 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	7	Maspeth Library		Roof top					Ambient Air	1 hour		18.64 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	8	Maspeth Library		Roof top					Ambient Air	1 hour		27.27 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	9	Maspeth Library		Roof top					Ambient Air	1 hour		23.87 ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000030212

DRAFT

Inter-Agency Environmental Sampling Log

1/16/2002, team0111a, Page: 4 of 20

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME OR ADDRESS	BUILDING_FLOOR	1. NORTH_SOUTH STREET OR AVENUE	2. NORTH_SOUTH STREET OR AVENUE	1. EAST_WEST CROSS STREET	2. EAST_WEST CROSS STREET	TEST MEDIA	SAMPLE_DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS METHOD
		PM 2.5		NYSEDEC		1/11/2002		10	Maspeth Library	Roof top					Ambient Air	1 hour		20.23	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		11	Maspeth Library	Roof top					Ambient Air	1 hour		13.98	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		12	Maspeth Library	Roof top					Ambient Air	1 hour		17.03	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		13	Maspeth Library	Roof top					Ambient Air	1 hour		15.85	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		14	Maspeth Library	Roof top					Ambient Air	1 hour		9.46	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		15	Maspeth Library	Roof top					Ambient Air	1 hour		9.84	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		16	Maspeth Library	Roof top					Ambient Air	1 hour		7.79	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		17	Maspeth Library	Roof top					Ambient Air	1 hour		10.76	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		18	Maspeth Library	Roof top					Ambient Air	1 hour		9.69	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		19	Maspeth Library	Roof top					Ambient Air	1 hour		8.03	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		20	Maspeth Library	Roof top					Ambient Air	1 hour		5.23	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		21	Maspeth Library	Roof top					Ambient Air	1 hour		6.36	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		22	Maspeth Library	Roof top					Ambient Air	1 hour		5.27	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		23	Maspeth Library	Roof top					Ambient Air	1 hour		3.38	ug/m3	
									Maspeth Library Daily Average	Roof top					Ambient Air	24 hour/ave		14.90	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		0	Manhattenville P.O.	Roof top					Ambient Air	1 hour		10.92	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		1	Manhattenville P.O.	Roof top					Ambient Air	1 hour		12.88	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		2	Manhattenville P.O.	Roof top					Ambient Air	1 hour		10.61	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		3	Manhattenville P.O.	Roof top					Ambient Air	1 hour		8.29	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		4	Manhattenville P.O.	Roof top					Ambient Air	1 hour		13.04	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		5	Manhattenville P.O.	Roof top					Ambient Air	1 hour		20.83	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		6	Manhattenville P.O.	Roof top					Ambient Air	1 hour		20.76	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		7	Manhattenville P.O.	Roof top					Ambient Air	1 hour		22.62	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		8	Manhattenville P.O.	Roof top					Ambient Air	1 hour		19.66	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		9	Manhattenville P.O.	Roof top					Ambient Air	1 hour		16.49	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		10	Manhattenville P.O.	Roof top					Ambient Air	1 hour		21.87	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		11	Manhattenville P.O.	Roof top					Ambient Air	1 hour		14.99	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		12	Manhattenville P.O.	Roof top					Ambient Air	1 hour		10.72	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		13	Manhattenville P.O.	Roof top					Ambient Air	1 hour		11.76	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		14	Manhattenville P.O.	Roof top					Ambient Air	1 hour		9.05	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		15	Manhattenville P.O.	Roof top					Ambient Air	1 hour		8.54	ug/m3	
		PM 2.5		NYSEDEC		1/11/2002		16	Manhattenville P.O.	Roof top					Ambient Air	1 hour		6.75	ug/m3	

CITY_DEP_WORBY_CANNATA_SUBP_000030213

DRAFT

Inter-Agency Environmental Sampling Log

1/16/2002, leon0111a, Page: 5 of 20

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	1. EAST WEST CROSS STREET	2. EAST WEST CROSS STREET	TEST_METHOD	SAMPLE_DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS_METHOD
		PM 2.5		NYSDEC		1/11/2002	17		Manhattenville P.O.	Roof top					Ambient Air	1 hour		8.57	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	18		Manhattenville P.O.	Roof top					Ambient Air	1 hour		9.21	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	19		Manhattenville P.O.	Roof top					Ambient Air	1 hour		8.75	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	20		Manhattenville P.O.	Roof top					Ambient Air	1 hour		4.95	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	21		Manhattenville P.O.	Roof top					Ambient Air	1 hour		5.29	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	22		Manhattenville P.O.	Roof top					Ambient Air	1 hour		5.87	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	23		Manhattenville P.O.	Roof top					Ambient Air	1 hour		4.65	ug/m3	
		PM 2.5		NYSDEC		1/11/2002			Manhattenville P.O.	Roof top					Ambient Air	24 hour/ave				
		PM 2.5		NYSDEC		1/11/2002			Daily Average	Roof top					Ambient Air	1 hour				
		PM 2.5		NYSDEC		1/11/2002	0		PS 199	Roof top					Ambient Air	1 hour		26.72	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	1		PS 199	Roof top					Ambient Air	1 hour		24.26	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	2		PS 199	Roof top					Ambient Air	1 hour		16.55	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	3		PS 199	Roof top					Ambient Air	1 hour		15.10	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	4		PS 199	Roof top					Ambient Air	1 hour		16.32	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	5		PS 199	Roof top					Ambient Air	1 hour		17.56	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	6		PS 199	Roof top					Ambient Air	1 hour		20.13	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	7		PS 199	Roof top					Ambient Air	1 hour		18.70	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	8		PS 199	Roof top					Ambient Air	1 hour		27.16	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	9		PS 199	Roof top					Ambient Air	1 hour		15.21	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	10		PS 199	Roof top					Ambient Air	1 hour		17.00	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	11		PS 199	Roof top					Ambient Air	1 hour		14.44	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	12		PS 199	Roof top					Ambient Air	1 hour		12.42	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	13		PS 199	Roof top					Ambient Air	1 hour		13.91	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	14		PS 199	Roof top					Ambient Air	1 hour		8.72	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	15		PS 199	Roof top					Ambient Air	1 hour		9.46	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	16		PS 199	Roof top					Ambient Air	1 hour		6.93	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	17		PS 199	Roof top					Ambient Air	1 hour		9.62	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	18		PS 199	Roof top					Ambient Air	1 hour		10.27	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	19		PS 199	Roof top					Ambient Air	1 hour		9.79	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	20		PS 199	Roof top					Ambient Air	1 hour		3.79	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	21		PS 199	Roof top					Ambient Air	1 hour		4.22	ug/m3	
		PM 2.5		NYSDEC		1/11/2002	22		PS 199	Roof top					Ambient Air	1 hour		5.35	ug/m3	

CITY_DEP_WORBY_CANNATA_SUBP_000030214

DRAFT

Inter-Agency Environmental Sampling Log

1/16/2002, leon0111a Page: 6 of 20

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALY	AGENCY	LAB	DATE_SAMPLED	START TIME	COUNTY	SITE NAME OR ADDRESS	BUILDING FLOOR	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	3. EAST WEST CROSS STREET	4. EAST WEST CROSS STREET	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS METHOD
		PM 2.5		NYSDEC		1/11/2002		23	PS 199	Roof top					Ambient Air	1 hour		ug/m3		
		PM 2.5		NYSDEC		1/11/2002				Roof top					Ambient Air	24 hours		3.96 ug/m3		
									PS 199 Daily Average									13.65		
		PM 2.5		NYSDEC		1/11/2002	0		IS 143	Roof top					Ambient Air	1 hour		9.99 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	1		IS 143	Roof top					Ambient Air	1 hour		10.51 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	2		IS 143	Roof top					Ambient Air	1 hour		8.70 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	3		IS 143	Roof top					Ambient Air	1 hour		6.34 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	4		IS 143	Roof top					Ambient Air	1 hour		8.86 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	5		IS 143	Roof top					Ambient Air	1 hour		16.20 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	6		IS 143	Roof top					Ambient Air	1 hour		22.40 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	7		IS 143	Roof top					Ambient Air	1 hour		26.90 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	8		IS 143	Roof top					Ambient Air	1 hour		32.34 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	9		IS 143	Roof top					Ambient Air	1 hour		27.25 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	10		IS 143	Roof top					Ambient Air	1 hour		22.60 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	11		IS 143	Roof top					Ambient Air	1 hour		18.28 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	12		IS 143	Roof top					Ambient Air	1 hour		17.96 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	13		IS 143	Roof top					Ambient Air	1 hour		16.64 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	14		IS 143	Roof top					Ambient Air	1 hour		9.50 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	15		IS 143	Roof top					Ambient Air	1 hour		10.72 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	16		IS 143	Roof top					Ambient Air	1 hour		7.76 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	17		IS 143	Roof top					Ambient Air	1 hour		11.72 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	18		IS 143	Roof top					Ambient Air	1 hour		20.00 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	19		IS 143	Roof top					Ambient Air	1 hour		15.31 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	20		IS 143	Roof top					Ambient Air	1 hour		4.98 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	21		IS 143	Roof top					Ambient Air	1 hour		7.12 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	22		IS 143	Roof top					Ambient Air	1 hour		7.17 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	23		IS 143	Roof top					Ambient Air	1 hour		5.08 ug/m3		
									IS 143 Daily Average	Roof top					Ambient Air	24 hours		14.35		
		PM 2.5		NYSDEC		1/11/2002	0		Kew Gardens	Roof top					Ambient Air	1 hour		27.44 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	1		Kew Gardens	Roof top					Ambient Air	1 hour		28.45 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	2		Kew Gardens	Roof top					Ambient Air	1 hour		22.17 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	3		Kew Gardens	Roof top					Ambient Air	1 hour		15.37 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	4		Kew Gardens	Roof top					Ambient Air	1 hour		12.57 ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000030215

DRAFT

Inter-Agency Environmental Sampling Log

1/16/2002, team0111a, Page: 7 of 20

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START TIME SAMPLED	COUNTY	SITE NAME OR ADDRESS	BUILDING FLOOR	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	3. EAST WEST CROSS STREET	4. EAST WEST CROSS STREET	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS METHOD
		PM 2.5		NYSDEC		1/11/2002		5	Kew Gardens	Roof top					Ambient Air	1 hour		17.09	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		6	Kew Gardens	Roof top					Ambient Air	1 hour		18.65	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		7	Kew Gardens	Roof top					Ambient Air	1 hour		22.88	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		8	Kew Gardens	Roof top					Ambient Air	1 hour		28.49	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		9	Kew Gardens	Roof top					Ambient Air	1 hour		17.79	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		10	Kew Gardens	Roof top					Ambient Air	1 hour		13.63	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		11	Kew Gardens	Roof top					Ambient Air	1 hour		10.27	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		12	Kew Gardens	Roof top					Ambient Air	1 hour		8.55	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		13	Kew Gardens	Roof top					Ambient Air	1 hour		12.31	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		14	Kew Gardens	Roof top					Ambient Air	1 hour		9.05	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		15	Kew Gardens	Roof top					Ambient Air	1 hour		5.46	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		16	Kew Gardens	Roof top					Ambient Air	1 hour		7.74	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		18	Kew Gardens	Roof top					Ambient Air	1 hour		8.57	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		19	Kew Gardens	Roof top					Ambient Air	1 hour		8.37	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		20	Kew Gardens	Roof top					Ambient Air	1 hour		4.13	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		21	Kew Gardens	Roof top					Ambient Air	1 hour		4.24	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		22	Kew Gardens	Roof top					Ambient Air	1 hour		4.70	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		23	Kew Gardens	Roof top					Ambient Air	1 hour		4.05	ug/m3	
									Kew Gardens Daily Average	Roof top					Ambient Air	24 hours ave		13.56	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		0	IS 52	Roof top					Ambient Air	1 hour		11.41	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		1	IS 52	Roof top					Ambient Air	1 hour		9.77	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		2	IS 52	Roof top					Ambient Air	1 hour		8.06	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		3	IS 52	Roof top					Ambient Air	1 hour		6.47	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		4	IS 52	Roof top					Ambient Air	1 hour		22.19	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		5	IS 52	Roof top					Ambient Air	1 hour		19.02	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		6	IS 52	Roof top					Ambient Air	1 hour		18.77	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		7	IS 52	Roof top					Ambient Air	1 hour		20.76	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		8	IS 52	Roof top					Ambient Air	1 hour		22.47	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		9	IS 52	Roof top					Ambient Air	1 hour		15.25	ug/m3	
		PM 2.5		NYSDEC		1/11/2002		10	IS 52	Roof top					Ambient Air	1 hour		17.75	ug/m3	

CITY_DEP_WORBY_CANNATA_SUBP_000030216

DRAFT

Inter-Agency Environmental Sampling Log

1/16/2002, Item 0111a, Page 8 of 20

UNIQUE ID	DOCUMENT ID	SAMPLE ID	ANALYTE	SUB-ANALYTE	AGENCY	LAB	DATE SAMPLED	START TIME	END TIME	COUNTY	SITE NAME OR ADDRESS	BUILDING FLOOR	1. NORTH, SOUTH, WEST, EAST, OR AVENUE	2. NORTH, SOUTH, WEST, EAST, OR AVENUE	3. EAST, WEST, SOUTH, NORTH, OR AVENUE	4. EAST, WEST, SOUTH, NORTH, OR AVENUE	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS METHOD
			PM 2.5		NYSDEC		1/11/2002	11			IS 52	Roof top					Ambient Air	1 hour		13.80	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	12			IS 52	Roof top					Ambient Air	1 hour		11.00	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	13			IS 52	Roof top					Ambient Air	1 hour		12.13	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	14			IS 52	Roof top					Ambient Air	1 hour		7.52	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	15			IS 52	Roof top					Ambient Air	1 hour		9.27	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	16			IS 52	Roof top					Ambient Air	1 hour		6.64	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	17			IS 52	Roof top					Ambient Air	1 hour		7.82	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	18			IS 52	Roof top					Ambient Air	1 hour		8.32	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	19			IS 52	Roof top					Ambient Air	1 hour		7.69	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	20			IS 52	Roof top					Ambient Air	1 hour		4.02	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	21			IS 52	Roof top					Ambient Air	1 hour		5.55	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	22			IS 52	Roof top					Ambient Air	1 hour		5.52	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	23			IS 52	Roof top					Ambient Air	1 hour		4.49	ug/m3	
											IS 52 Daily Average						Ambient Air	24 hour average		11.49	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	0			PS 293	Roof top					Ambient Air	1 hour		18.01	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	1			PS 293	Roof top					Ambient Air	1 hour		21.40	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	2			PS 293	Roof top					Ambient Air	1 hour		18.83	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	3			PS 293	Roof top					Ambient Air	1 hour		17.71	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	4			PS 293	Roof top					Ambient Air	1 hour		19.70	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	5			PS 293	Roof top					Ambient Air	1 hour		17.51	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	6			PS 293	Roof top					Ambient Air	1 hour		19.79	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	7			PS 293	Roof top					Ambient Air	1 hour		27.40	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	8			PS 293	Roof top					Ambient Air	1 hour		27.64	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	9			PS 293	Roof top					Ambient Air	1 hour		14.96	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	10			PS 293	Roof top					Ambient Air	1 hour		25.50	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	11			PS 293	Roof top					Ambient Air	1 hour		12.71	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	12			PS 293	Roof top					Ambient Air	1 hour		9.18	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	13			PS 293	Roof top					Ambient Air	1 hour		13.96	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	14			PS 293	Roof top					Ambient Air	1 hour		8.61	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	15			PS 293	Roof top					Ambient Air	1 hour		7.53	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	16			PS 293	Roof top					Ambient Air	1 hour		8.08	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	17			PS 293	Roof top					Ambient Air	1 hour		9.18	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	18			PS 293	Roof top					Ambient Air	1 hour		10.85	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	19			PS 293	Roof top					Ambient Air	1 hour		10.16	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	20			PS 293	Roof top					Ambient Air	1 hour		5.99	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	21			PS 293	Roof top					Ambient Air	1 hour		6.69	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	22			PS 293	Roof top					Ambient Air	1 hour		6.53	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	23			PS 293	Roof top					Ambient Air	1 hour		4.51	ug/m3	
											PS 293 Daily Average						Ambient Air	24 hour average		14.27	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	0			Albany Street	Roof top					Ambient Air	1 hour		21.56	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	1			Albany Street	Roof top					Ambient Air	1 hour		13.97	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	2			Albany Street	Roof top					Ambient Air	1 hour		9.50	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	3			Albany Street	Roof top					Ambient Air	1 hour		7.01	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	4			Albany Street	Roof top					Ambient Air	1 hour		19.02	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	5			Albany Street	Roof top					Ambient Air	1 hour		21.18	ug/m3	
			PM 2.5		NYSDEC		1/11/2002	6			Albany Street	Roof top					Ambient Air	1 hour		25.56	ug/m3	

CITY_DEP_WORBY_CANNATA_SUBP_000030217

DRAFT

Inter-Agency Environmental Sampling Log

1/16/2002, teom0111a, Page: 9 of 20

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANA_YTE	SUB_ANALY	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COJNTY	SITE_NAME_OR_ADDRESS	BUILDING	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	1. EAST WEST CROSS STREET	2. EAST WEST CROSS STREET	TEST_METHOD	SAMPLE_DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS_METHOD
		PM 2.5		NYSDEC		1/11/2002	7		Albany Street	Roof top					Ambient Air	1 hour		28.42 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	8		Albany Street	Roof top					Ambient Air	1 hour		22.19 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	9		Albany Street	Roof top					Ambient Air	1 hour		16.44 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	10		Albany Street	Roof top					Ambient Air	1 hour		21.39 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	11		Albany Street	Roof top					Ambient Air	1 hour		13.33 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	12		Albany Street	Roof top					Ambient Air	1 hour		11.89 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	13		Albany Street	Roof top					Ambient Air	1 hour		15.07 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	14		Albany Street	Roof top					Ambient Air	1 hour		10.42 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	15		Albany Street	Roof top					Ambient Air	1 hour		8.79 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	16		Albany Street	Roof top					Ambient Air	1 hour		8.90 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	17		Albany Street	Roof top					Ambient Air	1 hour		9.71 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	18		Albany Street	Roof top					Ambient Air	1 hour		8.69 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	19		Albany Street	Roof top					Ambient Air	1 hour		9.13 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	20		Albany Street	Roof top					Ambient Air	1 hour		5.65 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	21		Albany Street	Roof top					Ambient Air	1 hour		5.41 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	22		Albany Street	Roof top					Ambient Air	1 hour		6.84 ug/m3		
		PM 2.5		NYSDEC		1/11/2002	23		Albany Street	Roof top					Ambient Air	1 hour		5.43 ug/m3		
		PM 2.5		NYSDEC		1/11/2002			Albany Street Daily Average	Roof top					Ambient Air	24 hours/ave		13.56 ug/m3		
		PM 10		NYSDEC		1/11/2002	0		Albany Street	Roof top					Ambient Air	1 hour		32.34 ug/m3		
		PM 10		NYSDEC		1/11/2002	1		Albany Street	Roof top					Ambient Air	1 hour		18.84 ug/m3		
		PM 10		NYSDEC		1/11/2002	2		Albany Street	Roof top					Ambient Air	1 hour		14.69 ug/m3		
		PM 10		NYSDEC		1/11/2002	3		Albany Street	Roof top					Ambient Air	1 hour		12.41 ug/m3		
		PM 10		NYSDEC		1/11/2002	4		Albany Street	Roof top					Ambient Air	1 hour		26.05 ug/m3		
		PM 10		NYSDEC		1/11/2002	5		Albany Street	Roof top					Ambient Air	1 hour		30.71 ug/m3		
		PM 10		NYSDEC		1/11/2002	6		Albany Street	Roof top					Ambient Air	1 hour		37.41 ug/m3		
		PM 10		NYSDEC		1/11/2002	7		Albany Street	Roof top					Ambient Air	1 hour		38.17 ug/m3		
		PM 10		NYSDEC		1/11/2002	8		Albany Street	Roof top					Ambient Air	1 hour		32.45 ug/m3		
		PM 10		NYSDEC		1/11/2002	9		Albany Street	Roof top					Ambient Air	1 hour		22.13 ug/m3		
		PM 10		NYSDEC		1/11/2002	10		Albany Street	Roof top					Ambient Air	1 hour		30.79 ug/m3		
		PM 10		NYSDEC		1/11/2002	11		Albany Street	Roof top					Ambient Air	1 hour		19.94 ug/m3		
		PM 10		NYSDEC		1/11/2002	12		Albany Street	Roof top					Ambient Air	1 hour		14.83 ug/m3		
		PM 10		NYSDEC		1/11/2002	13		Albany Street	Roof top					Ambient Air	1 hour		18.95 ug/m3		
		PM 10		NYSDEC		1/11/2002	14		Albany Street	Roof top					Ambient Air	1 hour		14.65 ug/m3		
		PM 10		NYSDEC		1/11/2002	15		Albany Street	Roof top					Ambient Air	1 hour		13.43 ug/m3		
		PM 10		NYSDEC		1/11/2002	16		Albany Street	Roof top					Ambient Air	1 hour		16.70 ug/m3		
		PM 10		NYSDEC		1/11/2002	17		Albany Street	Roof top					Ambient Air	1 hour		19.32 ug/m3		
		PM 10		NYSDEC		1/11/2002	18		Albany Street	Roof top					Ambient Air	1 hour		21.90 ug/m3		
		PM 10		NYSDEC		1/11/2002	19		Albany Street	Roof top					Ambient Air	1 hour		21.28 ug/m3		
		PM 10		NYSDEC		1/11/2002	20		Albany Street	Roof top					Ambient Air	1 hour		13.73 ug/m3		
		PM 10		NYSDEC		1/11/2002	21		Albany Street	Roof top					Ambient Air	1 hour		17.13 ug/m3		
		PM 10		NYSDEC		1/11/2002	22		Albany Street	Roof top					Ambient Air	1 hour		12.21 ug/m3		
		PM 10		NYSDEC		1/11/2002	23		Albany Street	Roof top					Ambient Air	1 hour		12.61 ug/m3		
		PM 10		NYSDEC		1/11/2002			Albany Street Daily Average PM10	Roof top					Ambient Air	24 hours/ave		21.36 ug/m3		
									Min Daily Average 2.5								11.49		IS 52	

CITY_DEP_WORBY_CANNATA_SUBP_000030218

DRAFT

Inter-Agency Environmental Sampling Log

1/16/2002, team0111a, Page: 10 of 20

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1.NORTH_SOUTH_STREET_OR_AVENUE	2.NORTH_SOUTH_STREET_OR_AVENUE	1.EAST_WEST_CROSS_STREET	2.EAST_WEST_CROSS_STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE_DETECTION_LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_METHOD
Max Daily Average 2.5										15.82 PS 44										
The range of daily averages was 11.487631375 ug/m3 at IS 52 to 15.8197165 ug/m3 at PS 44. The Albany Street PM 10 Monitor was 21.3615983333333.										The range of daily averages was 11.487631375 ug/m3 at IS 52 to 15.8197165 ug/m3 at PS 44. The Albany Street PM 10 Monitor was 21.3615983333333.										

CITY_DEP_WORBY_CANNATA_SUBP_000030219

1/16/2002, leom0111a, Page: 11 of 20

NYC-WTC_000187499

1/16/2002, team0111a, Page 12 of 20

NYC-WTC_000187500

1/16/2002, team0111a, Page: 13 of 20

[illegible]

****TRIAL VERSION****

Inter-Agency Environmental Sampling Log

1/16/2002, lecm0111a, Page: 14 of 20

NYC-WTC_000187502

Inter-Agency Environmental Sampling Log

NYC-WTC_000187503

[illegible]

1/16/2002, leom0111a, Page: 16 of 20

NYC-WTC_000187504

Inter-Agency Environmental Sampling Log

1/16/2002, team0111a, Page: 17 of 20

[illegible]

1/16/2002, tecm0111a, Page: 18 of 20

NYC-WTC_000187506

1/16/2002, team0111a, Page: 19 of 20

NYC-WTC_000187507

Inter-Agency Environmental Sampling Log

1/16/2002, team0111a, Page: 20 of 20

[illegible]