

SEP-21-2001 17:59

NYCDEP DERTA

718 595 4690 P.03/08



PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205

BOHEMIA, N.Y. 11716

Phone: (631) 467-8477 Fax: (631) 467-6905

AMERICA'S TEST LAB!

Prepared Exclusively For:

N.Y.C. D.E.P. HAZMAT DIVISION

59-17 JUNCTION BOULEVARD

CORONA, NY 11368

(718) 595-6431

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090253

PROJECT ID : WORLD TRADE CENTER

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/19/01 7:10 PM	9/20/01	9/21/01	9/21/01
SAMPLE ID# 01090253-001	MATRIX AIR GAS	SAMPLE ORIGIN: BROADWAY AVE & 31ST ST., QUEENS	
PARAMETER	METHOD	RESULT	UNITS
Dichlorodifluoromethane	USEPA TO-15	0.59	ppb v/v
Chloromethane	USEPA TO-15	0.57	ppb v/v
1,2-Dichlorotetrafluoroethane	USEPA TO-15	ND	ppb v/v
Vinyl Chloride	USEPA TO-15	ND	ppb v/v
Bromomethane	USEPA TO-15	ND	ppb v/v
Chloroethane	USEPA TO-15	ND	ppb v/v
Trichlorofluoromethane	USEPA TO-15	ND	ppb v/v
1,1-Dichloroethane	USEPA TO-15	ND	ppb v/v
Methylene chloride	USEPA TO-15	ND	ppb v/v
Freon 113	USEPA TO-15	ND	ppb v/v
1,1-Dichloroethane	USEPA TO-15	ND	ppb v/v
Methyl-tert-butyl ether	USEPA TO-15	8.32	ppb v/v
cis-1,2-Dichloroethane	USEPA TO-15	ND	ppb v/v
Chloroform	USEPA TO-15	ND	ppb v/v
1,2-Dichloroethane	USEPA TO-15	ND	ppb v/v
1,1,1-Trichloroethane	USEPA TO-15	ND	ppb v/v
Benzene	USEPA TO-15	2.00	ppb v/v
Carbon Tetrachloride	USEPA TO-15	ND	ppb v/v
1,2-Dichloropropane	USEPA TO-15	ND	ppb v/v
Trichloroethane	USEPA TO-15	ND	ppb v/v
cis-1,3-Dichloropropene	USEPA TO-15	ND	ppb v/v
trans-1,3-Dichloropropene	USEPA TO-15	ND	ppb v/v
1,1,2-Trichloroethane	USEPA TO-15	ND	ppb v/v
Toluene	USEPA TO-15	21.0	ppb v/v
1,2-Dibromoethane	USEPA TO-15	ND	ppb v/v

John Pedneault
Lab Director

Sample via Tedlar Bag, as per client request

Page 1 of 14
NYS ELAP #10224
MWBE #48075

CITY_21MC100_002968332

SEP-21-2001 18:00

NYCDEP DERTA

718 595 4690 P.04/08

Prepared Exclusively For:

N.Y.C. D.E.P. HAZMAT DIVISION

59-17 JUNCTION BOULEVARD

CORONA, NY 11368

(718) 595-6431

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090253**PROJECT ID : WORLD TRADE CENTER**

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/19/01 7:10 PM	9/20/01	9/21/01	9/21/01
Tetrachloroethene	USEPA TO-15	ND	ppb v/v
Chlorobenzene	USEPA TO-15	ND	ppb v/v
Ethylbenzene	USEPA TO-15	11.6	ppb v/v
m,p-Xylene	USEPA TO-15	21.0	ppb v/v
Styrene	USEPA TO-15	1.03	ppb v/v
1,1,2,2-Tetrachloroethane	USEPA TO-15	ND	ppb v/v
o-Xylene	USEPA TO-15	9.81	ppb v/v
1,3,5-Trimethylbenzene	USEPA TO-15	4.06	ppb v/v
1,2,4-Trimethylbenzene	USEPA TO-15	12.9	ppb v/v
1,3-Dichlorobenzene	USEPA TO-15	ND	ppb v/v
1,4-Dichlorobenzene	USEPA TO-15	ND	ppb v/v
1,2-Dichlorobenzene	USEPA TO-15	ND	ppb v/v
1,2,4-Trichlorobenzene	USEPA TO-15	ND	ppb v/v
Hexachloro-1,3-Butadiene	USEPA TO-15	ND	ppb v/v

John Pedneault
Lab Director

Sample via Tedlar Bag, as per client request

Page 2 of 14
NYS ELAP #10224
MWBE #48075

CITY_21MC100_002968333

NYC-WTC_000187563

SEP-21-2001 18:00

NYCDEP DERTA

718 595 4690 P.05/08

Prepared Exclusively For:

N.Y.C. D.E.P. HAZMAT DIVISION

59-17 JUNCTION BOULEVARD

CORONA, NY 11368

(718) 595-6431

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 203, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090253

PROJECT ID : WORLD TRADE CENTER

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/19/01 7:55 PM	9/20/01	9/21/01	9/21/01
SAMPLE ID#: 01090253-002 MATRIX: AIR/GAS		SAMPLE ORIGIN: 138th St. & 3rd AVENUE, BRONX	
PARAMETER	METHOD	RESULT	UNITS
Dichlorodifluoromethane	USEPA TO-15	0.56	ppb v/v
Chloromethane	USEPA TO-15	0.67	ppb v/v
1,2-Dichlorotetrafluoroethane	USEPA TO-15	ND	ppb v/v
Vinyl Chloride	USEPA TO-15	ND	ppb v/v
Bromomethane	USEPA TO-15	ND	ppb v/v
Chloroethane	USEPA TO-15	ND	ppb v/v
Trichlorofluoromethane	USEPA TO-15	0.21	ppb v/v
1,1-Dichloroethene	USEPA TO-15	ND	ppb v/v
Methylene chloride	USEPA TO-15	ND	ppb v/v
Freon 113	USEPA TO-15	ND	ppb v/v
1,1-Dichloroethane	USEPA TO-15	ND	ppb v/v
Methyl-tert-butyl ether	USEPA TO-15	9.01	ppb v/v
cis-1,2-Dichloroethene	USEPA TO-15	ND	ppb v/v
Chloroform	USEPA TO-15	ND	ppb v/v
1,2-Dichloroethane	USEPA TO-15	ND	ppb v/v
1,1,1-Trichloroethane	USEPA TO-15	ND	ppb v/v
Benzene	USEPA TO-15	5.44	ppb v/v
Carbon Tetrachloride	USEPA TO-15	0.12	ppb v/v
1,2-Dichloropropane	USEPA TO-15	ND	ppb v/v
Trichloroethene	USEPA TO-15	ND	ppb v/v
cis-1,3-Dichloropropene	USEPA TO-15	ND	ppb v/v
trans-1,3-Dichloropropene	USEPA TO-15	ND	ppb v/v
1,1,2-Trichloroethane	USEPA TO-15	ND	ppb v/v
Toluene	USEPA TO-15	23.8	ppb v/v
1,2-Dibromoethane	USEPA TO-15	ND	ppb v/v
Tetrachloroethene	USEPA TO-15	ND	ppb v/v
Chlorobenzene	USEPA TO-15	ND	ppb v/v
Ethylbenzene	USEPA TO-15	11.2	ppb v/v
m,p-Xylene	USEPA TO-15	20.2	ppb v/v
Styrene	USEPA TO-15	1.22	ppb v/v
1,1,2,2-Tetrachloroethane	USEPA TO-15	ND	ppb v/v
o-Xylene	USEPA TO-15	8.92	ppb v/v

John Pedneault
Lab Director

Sample via Tedlar Bag, as per client request

Page 3 of 14
NYS ELAP #10224
MWBE #46075

CITY_21MC100_002968334

SEP-21-2001 18:01

NYCDEP DERTA

718 595 4690 P.06/08

<p><i>Prepared Exclusively For:</i> N.Y.C. D.E.P. HAZMAT DIVISION 59-17 JUNCTION BOULEVARD CORONA, NY 11368 (718) 595-6431</p>	<p>PEDNEULT ASSOCIATES, INC. 1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716 LAB NUMBER: 01090253 PROJECT ID : WORLD TRADE CENTER</p>
--	--

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/19/01 7:55 PM	9/20/01	9/21/01	9/21/01
1,3,5-Trimethylbenzene		USEPA TO-15	3.79 ppb v/v
1,2,4-Trimethylbenzene		USEPA TO-15	12.1 ppb v/v
1,3-Dichlorobenzene		USEPA TO-15	ND ppb v/v
1,4-Dichlorobenzene		USEPA TO-15	ND ppb v/v
1,2-Dichlorobenzene		USEPA TO-15	ND ppb v/v
1,2,4-Trichlorobenzene		USEPA TO-15	ND ppb v/v
Hexachloro-1,3-Butadiene		USEPA TO-15	ND ppb v/v

John Pedneault
Lab Director

Sample via Tedlar Bag, as per client request

Page 4 of 14
NYS ELAP #10224
MWBE #48075

CITY_21MC100_002968335

SEP-21-2001 18:01

NYCDEP DERTA

718 595 4690 P.07/08

Prepared Exclusively For:

N.Y.C. D.E.P. HAZMAT DIVISION

59-17 JUNCTION BOULEVARD

CORONA, NY 11368

(718) 595-6431

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 203, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090253

PROJECT ID : WORLD TRADE CENTER

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/19/01 8:25 PM	9/20/01	9/21/01	9/21/01
SAMPLE ID#: 01090253-003 MATRIX AIR/GAS		SAMPLE ORIGIN: CENTAL PARK N. & LENOX, MANHATTAN	
PARAMETER	METHOD	RESULT	UNITS
Dichlorodifluoromethane	USEPA TO-15	0.50	ppb v/v
Chloromethane	USEPA TO-15	0.75	ppb v/v
1,2-Dichlorotetrafluoroethane	USEPA TO-15	ND	ppb v/v
Vinyl Chloride	USEPA TO-15	ND	ppb v/v
Bromomethane	USEPA TO-15	ND	ppb v/v
Chloroethane	USEPA TO-15	ND	ppb v/v
Trichlorofluoromethane	USEPA TO-15	ND	ppb v/v
1,1-Dichloroethane	USEPA TO-15	ND	ppb v/v
Methylene chloride	USEPA TO-15	ND	ppb v/v
Praon 113	USEPA TO-15	ND	ppb v/v
1,1-Dichloroethane	USEPA TO-15	ND	ppb v/v
Methyl-tert-butyl ether	USEPA TO-15	4.53	ppb v/v
cis-1,2-Dichloroethene	USEPA TO-15	ND	ppb v/v
Chloroform	USEPA TO-15	ND	ppb v/v
1,2-Dichloroethane	USEPA TO-15	ND	ppb v/v
1,1,1-Trichloroethane	USEPA TO-15	ND	ppb v/v
Benzene	USEPA TO-15	1.50	ppb v/v
Carbon Tetrachloride	USEPA TO-15	0.10	ppb v/v
1,2-Dichloropropane	USEPA TO-15	ND	ppb v/v
Trichloroethene	USEPA TO-15	ND	ppb v/v
cis-1,3-Dichloropropene	USEPA TO-15	ND	ppb v/v
trans-1,3-Dichloropropene	USEPA TO-15	ND	ppb v/v
1,1,2-Trichloroethane	USEPA TO-15	ND	ppb v/v
Toluene	USEPA TO-15	12.3	ppb v/v
1,2-Dibromoethane	USEPA TO-15	ND	ppb v/v
Tetrachloroethene	USEPA TO-15	ND	ppb v/v
Chlorobenzene	USEPA TO-15	ND	ppb v/v
Ethylbenzene	USEPA TO-15	7.90	ppb v/v
m,p-Xylene	USEPA TO-15	14.0	ppb v/v
Styrene	USEPA TO-15	0.72	ppb v/v
1,1,2,2-Tetrachloroethane	USEPA TO-15	ND	ppb v/v
o-Xylene	USEPA TO-15	6.30	ppb v/v

John Pedneault
Lab Director

Sample via Tedlar Bag, as per client request

Page 5 of 14
NYS ELAP #10224
MWBE #48075

CITY_21MC100_002968336

SEP-21-2001 1E:02

NYCDEP DERTA

718 595 4690 P.08/08

Prepared Exclusively For:

N.Y.C. D.E.P. HAZMAT DIVISION
59-17 JUNCTION BOULEVARD
CORONA , NY 11368
(718) 595-6431

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 303, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090253

PROJECT ID : WORLD TRADE CENTER

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/19/01 8:25 PM	9/20/01	9/21/01	9/21/01
1,3,5-Trimethylbenzene		USEPA TO-15	2.98 ppb v/v
1,2,4-Trimethylbenzene		USEPA TO-15	9.24 ppb v/v
1,3-Dichlorobenzene		USEPA TO-15	ND ppb v/v
1,4-Dichlorobenzene		USEPA TO-15	ND ppb v/v
1,2-Dichlorobenzene		USEPA TO-15	ND ppb v/v
1,2,4-Trichlorobenzene		USEPA TO-15	ND ppb v/v
Hexachloro-1,3-Butadiene		USEPA TO-15	ND ppb v/v

John Pedneault
Lab Director

Sample via Tedlar Bag, as per client request

Page 6 of 14
NYS ELAP #10224
MWBE #48075

TOTAL P.08

CITY_21MC100_002968337

SEP-21-2001 18:08

NYCDEP DERTA

718 595 4690 P.01/08

Prepared Exclusively For:
N.Y.C. D.E.P. HAZMAT DIVISION
59-17 JUNCTION BOULEVARD
CORONA, NY 11368
(718) 595-6431

PEDNEAULT ASSOCIATES, INC.
1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716
LAB NUMBER: 01090253
PROJECT ID : WORLD TRADE CENTER

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/19/01 9:20 PM	9/26/01	9/21/01	9/21/01
SAMPLE ID#: 01090253-004 MATRIX: AIR/GAS		SAMPLE ORIGIN: BERRY ST. & NORTH 11th ST, BROOKLYN	
PARAMETER	METHOD	RESULT	UNITS
Dichlorodifluoromethane	USEPA TO-15	0.51	ppb v/v
Chloromethane	USEPA TO-15	ND	ppb v/v
1,2-Dichlorotetrafluoroethane	USEPA TO-15	ND	ppb v/v
Vinyl Chloride	USEPA TO-15	ND	ppb v/v
Bromomethane	USEPA TO-15	ND	ppb v/v
Chloroethane	USEPA TO-15	ND	ppb v/v
Trichlorofluoromethane	USEPA TO-15	0.20	ppb v/v
1,1-Dichloroethane	USEPA TO-15	ND	ppb v/v
Methylene chloride	USEPA TO-15	ND	ppb v/v
Freon 113	USEPA TO-15	ND	ppb v/v
1,1-Dichloroethane	USEPA TO-15	ND	ppb v/v
Methyl-tert-butyl ether	USEPA TO-15	64.0	ppb v/v
cis-1,2-Dichloroethene	USEPA TO-15	ND	ppb v/v
Chloroform	USEPA TO-15	ND	ppb v/v
1,2-Dichloroethane	USEPA TO-15	ND	ppb v/v
1,1,1-Trichloroethane	USEPA TO-15	ND	ppb v/v
Benzene	USEPA TO-15	13.3	ppb v/v
Carbon Tetrachloride	USEPA TO-15	0.11	ppb v/v
1,2-Dichloropropane	USEPA TO-15	ND	ppb v/v
Trichloroethene	USEPA TO-15	ND	ppb v/v
cis-1,3-Dichloropropene	USEPA TO-15	ND	ppb v/v
trans-1,3-Dichloropropene	USEPA TO-15	ND	ppb v/v
1,1,2-Trichloroethane	USEPA TO-15	ND	ppb v/v
Toluene	USEPA TO-15	63.1	ppb v/v
1,2-Dibromoethane	USEPA TO-15	ND	ppb v/v
Tetrachloroethene	USEPA TO-15	ND	ppb v/v
Chlorobenzene	USEPA TO-15	ND	ppb v/v
Ethylbenzene	USEPA TO-15	18.9	ppb v/v
m,p-Xylene	USEPA TO-15	28.8	ppb v/v
Styrene	USEPA TO-15	1.41	ppb v/v
1,1,2,2-Tetrachloroethane	USEPA TO-15	ND	ppb v/v
o-Xylene	USEPA TO-15	11.8	ppb v/v

John Pedneault
 Lab Director

Sample via Tedlar Bag, as per client request

Page 7 of 14
 NYS ELAP #10224
 MWBE #46075

SEP-21-2001 18:09

NYCDEP DERTA

718 595 4690 P.02/08

Prepared Exclusively For:

N.Y.C. D.E.P. HAZMAT DIVISION
59-17 JUNCTION BOULEVARD
CORONA, NY 11368
(718) 595-6431

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090253**PROJECT ID : WORLD TRADE CENTER**

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/19/01 9:20 PM	9/20/01	9/21/01	9/21/01
1,3,5-Trimethylbenzene	USEPA TO-15	4.42	ppb v/v
1,2,4-Trimethylbenzene	USEPA TO-15	13.3	ppb v/v
1,3-Dichlorobenzene	USEPA TO-15	ND	ppb v/v
1,4-Dichlorobenzene	USEPA TO-15	ND	ppb v/v
1,2-Dichlorobenzene	USEPA TO-15	ND	ppb v/v
1,2,4-Trichlorobenzene	USEPA TO-15	ND	ppb v/v
Hexachloro-1,3-Butadiene	USEPA TO-15	ND	ppb v/v
Tentatively Identified Compounds			
2-Methyl butane		8.08	ppb v/v
2,3-dimethyl butane		4.52	ppb v/v
2-Methyl Pentane		10.6	ppb v/v
3-Methyl pentane		6.79	ppb v/v
2,3-Dimethyl pentane		5.33	ppb v/v
3-Methyl hexane		5.0	ppb v/v
2,2,4-Trimethyl Pentane		17.2	ppb v/v
2,3,4-Trimethyl pentane		16.3	ppb v/v
o-Ethyltoluene		6.10	ppb v/v

John Pedneault
Lab Director

Sample via Tedlar Bag, as per client request

Page 8 of 14
NYS ELAP #10224
MWBE #48075

CITY_21MC100_002968339

SEP-21-2001 18:09

NYCDEP DERTA

718 595 4690 P.03/08

Prepared Exclusively For:

N.Y.C. D.E.P. HAZMAT DIVISION

59-17 JUNCTION BOULEVARD

CORONA, NY 11368

(718) 595-6431

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205, BOHEMA, N.Y. 11716

LAB NUMBER: 01090253

PROJECT ID : WORLD TRADE CENTER

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/19/01 9:55 PM	9/20/01	9/21/01	9/21/01
SAMPLE ID# 01090253-005 MATRIX AIR/GAS		SAMPLE ORIGIN: ATLANTIC AVE. & SMITH ST., BROOKLYN	
PARAMETER	METHOD	RESULT	UNITS
Dichlorodifluoromethane	USEPA TO-15	0.51	ppb v/v
Chloromethane	USEPA TO-15	ND	ppb v/v
1,2-Dichlorotetrafluoroethane	USEPA TO-15	ND	ppb v/v
Vinyl Chloride	USEPA TO-15	ND	ppb v/v
Bromomethane	USEPA TO-15	ND	ppb v/v
Chloroethane	USEPA TO-15	ND	ppb v/v
Trichlorofluoromethane	USEPA TO-15	ND	ppb v/v
1,1-Dichloroethane	USEPA TO-15	ND	ppb v/v
Methylene chloride	USEPA TO-15	ND	ppb v/v
Freon 113	USEPA TO-15	ND	ppb v/v
1,1-Dichloroethane	USEPA TO-15	ND	ppb v/v
Methyl-tert-butyl ether	USEPA TO-15	18.7	ppb v/v
cis-1,2-Dichloroethane	USEPA TO-15	ND	ppb v/v
Chloroform	USEPA TO-15	ND	ppb v/v
1,2-Dichloroethane	USEPA TO-15	ND	ppb v/v
1,1,1-Trichloroethane	USEPA TO-15	ND	ppb v/v
Benzene	USEPA TO-15	2.86	ppb v/v
Carbon Tetrachloride	USEPA TO-15	0.10	ppb v/v
1,2-Dichloropropane	USEPA TO-15	ND	ppb v/v
Trichloroethene	USEPA TO-15	ND	ppb v/v
cis-1,3-Dichloropropene	USEPA TO-15	ND	ppb v/v
trans-1,3-Dichloropropene	USEPA TO-15	ND	ppb v/v
1,1,2-Trichloroethane	USEPA TO-15	ND	ppb v/v
Toluene	USEPA TO-15	32.3	ppb v/v
1,2-Dibromoethane	USEPA TO-15	ND	ppb v/v
Tetrachloroethene	USEPA TO-15	ND	ppb v/v
Chlorobenzene	USEPA TO-15	ND	ppb v/v
Ethylbenzene	USEPA TO-15	8.80	ppb v/v
m,p-Xylene	USEPA TO-15	15.7	ppb v/v
Styrene	USEPA TO-15	0.94	ppb v/v
1,1,2,2-Tetrachloroethane	USEPA TO-15	ND	ppb v/v
o-Xylene	USEPA TO-15	8.82	ppb v/v

John Pedneault
Lab Director

Sample via Tedlar Bag, as per client request

Page 9 of 14
NYS ELAP #10224
MWBE #46075

CITY_21MC100_002968340

SEP-21-2001 18:10

NYCDEP DERTA

718 595 4690 P.04/08

Prepared Exclusively For:

N.Y.C. D.E.P. HAZMAT DIVISION

59-17 JUNCTION BOULEVARD

CORONA , NY 11368

(718) 595-6431

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 205, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090253

PROJECT ID : WORLD TRADE CENTER

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/19/01 9:55 PM	9/20/01	9/21/01	9/21/01
1,3,5-Trimethylbenzene		USEPA TO-15	2.87 ppb v/v
1,2,4-Trimethylbenzene		USEPA TO-15	9.32 ppb v/v
1,3-Dichlorobenzene		USEPA TO-15	ND ppb v/v
1,4-Dichlorobenzene		USEPA TO-15	ND ppb v/v
1,2-Dichlorobenzene		USEPA TO-15	ND ppb v/v
1,2,4-Trichlorobenzene		USEPA TO-15	ND ppb v/v
Hexachloro-1,3-Butadiene		USEPA TO-15	ND ppb v/v
Tentatively Identified Compounds			
2-Methyl butane			6.62 ppb v/v

John Pedneault
Lab Director

Sample via Tedlar Bag, as per client request

Page 10 of 14
NYS ELAP #10224
MWBE #46075

CITY_21MC100_002968341

SEP-21-2001 18:10

NYCDEP DERTA

718 595 4690 P.05/08

Prepared Exclusively For:
 N.Y.C. D.E.P. HAZMAT DIVISION
 59-17 JUNCTION BOULEVARD
 CORONA, NY 11368
 (718) 595-6431

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 305, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090253**PROJECT ID: WORLD TRADE CENTER**

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/19/01 10:45 PM	9/20/01	9/21/01	9/21/01
SAMPLE ID#: 01090253-006 MATRIX AIR/GAS		SAMPLE ORIGIN: BAY ST & VICTORY BLVD., STATEN ISLAND	
PARAMETER	METHOD	RESULT	UNITS
Dichlorodifluoromethane	USEPA TO-15	0.52	ppb v/v
Chloromethane	USEPA TO-15	ND	ppb v/v
1,2-Dichlorotetrafluoroethane	USEPA TO-15	ND	ppb v/v
Vinyl Chloride	USEPA TO-15	ND	ppb v/v
Bromomethane	USEPA TO-15	ND	ppb v/v
Chloroethane	USEPA TO-15	ND	ppb v/v
Trichlorofluoromethane	USEPA TO-15	ND	ppb v/v
1,1-Dichloroethene	USEPA TO-15	ND	ppb v/v
Methylene chloride	USEPA TO-15	ND	ppb v/v
Fraon 113	USEPA TO-15	ND	ppb v/v
1,1-Dichloroethane	USEPA TO-15	ND	ppb v/v
Methyl-tert-butyl ether	USEPA TO-15	7.86	ppb v/v
cis-1,2-Dichloroethane	USEPA TO-15	ND	ppb v/v
Chloroform	USEPA TO-15	ND	ppb v/v
1,2-Dichloroethane	USEPA TO-15	ND	ppb v/v
1,1,1-Trichloroethane	USEPA TO-15	ND	ppb v/v
Benzene	USEPA TO-15	1.56	ppb v/v
Carbon Tetrachloride	USEPA TO-15	0.12	ppb v/v
1,2-Dichloropropene	USEPA TO-15	ND	ppb v/v
Trichloroethene	USEPA TO-15	ND	ppb v/v
cis-1,3-Dichloropropene	USEPA TO-15	ND	ppb v/v
trans-1,3-Dichloropropene	USEPA TO-15	ND	ppb v/v
1,1,2-Trichloroethane	USEPA TO-15	ND	ppb v/v
Toluene	USEPA TO-15	14.9	ppb v/v
1,2-Dibromoethane	USEPA TO-15	ND	ppb v/v
Tetrachloroethene	USEPA TO-15	ND	ppb v/v
Chlorobenzene	USEPA TO-15	ND	ppb v/v
Ethylbenzene	USEPA TO-15	7.34	ppb v/v
m,p-Xylene	USEPA TO-15	13.0	ppb v/v
Styrene	USEPA TO-15	0.62	ppb v/v
1,1,2,2-Tetrachloroethane	USEPA TO-15	ND	ppb v/v
o-Xylene	USEPA TO-15	5.84	ppb v/v

John Pedneault
 Lab Director

Sample via Tedlar Bag, as per client request

Page 11 of 14
 NYS ELAP #10224
 MWBE #46075

CITY_21MC100_002968342

SEP-21-2001 18:11

NYCDEP DERTA

718 595 4690 P.06/08

Prepared Exclusively For:

N.Y.C. D.E.P. HAZMAT DIVISION

59-17 JUNCTION BOULEVARD

CORONA, NY 11368

(718) 595-6431

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 203, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090253**PROJECT ID: WORLD TRADE CENTER**

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/19/01 10:45 PM	9/20/01	9/21/01	9/21/01
1,3,5-Trimethylbenzene		USEPA TO-15	2.66 ppb v/v
1,2,4-Trimethylbenzene		USEPA TO-15	8.58 ppb v/v
1,3-Dichlorobenzene		USEPA TO-15	ND ppb v/v
1,4-Dichlorobenzene		USEPA TO-15	ND ppb v/v
1,2-Dichlorobenzene		USEPA TO-15	ND ppb v/v
1,2,4-Trichlorobenzene		USEPA TO-15	ND ppb v/v
Hexachloro-1,3-Butadiene		USEPA TO-15	ND ppb v/v

John Pedneault
Lab Director

Sample via Tedlar Bag, as per client request

Page 12 of 14
NYS ELAP #10224
MWBE #48075

CITY_21MC100_002968343

SEP-21-2001 18:11

NYCDEP DERTA

718 595 4690 P.07/08

Prepared Exclusively For:

N.Y.C. D.E.P. HAZMAT DIVISION

59-17 JUNCTION BOULEVARD

CORONA, NY 11368

(718) 595-6431

PEDNEAULT ASSOCIATES, INC.

1615 NINTH AVENUE, BOX 105, BOHEMIA, N.Y. 11716

LAB NUMBER: 01090253

PROJECT ID : WORLD TRADE CENTER

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/19/01 5:00 PM	9/20/01	9/21/01	9/21/01
SAMPLE ID#: 01090253-007 MATRIX AIRGAS		SAMPLE ORIGIN: TRIP BLANKS	
PARAMETER	METHOD	RESULT	UNITS
Dichlorodifluoromethane	USEPA TO-15	ND	ppb v/v
Chloromethane	USEPA TO-15	ND	ppb v/v
1,2-Dichlorotetrafluoroethane	USEPA TO-15	ND	ppb v/v
Vinyl Chloride	USEPA TO-15	ND	ppb v/v
Bromomethane	USEPA TO-15	ND	ppb v/v
Chloroethane	USEPA TO-15	ND	ppb v/v
Trichlorofluoromethane	USEPA TO-15	0.06	ppb v/v
1,1-Dichloroethane	USEPA TO-15	ND	ppb v/v
Methylene chloride	USEPA TO-15	ND	ppb v/v
Freon 113	USEPA TO-15	ND	ppb v/v
1,1-Dichloroethane	USEPA TO-15	ND	ppb v/v
Methyl-tert-butyl ether	USEPA TO-15	0.21	ppb v/v
cis-1,2-Dichloroethane	USEPA TO-15	ND	ppb v/v
Chloroform	USEPA TO-15	ND	ppb v/v
1,2-Dichloroethane	USEPA TO-15	ND	ppb v/v
1,1,1-Trichloroethane	USEPA TO-15	ND	ppb v/v
Benzene	USEPA TO-15	0.13	ppb v/v
Carbon Tetrachloride	USEPA TO-15	ND	ppb v/v
1,2-Dichloropropane	USEPA TO-15	ND	ppb v/v
Trichloroethene	USEPA TO-15	ND	ppb v/v
cis-1,3-Dichloropropene	USEPA TO-15	ND	ppb v/v
trans-1,3-Dichloropropene	USEPA TO-15	ND	ppb v/v
1,1,2-Trichloroethane	USEPA TO-15	ND	ppb v/v
Toluene	USEPA TO-15	1.10	ppb v/v
1,2-Dibromoethane	USEPA TO-15	ND	ppb v/v
Tetrachloroethene	USEPA TO-15	ND	ppb v/v
Chlorobenzene	USEPA TO-15	ND	ppb v/v
Ethylbenzene	USEPA TO-15	0.29	ppb v/v
m,p-Xylene	USEPA TO-15	0.85	ppb v/v
Styrene	USEPA TO-15	0.12	ppb v/v
1,1,2,2-Tetrachloroethane	USEPA TO-15	ND	ppb v/v
o-Xylene	USEPA TO-15	0.27	ppb v/v

John Pedneault
Lab Director

Sample via Tedlar Bag, as per client request

Page 13 of 14
NYS ELAP #10224
MWBE #46075

SEP-21-2001 18:12

NYCDEP DERTA

718 595 4690 P.08/08

Prepared Exclusively For:
N.Y.C. D.E.P. HAZMAT DIVISION
59-17 JUNCTION BOULEVARD
CORONA, NY 11368
(718) 595-6431

PEDNEAULT ASSOCIATES, INC.
1615 NINTH AVENUE, BOX 305, BOHEMIA, N.Y. 11716
LAB NUMBER: 01090253
PROJECT ID : WORLD TRADE CENTER

COLLECT DATE	DATE RECEIVED	RELEASE DATE	REPORT DATE
9/19/01 5:00 PM	9/20/01	9/21/01	9/21/01
1,3,5-Trimethylbenzene		USEPA TO-15	0.11 ppb v/v
1,2,4-Trimethylbenzene		USEPA TO-15	0.40 ppb v/v
1,3-Dichlorobenzene		USEPA TO-15	ND ppb v/v
1,4-Dichlorobenzene		USEPA TO-15	0.98 ppb v/v
1,2-Dichlorobenzene		USEPA TO-15	ND ppb v/v
1,2,4-Trichlorobenzene		USEPA TO-15	ND ppb v/v
Hexachloro-1,3-Butadiene		USEPA TO-15	ND ppb v/v

John Pedneault
Lab Director

Sample via Tedlar Bag, as per client request

Page 14 of 14
NYS ELAP #10224
MWBE #46076

TOTAL P.08

CITY_21MC100_002968345