



104 East 25th St 10th Floor
New York New York 10010
www.atc-enviro.com
212 353 8280
Fax 212 353 8306

May 22 2002

Mr Bernard P Orlan
Director Environmental Health & Safety
New York City Board of Education
28 11 Queens Plaza North
Long Island City NY 11101 4008

Re **Wipe Samples for Dioxins**
High School for Leadership and Public Service (M894)
ATC Project No 15 19125-0290

Dear Mr Orlan

ATC Associates Inc (ATC) is pleased to provide this report of the results of the wipe samples for polychlorinated dibenzo p dioxins (PCDDs) and dibenzofurans (PCDFs) collected on April 19 and 26 2002 at the referenced location The New York City Board of Education (BOE) requested these samples to evaluate possible contamination in the school building

SCOPE OF WORK

The samples were collected using gauze pads and hexane as a solvent The pads and solvent were provided and samples were analyzed by Pace Analytical Services Inc (Pace) of Minneapolis MN a laboratory experienced in dioxin analysis The analysis was performed by modified EPA Method 8290 using combined capillary column gas chromatography/high resolution mass spectrometry

Wagdi Abdelshahid Industrial Hygienist of ATC's New York City office collected the samples consistent with generally accepted industrial hygiene practices There were inherent limitations created by constraints of time operational and work practice variability variations in contaminant concentrations and sampling and analytical accuracy The results of the sampling represent conditions found on the dates the samples were collected

WIPE SAMPLING RESULTS

On each day ATC submitted three (3) wipe samples for PCDDs/PCDFs to Pace for analysis A copy of the laboratory analysis report is provided in the Attachment Samples were taken from areas in various parts of the building The sample area was one square meter (1 m²)

Each sample was analyzed for sixteen (16) PCDD/PCDF isomers The results for each isomer were then converted to 2 3 7 8 tetrachloro dibenzo p dioxin (2 3 7 8 TCDD) equivalents by multiplying by an established equivalency factor

Mr Bernard P Orlan
 Wipe Samples for Dioxins
 H S for Leadership & Public Service (894M)

May 22 2002
 Page 2
 ATC Project No 15 19125 0290

This provides a single value (in nanograms) for the analytical results for each sample. The sample locations and the results are shown in the table.

DIOXIN WIPE SAMPLE RESULTS
(2, 3, 7, 8 TCDD EQUIVALENTS)

April 19, 2002

LOCATION/SAMPLE NUMBER	DIOXIN CONCENTRATION (ng/m ²)
1 st Floor Main Lobby – Floor /DX1	0 000059
5 th Floor Hall by Elevator Floor /DX2	0 000097
10 th Floor Hall by Elevator Floor /DX3	0 00028

April 26, 2002

LOCATION/SAMPLE NUMBER	DIOXIN CONCENTRATION (ng/m ²)
1 st Floor Main Lobby – Floor /DX1	0 0074
5 th Floor Hall by Elevator Floor /DX2	0 00071
10 th Floor Hall by Elevator Floor /DX3	0 00075

The New York State Department of Health (NYSDOH) established guidelines for dioxin for the re occupancy of the Binghamton State Office Building following a PCB fire. The NYSDOH guideline for dioxin on surfaces is *25 nanograms per square meter (25 ng/m²)*.


On 4/19/02 the concentrations on indoor surfaces ranged from 0 000059 to 0 00028 nanograms per square meter (ng/m²). On 4/26/02 the concentrations on indoor surfaces ranged from 0 00075 to 0 0074 nanograms per square meter (ng/m²). The levels found in all of these samples are below the NYSDOH guideline of 25 ng/m².

It is not possible to determine when the 2, 3, 7, 8 TCDD equivalents detected in these samples were deposited. Dioxin samples were not collected from these locations prior to January 2, 2002.

It is our pleasure to provide these indoor environmental services to the NYC Board of Education. If you have any questions about this report, please call (212) 353 8280 extension 212.

Sincerely,
ATC ASSOCIATES INC


 Arnel Javal
 Senior Project Manager

Reviewed By

 James R Cohn CIH CSP
 Regional Manager
 Industrial Hygiene Division

Attachment