

10/11 WTC OSHA ASBESTOS SAMPLING DATA

Permissible Exposure Limit (PEL): 0.1 fiber/cubic centimeter as an 8-hr Time weighted average.

Excursion Limit: 1 fiber/cubic centimeter over a 30minute period.

<u>[Sample #] Location</u>	<u>Sample Type</u>	<u>Duration (mins)</u>	<u>Fibers/cc Total Fiber count</u>	<u>Fibers/cc OSHAPCM (Obvious non- asbestos fibers excluded)</u>
[1011CD03] Tishman/Sugrue Verizon Building-Vesey & West Laborer doing renovation work	P	240	0.1200	ND
[1011CD04] Tishman/Champion Verizon Building (Vesey & West) Employee sweep & clean bldg	P	405	0.280	ND
[1011CD05] Tishman/Champion Employee- no descrip.avail	P	425	0.0650	ND
[1011CD06] Verizon Building	Bulk		NA	ND
[1011JD10] Bovis/Grace Tower #1-nr pit Operating Eng- drove loader to spread dirt & load scrap	P	244	0.0330	ND

<u>[Sample #] Location</u>	<u>Sample Type</u>	<u>Duration (mins)</u>	<u>Fibers/cc Total Fiber count</u>	<u>Fibers/cc OSHAPCM (Obvious non- asbestos fibers excluded)</u>
[1011JD11] Bovis/Grace Tower #1 near pit Grapppler moving pile to be loaded onto trucks	P	206	0.100	ND
[1011JD12] Bovis/Grace Tower #1 near pit Grapppler moving pile to be loaded onto trucks	P	197	0.0570	ND
[A79011] Tully-Area betw. WTC #1&2. (10'from #1 rubble pile & 5' from #2 rubble pile)	A	107	0.1000	ND
[A790717] Tully-Area betw. WTC #1&2. (10'from #1 rubble pile & 5' from #2 rubble pile)	A	160	0.0920	ND
[A790695] Tully-Area betw. WTC #1&2. (10'from #1 rubble pile & 5' from #2 rubble pile)	A	108	0.0930	ND

<u>[Sample #] Location</u>	<u>Sample Type</u>	<u>Duration (mins)</u>	<u>Fibers/cc Total Fiber count</u>	<u>Fibers/cc OSHAPCM (Obvious non- asbestos fibers excluded)</u>
[1011CD02] Verizon Bldg-8th fl Employee dusting in cubicle # 832	A	375	0.0220	ND
[1011KH01] Tully-North Tower Betw. BLDG # 4 & 5 Activity include hauling debris from pile	A	120	0.0780	ND
[1011KH02] Tully-North Tower Betw. BLDG # 4 & 5 Activity include hauling debris from pile	A	130	0.0410	ND
[1011KH03] Tully-North Tower Betw. BLDG # 4 & 5 Activity include hauling debris from pile	A	110	ND	ND
[1011WW03] Turner/Season WTC#7-NE corner of pile sample in cab of Op. Eng	A	136	0.0960	ND

<u>[Sample #] Location</u>	<u>Sample Type</u>	<u>Duration (mins)</u>	<u>Fibers/cc Total Fiber count</u>	<u>Fibers/cc OSHAPCM (Obvious non- asbestos fibers excluded)</u>
[1011WW04] Turner/Season WTC#7-NE cnr of pile. Sampled in cab of Op. Eng	A	186	0.0770	ND
[797592]- AMEC/Weeks Pier 25-Truck Wet Sta. Laborer wets down trucks loaded with debris as it is dumped into crane	A	245	ND	ND
[790715] AMEC/Weeks Pier 25-Truck Wet Sta. Laborer wets down trucks loaded with debris as it is dump into crane	A	170	ND	ND
[790712]-AMEC/Weeks- Pier 25- fence near barge where debris is loaded via crane. (Debris wet)	A	250	ND	ND
[789243] AMEC/Weeks Pier 25-On fence nr barge where debris is loaded via crane. (Debris wetted down)	A	175	ND	ND

<u>[Sample #]</u> <u>Location</u>	<u>Sample</u> <u>Type</u>	<u>Duration</u> <u>(mins)</u>	<u>Fibers/cc</u> <u>Total Fiber</u> <u>count</u>	<u>Fibers/cc</u> <u>OSHAPCM</u> <u>(Obvious non-</u> <u>asbestos fibers</u> <u>excluded)</u>
[790724]-AMEC/Weeks Pier 25-S end of the pier, 30' from steel dump area. On Fence.	A	170	0.0190	ND
[1011HG11] AMEC- WTC#1-100' from pile @ truck wash down area. Empee rinses off trucks	A	330	ND	ND
[1011HG13] Mazzocchi Crane operator, sampled inside cab	A	175	ND	ND
[1011CD07] Verizon Bldg (Vesey & West) 8 th fl -on job box for Pearlman Painters	W		None	ND