

DRAFT

Inter-Agency Environmental Sampling Log

12/31/2001, team1224a, Page: 1 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	3. EAST WEST STREET	4. EAST WEST STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS_TIME_STANDARD METHOD
		PM 2.5		NYSDEC		12/24/2001	0		PS 274	Roof top					Ambient Air	1 hour		9.32 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	1		PS 274	Roof top					Ambient Air	1 hour		7.09 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	2		PS 274	Roof top					Ambient Air	1 hour		8.80 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	3		PS 274	Roof top					Ambient Air	1 hour		8.23 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	4		PS 274	Roof top					Ambient Air	1 hour		8.70 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	5		PS 274	Roof top					Ambient Air	1 hour		12.06 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	6		PS 274	Roof top					Ambient Air	1 hour		13.33 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	7		PS 274	Roof top					Ambient Air	1 hour		15.62 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	8		PS 274	Roof top					Ambient Air	1 hour		14.39 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	9		PS 274	Roof top					Ambient Air	1 hour		13.37 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	10		PS 274	Roof top					Ambient Air	1 hour		12.26 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	11		PS 274	Roof top					Ambient Air	1 hour		12.37 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	12		PS 274	Roof top					Ambient Air	1 hour		12.44 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	13		PS 274	Roof top					Ambient Air	1 hour		10.23 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	14		PS 274	Roof top					Ambient Air	1 hour		3.27 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	15		PS 274	Roof top					Ambient Air	1 hour		6.59 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	16		PS 274	Roof top					Ambient Air	1 hour		7.01 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	17		PS 274	Roof top					Ambient Air	1 hour		10.71 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	18		PS 274	Roof top					Ambient Air	1 hour		11.72 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	19		PS 274	Roof top					Ambient Air	1 hour		11.28 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	20		PS 274	Roof top					Ambient Air	1 hour		12.72 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	21		PS 274	Roof top					Ambient Air	1 hour		11.15 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	22		PS 274	Roof top					Ambient Air	1 hour		10.87 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	23		PS 274	Roof top					Ambient Air	1 hour		10.64 ug/m3		
									PS 274 Daily Average						Ambient Air	24 hours		10.59 ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		12/24/2001	0		PS 64	Roof top					Ambient Air	1 hour		8.65 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	1		PS 64	Roof top					Ambient Air	1 hour		8.73 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	2		PS 64	Roof top					Ambient Air	1 hour		8.45 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	3		PS 64	Roof top					Ambient Air	1 hour		8.35 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	4		PS 64	Roof top					Ambient Air	1 hour		7.59 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	5		PS 64	Roof top					Ambient Air	1 hour		11.40 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	6		PS 64	Roof top					Ambient Air	1 hour		14.86 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	7		PS 64	Roof top					Ambient Air	1 hour		14.12 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	8		PS 64	Roof top					Ambient Air	1 hour		15.64 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	9		PS 64	Roof top					Ambient Air	1 hour		13.66 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	10		PS 64	Roof top					Ambient Air	1 hour		12.55 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	11		PS 64	Roof top					Ambient Air	1 hour		12.77 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	12		PS 64	Roof top					Ambient Air	1 hour		11.60 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	13		PS 64	Roof top					Ambient Air	1 hour		12.35 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	14		PS 64	Roof top					Ambient Air	1 hour		8.14 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	15		PS 64	Roof top					Ambient Air	1 hour		8.92 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	16		PS 64	Roof top					Ambient Air	1 hour		11.53 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	17		PS 64	Roof top					Ambient Air	1 hour		14.20 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	18		PS 64	Roof top					Ambient Air	1 hour		14.10 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	19		PS 64	Roof top					Ambient Air	1 hour		13.52 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	20		PS 64	Roof top					Ambient Air	1 hour		14.23 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	21		PS 64	Roof top					Ambient Air	1 hour		13.14 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	22		PS 64	Roof top					Ambient Air	1 hour		12.23 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	23		PS 64	Roof top					Ambient Air	1 hour		11.33 ug/m3		
									PS 64 Daily Average						Ambient Air	24 hours		11.67 ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		12/24/2001	0		Fresh Kills Met	Roof top					Ambient Air	1 hour		14.02 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	1		Fresh Kills Met	Roof top					Ambient Air	1 hour		1.96 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	2		Fresh Kills Met	Roof top					Ambient Air	1 hour		0.52 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	3		Fresh Kills Met	Roof top					Ambient Air	1 hour		6.39 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	4		Fresh Kills Met	Roof top					Ambient Air	1 hour		10.13 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	5		Fresh Kills Met	Roof top					Ambient Air	1 hour		10.83 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	6		Fresh Kills Met	Roof top					Ambient Air	1 hour		14.01 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	7		Fresh Kills Met	Roof top					Ambient Air	1 hour		9.89 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	8		Fresh Kills Met	Roof top					Ambient Air	1 hour		ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032750

DRAFT

Inter-Agency Environmental Sampling Log

12/31/2001, team1224a, Page: 2 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILD_FLOOR	1.NORTH_SOUTH_STREET_OR_AVENUE	2.NORTH_SOUTH_STREET_OR_AVENUE	3.EAST_WEST_CROSS_STREET	4.EAST_WEST_CROSS_STREET	TEST_METHOD	SAMPLE_DURATION	CODE_DETECTION_LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_METHOD	TIME_STANDARD
		PM 2.5		NYSDEC		12/24/2001	9		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		
		PM 2.5		NYSDEC		12/24/2001	10		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		
		PM 2.5		NYSDEC		12/24/2001	11		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		
		PM 2.5		NYSDEC		12/24/2001	12		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		
		PM 2.5		NYSDEC		12/24/2001	13		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		
		PM 2.5		NYSDEC		12/24/2001	14		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		
		PM 2.5		NYSDEC		12/24/2001	15		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		
		PM 2.5		NYSDEC		12/24/2001	16		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		
		PM 2.5		NYSDEC		12/24/2001	17		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		
		PM 2.5		NYSDEC		12/24/2001	18		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		
		PM 2.5		NYSDEC		12/24/2001	19		Fresh Kills Met	Roof top					Ambient Air	1 hour		2.54	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	20		Fresh Kills Met	Roof top					Ambient Air	1 hour		9.72	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	21		Fresh Kills Met	Roof top					Ambient Air	1 hour		2.78	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	22		Fresh Kills Met	Roof top					Ambient Air	1 hour		2.75	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	23		Fresh Kills Met	Roof top					Ambient Air	1 hour		1.25	ug/m3		
		PM 2.5		NYSDEC		12/24/2001			Fresh Kills Daily Average	Roof top					Ambient Air	24 hours/ave		2.60	ug/m3		24 Hr Avg Invalid
		PM 2.5		NYSDEC		12/24/2001												6.30			
		PM 2.5		NYSDEC		12/24/2001	0		PS 44	Roof top					Ambient Air	1 hour		9.83	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	1		PS 44	Roof top					Ambient Air	1 hour		5.47	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	2		PS 44	Roof top					Ambient Air	1 hour		7.33	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	3		PS 44	Roof top					Ambient Air	1 hour		8.88	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	4		PS 44	Roof top					Ambient Air	1 hour		7.77	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	5		PS 44	Roof top					Ambient Air	1 hour		12.05	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	6		PS 44	Roof top					Ambient Air	1 hour		9.93	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	7		PS 44	Roof top					Ambient Air	1 hour		10.86	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	8		PS 44	Roof top					Ambient Air	1 hour		8.16	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	9		PS 44	Roof top					Ambient Air	1 hour		7.76	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	10		PS 44	Roof top					Ambient Air	1 hour		11.73	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	11		PS 44	Roof top					Ambient Air	1 hour		9.19	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	12		PS 44	Roof top					Ambient Air	1 hour		8.08	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	13		PS 44	Roof top					Ambient Air	1 hour		3.88	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	14		PS 44	Roof top					Ambient Air	1 hour		4.44	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	15		PS 44	Roof top					Ambient Air	1 hour		8.19	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	16		PS 44	Roof top					Ambient Air	1 hour		6.30	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	17		PS 44	Roof top					Ambient Air	1 hour		9.82	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	18		PS 44	Roof top					Ambient Air	1 hour		11.41	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	19		PS 44	Roof top					Ambient Air	1 hour		12.23	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	20		PS 44	Roof top					Ambient Air	1 hour		11.68	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	21		PS 44	Roof top					Ambient Air	1 hour		9.07	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	22		PS 44	Roof top					Ambient Air	1 hour		7.88	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	23		PS 44	Roof top					Ambient Air	1 hour					
		PM 2.5		NYSDEC		12/24/2001			PS44 Daily Average	Roof top					Ambient Air	24 hours/ave		8.93	ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		12/24/2001	0		IS 74	Roof top					Ambient Air	1 hour		10.04	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	1		IS 74	Roof top					Ambient Air	1 hour		9.45	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	2		IS 74	Roof top					Ambient Air	1 hour		10.32	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	3		IS 74	Roof top					Ambient Air	1 hour		8.89	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	4		IS 74	Roof top					Ambient Air	1 hour		8.81	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	5		IS 74	Roof top					Ambient Air	1 hour		16.94	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	6		IS 74	Roof top					Ambient Air	1 hour		16.57	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	7		IS 74	Roof top					Ambient Air	1 hour		19.79	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	8		IS 74	Roof top					Ambient Air	1 hour		12.06	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	9		IS 74	Roof top					Ambient Air	1 hour		11.73	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	10		IS 74	Roof top					Ambient Air	1 hour		11.63	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	11		IS 74	Roof top					Ambient Air	1 hour		13.07	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	12		IS 74	Roof top					Ambient Air	1 hour		9.95	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	13		IS 74	Roof top					Ambient Air	1 hour		11.12	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	14		IS 74	Roof top					Ambient Air	1 hour		6.46	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	15		IS 74	Roof top					Ambient Air	1 hour		5.84	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	16		IS 74	Roof top					Ambient Air	1 hour		5.67	ug/m3		
		PM 2.5		NYSDEC		12/24/2001	17		IS 74	Roof top					Ambient Air	1 hour		10.93	ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032751

DRAFT

Inter-Agency Environmental Sampling Log

12/31/2001, team1224a, Page: 3 of 16

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH_SOUTH_STREET_OR_AVENUE	2. NORTH_SOUTH_STREET_OR_AVENUE	3. EAST_WEST_CROSS_STREET	4. EAST_WEST_CROSS_STREET	TEST_METHOD	SAMPLE_DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS_TIME_STANDARD METHOD
		PM 2.5		NYSDEC		12/24/2001		18	IS 74	Roof top					Ambient Air	1 hour		11.28	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		19	IS 74	Roof top					Ambient Air	1 hour		12.73	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		20	IS 74	Roof top					Ambient Air	1 hour		12.76	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		21	IS 74	Roof top					Ambient Air	1 hour		12.43	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		22	IS 74	Roof top					Ambient Air	1 hour		11.34	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		23	IS 74	Roof top					Ambient Air	1 hour		10.65	ug/m3	
		PM 2.5		NYSDEC		12/24/2001			IS 74 Daily Average	Roof top					Ambient Air	24 hours/ave		11.26	ug/m3	24 Hr Avg
		PM 2.5		NYSDEC		12/24/2001		0	PS 154	Roof top					Ambient Air	1 hour		6.50	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		1	PS 154	Roof top					Ambient Air	1 hour		8.28	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		2	PS 154	Roof top					Ambient Air	1 hour		8.86	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		3	PS 154	Roof top					Ambient Air	1 hour		6.70	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		4	PS 154	Roof top					Ambient Air	1 hour		7.49	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		5	PS 154	Roof top					Ambient Air	1 hour		13.82	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		6	PS 154	Roof top					Ambient Air	1 hour		13.79	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		7	PS 154	Roof top					Ambient Air	1 hour		13.31	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		8	PS 154	Roof top					Ambient Air	1 hour		11.78	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		9	PS 154	Roof top					Ambient Air	1 hour		11.78	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		10	PS 154	Roof top					Ambient Air	1 hour		9.51	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		11	PS 154	Roof top					Ambient Air	1 hour		10.49	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		12	PS 154	Roof top					Ambient Air	1 hour		9.43	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		13	PS 154	Roof top					Ambient Air	1 hour		10.61	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		14	PS 154	Roof top					Ambient Air	1 hour		8.30	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		15	PS 154	Roof top					Ambient Air	1 hour		7.84	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		16	PS 154	Roof top					Ambient Air	1 hour		8.86	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		17	PS 154	Roof top					Ambient Air	1 hour		10.97	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		18	PS 154	Roof top					Ambient Air	1 hour		10.67	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		19	PS 154	Roof top					Ambient Air	1 hour		11.03	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		20	PS 154	Roof top					Ambient Air	1 hour		13.75	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		21	PS 154	Roof top					Ambient Air	1 hour		12.37	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		22	PS 154	Roof top					Ambient Air	1 hour		11.22	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		23	PS 154	Roof top					Ambient Air	1 hour		11.01	ug/m3	
		PM 2.5		NYSDEC		12/24/2001			PS 154 Daily Average	Roof top					Ambient Air	24 hours/ave		10.35	ug/m3	24 Hr Avg
		PM 2.5		NYSDEC		12/24/2001		0	Maspeth Library	Roof top					Ambient Air	1 hour		9.60	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		1	Maspeth Library	Roof top					Ambient Air	1 hour		6.37	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		2	Maspeth Library	Roof top					Ambient Air	1 hour		5.53	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		3	Maspeth Library	Roof top					Ambient Air	1 hour		7.65	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		4	Maspeth Library	Roof top					Ambient Air	1 hour		7.31	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		5	Maspeth Library	Roof top					Ambient Air	1 hour		10.40	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		6	Maspeth Library	Roof top					Ambient Air	1 hour		14.50	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		7	Maspeth Library	Roof top					Ambient Air	1 hour		18.81	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		8	Maspeth Library	Roof top					Ambient Air	1 hour		15.48	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		9	Maspeth Library	Roof top					Ambient Air	1 hour		12.67	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		10	Maspeth Library	Roof top					Ambient Air	1 hour		14.44	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		11	Maspeth Library	Roof top					Ambient Air	1 hour		14.17	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		12	Maspeth Library	Roof top					Ambient Air	1 hour		14.67	ug/m3	

CITY_DEP_WORBY_CANNATA_SUBP_000032752

DRAFT

Inter-Agency Environmental Sampling Log

12/31/2001, Room 1224a, Page: 4 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START TIME	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING FLOOR	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	1. EAST WEST STREET OR AVENUE	2. EAST WEST STREET OR AVENUE	TEST METHOD	SAMPLE DURATION	CODE RESULT'S CONCENTRATION LIMIT	UNIT	ANALYSIS TIME STANDARD METHOD
		PM 2.5		NYSDEC		12/24/2001		13	Maspeth Library	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		14	Maspeth Library	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		15	Maspeth Library	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		16	Maspeth Library	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		17	Maspeth Library	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		18	Maspeth Library	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		19	Maspeth Library	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		20	Maspeth Library	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		21	Maspeth Library	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		22	Maspeth Library	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		23	Maspeth Library	Roof top					Ambient Air	1 hour		ug/m3	
									Maspeth Library Daily Average							24 hours			24 Hr Avg
																	10.70		
		PM 2.5		NYSDEC		12/24/2001		0	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		1	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		2	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		3	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		4	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		5	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		6	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		7	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		8	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		9	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		10	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		11	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		12	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		13	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		14	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		15	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		16	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		17	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		18	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	
		PM 2.5		NYSDEC		12/24/2001		19	Manhattenville P.O.	Roof top					Ambient Air	1 hour		ug/m3	

CITY_DEP_WORBY_CANNATA_SUBP_000032753

DRAFT

Inter-Agency Environmental Sampling Log

12/31/2001, leom1224a, Page: 5 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH_SOUTH_STREET_OR_AVENUE	2. NORTH_SOUTH_STREET_OR_AVENUE	3. EAST_WEST_CROSS_STREET	4. EAST_WEST_CROSS_STREET	TEST_METHOD	SAMPLE_DURATION	CODE_DETECTION_LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_METHOD	TIME_STANDARD
		PM 2.5		NYSDEC		12/24/2001		20	Manhattanville P.O.	Roof top					Ambient Air	1 hour		12.10	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		21	Manhattanville P.O.	Roof top					Ambient Air	1 hour		11.57	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		22	Manhattanville P.O.	Roof top					Ambient Air	1 hour		11.83	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		23	Manhattanville P.O.	Roof top					Ambient Air	1 hour		10.50	ug/m3		
		PM 2.5		NYSDEC		12/24/2001			Manhattanville P.O. Daily Average	Roof top					Ambient Air	24 hour		9.90	ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		12/24/2001		0	PS 199	Roof top					Ambient Air	1 hour		8.83	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		1	PS 199	Roof top					Ambient Air	1 hour		7.19	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		2	PS 199	Roof top					Ambient Air	1 hour		7.29	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		3	PS 199	Roof top					Ambient Air	1 hour		7.71	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		4	PS 199	Roof top					Ambient Air	1 hour		9.12	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		5	PS 199	Roof top					Ambient Air	1 hour		15.40	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		6	PS 199	Roof top					Ambient Air	1 hour		14.96	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		7	PS 199	Roof top					Ambient Air	1 hour		13.61	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		8	PS 199	Roof top					Ambient Air	1 hour		14.40	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		9	PS 199	Roof top					Ambient Air	1 hour		13.80	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		10	PS 199	Roof top					Ambient Air	1 hour		13.00	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		11	PS 199	Roof top					Ambient Air	1 hour		11.84	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		12	PS 199	Roof top					Ambient Air	1 hour		10.99	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		13	PS 199	Roof top					Ambient Air	1 hour		10.29	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		14	PS 199	Roof top					Ambient Air	1 hour		7.88	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		15	PS 199	Roof top					Ambient Air	1 hour		7.28	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		16	PS 199	Roof top					Ambient Air	1 hour		8.74	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		17	PS 199	Roof top					Ambient Air	1 hour		10.58	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		18	PS 199	Roof top					Ambient Air	1 hour		11.63	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		19	PS 199	Roof top					Ambient Air	1 hour		11.54	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		20	PS 199	Roof top					Ambient Air	1 hour		11.62	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		21	PS 199	Roof top					Ambient Air	1 hour		10.82	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		22	PS 199	Roof top					Ambient Air	1 hour		11.43	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		23	PS 199	Roof top					Ambient Air	1 hour		10.11	ug/m3		
		PM 2.5		NYSDEC		12/24/2001			PS 199 Daily Average	Roof top					Ambient Air	24 hour		10.84	ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		12/24/2001		0	IS 143	Roof top					Ambient Air	1 hour		13.11	ug/m3		
		PM 2.5		NYSDEC		12/24/2001		1	IS 143	Roof top					Ambient Air	1 hour		8.65	ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032754

DRAFT

Inter-Agency Environmental Sampling Log

12/31/2001, loom1224a Page: 6 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME OR ADDRESS	BUILD_FLOOR	1. NORTH-SOUTH STREET OR AVENUE	2. NORTH-SOUTH STREET OR AVENUE	1. EAST-WEST CROSS STREET	2. EAST-WEST CROSS STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS TIME STANDARD METHOD
	PM 2.5			NYSDEC		12/24/2001		2	IS 143	Roof top					Ambient Air	1 hour		10.87	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		3	IS 143	Roof top					Ambient Air	1 hour		8.60	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		4	IS 143	Roof top					Ambient Air	1 hour		9.70	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		5	IS 143	Roof top					Ambient Air	1 hour		15.64	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		6	IS 143	Roof top					Ambient Air	1 hour		16.74	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		7	IS 143	Roof top					Ambient Air	1 hour		16.82	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		8	IS 143	Roof top					Ambient Air	1 hour		22.81	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		9	IS 143	Roof top					Ambient Air	1 hour		17.66	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		10	IS 143	Roof top					Ambient Air	1 hour		18.17	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		11	IS 143	Roof top					Ambient Air	1 hour		16.39	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		12	IS 143	Roof top					Ambient Air	1 hour		12.36	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		13	IS 143	Roof top					Ambient Air	1 hour		11.26	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		14	IS 143	Roof top					Ambient Air	1 hour		13.20	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		15	IS 143	Roof top					Ambient Air	1 hour		10.09	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		16	IS 143	Roof top					Ambient Air	1 hour		7.41	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		17	IS 143	Roof top					Ambient Air	1 hour		12.68	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		18	IS 143	Roof top					Ambient Air	1 hour		14.23	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		19	IS 143	Roof top					Ambient Air	1 hour		15.14	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		20	IS 143	Roof top					Ambient Air	1 hour		15.63	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		21	IS 143	Roof top					Ambient Air	1 hour		19.47	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		22	IS 143	Roof top					Ambient Air	1 hour		15.87	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		23	IS 143	Roof top					Ambient Air	24 hour		12.58	ug/m3	24 Hr Avg
									IS 143 Daily Average								13.96			
	PM 2.5			NYSDEC		12/24/2001		0	Kew Gardens	Roof top					Ambient Air	1 hour		8.49	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		1	Kew Gardens	Roof top					Ambient Air	1 hour		8.19	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		2	Kew Gardens	Roof top					Ambient Air	1 hour		7.72	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		3	Kew Gardens	Roof top					Ambient Air	1 hour		9.09	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		4	Kew Gardens	Roof top					Ambient Air	1 hour		8.05	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		5	Kew Gardens	Roof top					Ambient Air	1 hour		8.45	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		6	Kew Gardens	Roof top					Ambient Air	1 hour		12.13	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		7	Kew Gardens	Roof top					Ambient Air	1 hour		12.51	ug/m3	
	PM 2.5			NYSDEC		12/24/2001		8	Kew Gardens	Roof top					Ambient Air	1 hour		11.23	ug/m3	

CITY_DEP_WORBY_CANNATA_SUBP_000032755

DRAFT

Inter-Agency Environmental Sampling Log

12/31/2001, team1224a, Page: 7 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME OR ADDRESS	BUILDING FLOOR	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	3. EAST WEST CROSS STREET	4. EAST WEST CROSS STREET	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS TIME STANDARD METHOD
		PM 2.5		NYSDEC		12/24/2001		9	Kew Gardens	Roof top					Ambient Air	1 hour		11.32	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		10	Kew Gardens	Roof top					Ambient Air	1 hour		12.81	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		11	Kew Gardens	Roof top					Ambient Air	1 hour		15.55	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		12	Kew Gardens	Roof top					Ambient Air	1 hour		12.78	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		13	Kew Gardens	Roof top					Ambient Air	1 hour		10.39	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		14	Kew Gardens	Roof top					Ambient Air	1 hour		8.11	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		15	Kew Gardens	Roof top					Ambient Air	1 hour		6.12	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		16	Kew Gardens	Roof top					Ambient Air	1 hour		7.60	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		17	Kew Gardens	Roof top					Ambient Air	1 hour		9.92	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		18	Kew Gardens	Roof top					Ambient Air	1 hour		10.52	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		19	Kew Gardens	Roof top					Ambient Air	1 hour		10.51	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		20	Kew Gardens	Roof top					Ambient Air	1 hour		11.99	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		21	Kew Gardens	Roof top					Ambient Air	1 hour		10.82	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		22	Kew Gardens	Roof top					Ambient Air	1 hour		10.76	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		23	Kew Gardens	Roof top					Ambient Air	24 hour		9.73	ug/m3	24 Hr Avg
									Kew Gardens Daily Average	Roof top					Ambient Air	1 hour		10.20	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		0	IS 52	Roof top					Ambient Air	1 hour		8.97	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		1	IS 52	Roof top					Ambient Air	1 hour		8.28	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		2	IS 52	Roof top					Ambient Air	1 hour		9.34	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		3	IS 52	Roof top					Ambient Air	1 hour		8.86	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		4	IS 52	Roof top					Ambient Air	1 hour		8.41	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		5	IS 52	Roof top					Ambient Air	1 hour		14.81	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		6	IS 52	Roof top					Ambient Air	1 hour		15.91	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		7	IS 52	Roof top					Ambient Air	1 hour		19.55	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		8	IS 52	Roof top					Ambient Air	1 hour		13.81	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		9	IS 52	Roof top					Ambient Air	1 hour		15.88	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		10	IS 52	Roof top					Ambient Air	1 hour		12.87	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		11	IS 52	Roof top					Ambient Air	1 hour		11.79	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		12	IS 52	Roof top					Ambient Air	1 hour		11.57	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		13	IS 52	Roof top					Ambient Air	1 hour		11.04	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		14	IS 52	Roof top					Ambient Air	1 hour		8.16	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		15	IS 52	Roof top					Ambient Air	1 hour		7.93	ug/m3	

CITY_DEP_WORBY_CANNATA_SUBP_000032756

DRAFT

Inter-Agency Environmental Sampling Log

12/31/2001, toom1224a, Page: 8 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1_NORTH_SOUTH_STREET_OR_AVENUE	2_NORTH_SOUTH_STREET_OR_AVENUE	1_EAST_WEST_STREET	2_EAST_WEST_STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE_DETECTION_LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_TIME_STANDARD_METHOD
		PM 2.5		NYSDEC		12/24/2001		16	IS 52	Roof top					Ambient Air	1 hour		6.47	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		17	IS 52	Roof top					Ambient Air	1 hour		11.06	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		18	IS 52	Roof top					Ambient Air	1 hour		12.20	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		19	IS 52	Roof top					Ambient Air	1 hour		13.57	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		20	IS 52	Roof top					Ambient Air	1 hour		14.85	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		21	IS 52	Roof top					Ambient Air	1 hour		13.93	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		22	IS 52	Roof top					Ambient Air	1 hour		12.08	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		23	IS 52	Roof top					Ambient Air	1 hour		11.63	ug/m3	
		PM 2.5		NYSDEC		12/24/2001			IS 52 Daily Average	Roof top					Ambient Air	24 hour		11.80	ug/m3	24 Hr average
		PM 2.5		NYSDEC		12/24/2001		0	PS 293	Roof top					Ambient Air	1 hour		7.91	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		1	PS 293	Roof top					Ambient Air	1 hour		7.94	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		2	PS 293	Roof top					Ambient Air	1 hour		6.56	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		3	PS 293	Roof top					Ambient Air	1 hour		6.58	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		4	PS 293	Roof top					Ambient Air	1 hour		7.64	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		5	PS 293	Roof top					Ambient Air	1 hour		12.52	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		6	PS 293	Roof top					Ambient Air	1 hour		13.32	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		7	PS 293	Roof top					Ambient Air	1 hour		12.49	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		8	PS 293	Roof top					Ambient Air	1 hour		14.56	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		9	PS 293	Roof top					Ambient Air	1 hour		9.54	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		10	PS 293	Roof top					Ambient Air	1 hour		9.23	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		11	PS 293	Roof top					Ambient Air	1 hour		9.42	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		12	PS 293	Roof top					Ambient Air	1 hour		9.88	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		13	PS 293	Roof top					Ambient Air	1 hour		8.97	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		14	PS 293	Roof top					Ambient Air	1 hour		5.76	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		15	PS 293	Roof top					Ambient Air	1 hour		9.21	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		16	PS 293	Roof top					Ambient Air	1 hour		9.07	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		17	PS 293	Roof top					Ambient Air	1 hour		9.52	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		18	PS 293	Roof top					Ambient Air	1 hour		12.80	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		19	PS 293	Roof top					Ambient Air	1 hour		14.33	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		20	PS 293	Roof top					Ambient Air	1 hour		13.78	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		21	PS 293	Roof top					Ambient Air	1 hour		13.00	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		22	PS 293	Roof top					Ambient Air	1 hour		11.71	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		23	PS 293	Roof top					Ambient Air	1 hour		10.30	ug/m3	
		PM 2.5		NYSDEC		12/24/2001			PS 293 Daily Average	Roof top					Ambient Air	24 hour		10.25	ug/m3	24 Hr Avg
		PM 2.5		NYSDEC		12/24/2001		0	Albany Street	Roof top					Ambient Air	1 hour		6.89	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		1	Albany Street	Roof top					Ambient Air	1 hour		9.86	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		2	Albany Street	Roof top					Ambient Air	1 hour		8.82	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		3	Albany Street	Roof top					Ambient Air	1 hour		12.39	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		4	Albany Street	Roof top					Ambient Air	1 hour		12.68	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		5	Albany Street	Roof top					Ambient Air	1 hour		21.16	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		6	Albany Street	Roof top					Ambient Air	1 hour		17.92	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		7	Albany Street	Roof top					Ambient Air	1 hour		13.45	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		8	Albany Street	Roof top					Ambient Air	1 hour		15.08	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		9	Albany Street	Roof top					Ambient Air	1 hour		12.39	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		10	Albany Street	Roof top					Ambient Air	1 hour		11.45	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		11	Albany Street	Roof top					Ambient Air	1 hour		9.48	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		12	Albany Street	Roof top					Ambient Air	1 hour			ug/m3	
		PM 2.5		NYSDEC		12/24/2001		13	Albany Street	Roof top					Ambient Air	1 hour		8.65	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		14	Albany Street	Roof top					Ambient Air	1 hour		6.11	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		15	Albany Street	Roof top					Ambient Air	1 hour		9.96	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		16	Albany Street	Roof top					Ambient Air	1 hour		10.27	ug/m3	
		PM 2.5		NYSDEC		12/24/2001		17	Albany Street	Roof top					Ambient Air	1 hour		12.21	ug/m3	

CITY_DEP_WORBY_CANNATA_SUBP_000032757

DRAFT

Inter-Agency Environmental Sampling Log

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAD	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILD_FLOOR	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	1. EAST WEST STREET	2. EAST WEST STREET	TEST_METHOD	SAMPLE_DURATION	CODE_DETECTION LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_TIME_STANDARD_METHOD
		PM 2.5		NYSDEC		12/24/2001	18		Albany Street	Roof top					Ambient Air	1 hour		14.21 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	19		Albany Street	Roof top					Ambient Air	1 hour		14.25 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	20		Albany Street	Roof top					Ambient Air	1 hour		14.48 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	21		Albany Street	Roof top					Ambient Air	1 hour		13.85 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	22		Albany Street	Roof top					Ambient Air	1 hour		15.10 ug/m3		
		PM 2.5		NYSDEC		12/24/2001	23		Albany Street	Roof top					Ambient Air	1 hour		12.01 ug/m3		
		PM 2.5		NYSDEC		12/24/2001			Albany Street Daily Average	Roof top					Ambient Air	24 hours/ave		12.29 ug/m3		24 Hr Avg
		PM 10		NYSDEC		12/24/2001	0		Albany Street	Roof top					Ambient Air	1 hour		16.64 ug/m3		
		PM 10		NYSDEC		12/24/2001	1		Albany Street	Roof top					Ambient Air	1 hour		13.48 ug/m3		
		PM 10		NYSDEC		12/24/2001	2		Albany Street	Roof top					Ambient Air	1 hour		10.70 ug/m3		
		PM 10		NYSDEC		12/24/2001	3		Albany Street	Roof top					Ambient Air	1 hour		17.94 ug/m3		
		PM 10		NYSDEC		12/24/2001	4		Albany Street	Roof top					Ambient Air	1 hour		17.20 ug/m3		
		PM 10		NYSDEC		12/24/2001	5		Albany Street	Roof top					Ambient Air	1 hour		30.82 ug/m3		
		PM 10		NYSDEC		12/24/2001	6		Albany Street	Roof top					Ambient Air	1 hour		21.50 ug/m3		
		PM 10		NYSDEC		12/24/2001	7		Albany Street	Roof top					Ambient Air	1 hour		16.71 ug/m3		
		PM 10		NYSDEC		12/24/2001	8		Albany Street	Roof top					Ambient Air	1 hour		17.04 ug/m3		
		PM 10		NYSDEC		12/24/2001	9		Albany Street	Roof top					Ambient Air	1 hour		16.12 ug/m3		
		PM 10		NYSDEC		12/24/2001	10		Albany Street	Roof top					Ambient Air	1 hour		13.58 ug/m3		
		PM 10		NYSDEC		12/24/2001	11		Albany Street	Roof top					Ambient Air	1 hour		11.73 ug/m3		
		PM 10		NYSDEC		12/24/2001	12		Albany Street	Roof top					Ambient Air	1 hour		7.22 ug/m3		
		PM 10		NYSDEC		12/24/2001	13		Albany Street	Roof top					Ambient Air	1 hour		15.13 ug/m3		
		PM 10		NYSDEC		12/24/2001	14		Albany Street	Roof top					Ambient Air	1 hour		11.04 ug/m3		
		PM 10		NYSDEC		12/24/2001	15		Albany Street	Roof top					Ambient Air	1 hour		17.22 ug/m3		
		PM 10		NYSDEC		12/24/2001	16		Albany Street	Roof top					Ambient Air	1 hour		16.32 ug/m3		
		PM 10		NYSDEC		12/24/2001	17		Albany Street	Roof top					Ambient Air	1 hour		19.05 ug/m3		
		PM 10		NYSDEC		12/24/2001	18		Albany Street	Roof top					Ambient Air	1 hour		21.75 ug/m3		
		PM 10		NYSDEC		12/24/2001	19		Albany Street	Roof top					Ambient Air	1 hour		19.87 ug/m3		
		PM 10		NYSDEC		12/24/2001	20		Albany Street	Roof top					Ambient Air	1 hour		19.66 ug/m3		
		PM 10		NYSDEC		12/24/2001	21		Albany Street	Roof top					Ambient Air	1 hour		20.91 ug/m3		
		PM 10		NYSDEC		12/24/2001	22		Albany Street	Roof top					Ambient Air	1 hour		21.19 ug/m3		
		PM 10		NYSDEC		12/24/2001	23		Albany Street	Roof top					Ambient Air	1 hour		18.81 ug/m3		
		PM 10		NYSDEC		12/24/2001			Albany Street Daily Average PM10	Roof top					Ambient Air	24 hours/ave		17.15 ug/m3		24 Hr Avg

CITY_DEP_WORBY_CANNATA_SUBP_000032758

****TRIAL VERSION****

Inter-Agency Environmental Sampling Log

12/31/2001, team1224a, Page: 10 of 18

NYC-WTC 000196164

Inter-Agency Environmental Sampling Log

12/31/2001, team1224a, Page 11 of 18

NYC-WTC_000196165

Inter-Agency Environmental Sampling Log

12/31/2001, team1224a, Page: 12 of 18

NYC-WTC_000196166

Inter-Agency Environmental Sampling Log

12/31/2001, teom1224a, Page: 13 of 18

[illegible]

12/31/2001, team1224a, Page: 14 of 18

NYC-WTC_000196168

Inter-Agency Environmental Sampling Log

12/31/2001, team1224a, Page: 15 of 18

NYC-WTC_000196169

Inter-Agency Environmental Sampling Log

12/31/2001, leom1224a, Page: 16 of 18

NYC-WTC_000196170

Inter-Agency Environmental Sampling Log

NYC-WTC_000196171

[illegible]

DRAFT

Inter-Agency Environmental Sampling Log

UNIQUE_ID	DATE_DCH	RECOMMENDATIONS	PAM_ACTIVITY	ZONE	StationID	CASRN	END_DATE	END_TIME	SOURCE	LATITUDE	LONGITUDE
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001	23 readings, Meets Standards		Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001			Distant from zone	709322						
	12/24/2001	24 readings, Meets Standards		Distant from zone	709322						
					709322						

CITY_DEP_WORBY_CANNATA_SUBP_000032767