

DRAFT

Inter-Agency Environmental Sampling Log

12/19/2001, team1217a, Page: 1 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SLB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME OR ADDRESS	BUILDING_FLOOR	1_NORTH_SOUTH_STREET_OR_AVENUE	2_NORTH_SOUTH_STREET_OR_AVENUE	1_EAST_WEST_CROSS_STREET	2_EAST_WEST_CROSS_STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE	RESULTS_CONCENTRATION	UNIT	ANALYSIS_TIME_STANDARD_METHOD
		PM 2.5		NYSDEC		12/17/2001	0		PS 274	Roof top					Ambient Air	1 hour		8.20 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	1		PS 274	Roof top					Ambient Air	1 hour		6.46 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	2		PS 274	Roof top					Ambient Air	1 hour		8.55 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	3		PS 274	Roof top					Ambient Air	1 hour		8.16 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	4		PS 274	Roof top					Ambient Air	1 hour		7.85 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	5		PS 274	Roof top					Ambient Air	1 hour		11.18 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	6		PS 274	Roof top					Ambient Air	1 hour		13.52 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	7		PS 274	Roof top					Ambient Air	1 hour		15.57 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	8		PS 274	Roof top					Ambient Air	1 hour		18.04 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	9		PS 274	Roof top					Ambient Air	1 hour		21.20 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	10		PS 274	Roof top					Ambient Air	1 hour		19.25 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	11		PS 274	Roof top					Ambient Air	1 hour		18.21 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	12		PS 274	Roof top					Ambient Air	1 hour		9.59 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	13		PS 274	Roof top					Ambient Air	1 hour		5.82 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	14		PS 274	Roof top					Ambient Air	1 hour		7.88 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	15		PS 274	Roof top					Ambient Air	1 hour		9.19 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	16		PS 274	Roof top					Ambient Air	1 hour		9.61 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	17		PS 274	Roof top					Ambient Air	1 hour		8.35 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	18		PS 274	Roof top					Ambient Air	1 hour		10.77 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	19		PS 274	Roof top					Ambient Air	1 hour		11.18 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	20		PS 274	Roof top					Ambient Air	1 hour		12.37 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	21		PS 274	Roof top					Ambient Air	1 hour		10.14 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	22		PS 274	Roof top					Ambient Air	1 hour		12.84 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	23		PS 274	Roof top					Ambient Air	1 hour		10.85 ug/m3		
									PS 274 Daily Average						Ambient Air	24 hour/ave		11.49 ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		12/17/2001	0		PS 64	Roof top					Ambient Air	1 hour		5.64 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	1		PS 64	Roof top					Ambient Air	1 hour		6.66 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	2		PS 64	Roof top					Ambient Air	1 hour		8.94 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	3		PS 64	Roof top					Ambient Air	1 hour		7.54 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	4		PS 64	Roof top					Ambient Air	1 hour		7.37 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	5		PS 64	Roof top					Ambient Air	1 hour		9.39 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	6		PS 64	Roof top					Ambient Air	1 hour		12.47 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	7		PS 64	Roof top					Ambient Air	1 hour		15.04 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	8		PS 64	Roof top					Ambient Air	1 hour		20.43 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	9		PS 64	Roof top					Ambient Air	1 hour		23.88 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	10		PS 64	Roof top					Ambient Air	1 hour		22.36 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	11		PS 64	Roof top					Ambient Air	1 hour		20.99 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	12		PS 64	Roof top					Ambient Air	1 hour		10.90 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	13		PS 64	Roof top					Ambient Air	1 hour		8.72 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	14		PS 64	Roof top					Ambient Air	1 hour		9.43 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	15		PS 64	Roof top					Ambient Air	1 hour		11.05 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	16		PS 64	Roof top					Ambient Air	1 hour		8.66 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	17		PS 64	Roof top					Ambient Air	1 hour		10.39 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	18		PS 64	Roof top					Ambient Air	1 hour		11.74 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	19		PS 64	Roof top					Ambient Air	1 hour		13.81 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	20		PS 64	Roof top					Ambient Air	1 hour		15.77 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	21		PS 64	Roof top					Ambient Air	1 hour		13.04 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	22		PS 64	Roof top					Ambient Air	1 hour		14.40 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	23		PS 64	Roof top					Ambient Air	1 hour		11.35 ug/m3		
									PS 64 Daily Average						Ambient Air	24 hour/ave		12.50 ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		12/17/2001	0		Fresh Kills Met	Roof top					Ambient Air	1 hour		9.45 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	1		Fresh Kills Met	Roof top					Ambient Air	1 hour		7.39 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	2		Fresh Kills Met	Roof top					Ambient Air	1 hour		8.37 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	3		Fresh Kills Met	Roof top					Ambient Air	1 hour		8.66 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	4		Fresh Kills Met	Roof top					Ambient Air	1 hour		10.70 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	5		Fresh Kills Met	Roof top					Ambient Air	1 hour		13.26 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	6		Fresh Kills Met	Roof top					Ambient Air	1 hour		12.65 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	7		Fresh Kills Met	Roof top					Ambient Air	1 hour		14.19 ug/m3		
		PM 2.5		NYSDEC		12/17/2001	8		Fresh Kills Met	Roof top					Ambient Air	1 hour		20.31 ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032822

DRAFT

Inter-Agency Environmental Sampling Log

12/19/2001, leom1217a, Page: 2 of 18

UNIQUE_DOCUMENT_ID ID	SAMPLE_ID	ANALYTE	SUB_ANALY TE	AGENCY	LAB	DATE_SAMP LED	START TI ME_SAMP LED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING FLOOR	1. NORTH, SOUTH, WEST, EAST, INTER SECTION	2. NORTH, SOUTH, WEST, EAST, INTER SECTION	3. EAST, WEST, INTER SECTION	4. EAST, WEST, INTER SECTION	TEST MEDIA	SAMPLE D URATION	CODE DETECT ION, LN RMIT	RESULTS CONCENTRA TION	UNIT	ANALYSIS METHOD	TIME STANDARD
		PM 2.5		NYSDEC		12/17/2001	9		Fresh Kills Met	Roof top					Ambient Air	1 hour		15.52	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	10		Fresh Kills Met	Roof top					Ambient Air	1 hour		14.36	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	11		Fresh Kills Met	Roof top					Ambient Air	1 hour		11.57	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	12		Fresh Kills Met	Roof top					Ambient Air	1 hour		9.68	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	13		Fresh Kills Met	Roof top					Ambient Air	1 hour		9.57	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	14		Fresh Kills Met	Roof top					Ambient Air	1 hour		12.54	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	15		Fresh Kills Met	Roof top					Ambient Air	1 hour		7.39	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	16		Fresh Kills Met	Roof top					Ambient Air	1 hour		8.01	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	17		Fresh Kills Met	Roof top					Ambient Air	1 hour		9.56	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	18		Fresh Kills Met	Roof top					Ambient Air	1 hour		15.27	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	19		Fresh Kills Met	Roof top					Ambient Air	1 hour		10.08	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	20		Fresh Kills Met	Roof top					Ambient Air	1 hour		13.43	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	21		Fresh Kills Met	Roof top					Ambient Air	1 hour		10.90	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	22		Fresh Kills Met	Roof top					Ambient Air	1 hour		10.74	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	23		Fresh Kills Met	Roof top					Ambient Air	1 hour		10.18	ug/m3		
		PM 2.5		NYSDEC		12/17/2001			Fresh Kills Daily Average	Roof top					Ambient Air	24 hours/ave			ug/m3	24 Hr Avg	
		PM 2.5		NYSDEC		12/17/2001	0		PS 44	Roof top					Ambient Air	1 hour		6.92	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	1		PS 44	Roof top					Ambient Air	1 hour		6.34	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	2		PS 44	Roof top					Ambient Air	1 hour		8.68	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	3		PS 44	Roof top					Ambient Air	1 hour		9.44	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	4		PS 44	Roof top					Ambient Air	1 hour		11.89	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	5		PS 44	Roof top					Ambient Air	1 hour		8.39	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	6		PS 44	Roof top					Ambient Air	1 hour		14.72	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	7		PS 44	Roof top					Ambient Air	1 hour		17.63	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	8		PS 44	Roof top					Ambient Air	1 hour		13.08	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	9		PS 44	Roof top					Ambient Air	1 hour		8.67	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	10		PS 44	Roof top					Ambient Air	1 hour		8.60	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	11		PS 44	Roof top					Ambient Air	1 hour		7.18	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	12		PS 44	Roof top					Ambient Air	1 hour		6.58	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	13		PS 44	Roof top					Ambient Air	1 hour		6.30	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	14		PS 44	Roof top					Ambient Air	1 hour		7.07	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	15		PS 44	Roof top					Ambient Air	1 hour		7.94	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	16		PS 44	Roof top					Ambient Air	1 hour		6.94	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	17		PS 44	Roof top					Ambient Air	1 hour		8.49	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	18		PS 44	Roof top					Ambient Air	1 hour		8.06	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	19		PS 44	Roof top					Ambient Air	1 hour		7.80	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	20		PS 44	Roof top					Ambient Air	1 hour		8.81	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	21		PS 44	Roof top					Ambient Air	1 hour		9.28	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	22		PS 44	Roof top					Ambient Air	1 hour		10.59	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	23		PS 44	Roof top					Ambient Air	1 hour		9.44	ug/m3		
		PM 2.5		NYSDEC		12/17/2001			PS44 Daily Average	Roof top					Ambient Air	24 hours/ave			ug/m3	24 Hr Avg	
		PM 2.5		NYSDEC		12/17/2001	0		IS 74	Roof top					Ambient Air	1 hour		7.53	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	1		IS 74	Roof top					Ambient Air	1 hour		8.37	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	2		IS 74	Roof top					Ambient Air	1 hour		7.91	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	3		IS 74	Roof top					Ambient Air	1 hour		9.06	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	4		IS 74	Roof top					Ambient Air	1 hour		8.79	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	5		IS 74	Roof top					Ambient Air	1 hour		11.27	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	6		IS 74	Roof top					Ambient Air	1 hour		10.65	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	7		IS 74	Roof top					Ambient Air	1 hour		14.63	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	8		IS 74	Roof top					Ambient Air	1 hour		11.03	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	9		IS 74	Roof top					Ambient Air	1 hour		11.56	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	10		IS 74	Roof top					Ambient Air	1 hour		14.55	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	11		IS 74	Roof top					Ambient Air	1 hour		18.10	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	12		IS 74	Roof top					Ambient Air	1 hour		16.58	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	13		IS 74	Roof top					Ambient Air	1 hour		18.07	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	14		IS 74	Roof top					Ambient Air	1 hour		20.14	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	15		IS 74	Roof top					Ambient Air	1 hour		11.37	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	16		IS 74	Roof top					Ambient Air	1 hour		8.93	ug/m3		
		PM 2.5		NYSDEC		12/17/2001	17		IS 74	Roof top					Ambient Air	1 hour		9.53	ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032823

DRAFT

Inter-Agency Environmental Sampling Log

12/19/2001, team1217a, Page: 3 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME	COUNTY	SITE_NAME OR ADDRESS	BUILDING FLOOR	NORTH ST. OR AVENUE	SOUTH ST. OR AVENUE	EAST ST. OR S. STREET	WEST ST. OR S. STREET	TEST MEDIA	SAMPLE DURATION	CODE	RESULTS CONCENTRATION	UNIT	ANALYSIS TIME STANDARD METHOD
		PM 2.5		NYSDEC		12/17/2001	18	IS 74		Roof top					Ambient Air	1 hour		10.46	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	19	IS 74		Roof top					Ambient Air	1 hour		9.52	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	20	IS 74		Roof top					Ambient Air	1 hour		10.17	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	21	IS 74		Roof top					Ambient Air	1 hour		9.99	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	22	IS 74		Roof top					Ambient Air	1 hour		13.08	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	23	IS 74		Roof top					Ambient Air	1 hour		10.71	ug/m3	
		PM 2.5		NYSDEC		12/17/2001			IS 74 Daily Average	Roof top					Ambient Air	24 hour/ave		11.75	ug/m3	24 Hr Avg
		PM 2.5		NYSDEC		12/17/2001	0	PS 154		Roof top					Ambient Air	1 hour		8.25	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	1	PS 154		Roof top					Ambient Air	1 hour		9.19	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	2	PS 154		Roof top					Ambient Air	1 hour		10.13	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	3	PS 154		Roof top					Ambient Air	1 hour		10.98	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	4	PS 154		Roof top					Ambient Air	1 hour		9.00	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	5	PS 154		Roof top					Ambient Air	1 hour		9.09	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	6	PS 154		Roof top					Ambient Air	1 hour		12.45	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	7	PS 154		Roof top					Ambient Air	1 hour		15.04	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	8	PS 154		Roof top					Ambient Air	1 hour		17.24	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	9	PS 154		Roof top					Ambient Air	1 hour		19.50	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	10	PS 154		Roof top					Ambient Air	1 hour		19.46	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	11	PS 154		Roof top					Ambient Air	1 hour		22.77	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	12	PS 154		Roof top					Ambient Air	1 hour		22.66	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	13	PS 154		Roof top					Ambient Air	1 hour		23.23	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	14	PS 154		Roof top					Ambient Air	1 hour		18.06	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	15	PS 154		Roof top					Ambient Air	1 hour		12.58	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	16	PS 154		Roof top					Ambient Air	1 hour		11.13	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	17	PS 154		Roof top					Ambient Air	1 hour		11.56	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	18	PS 154		Roof top					Ambient Air	1 hour		11.55	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	19	PS 154		Roof top					Ambient Air	1 hour		11.47	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	20	PS 154		Roof top					Ambient Air	1 hour		12.44	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	21	PS 154		Roof top					Ambient Air	1 hour		12.55	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	22	PS 154		Roof top					Ambient Air	1 hour		13.99	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	23	PS 154		Roof top					Ambient Air	1 hour		9.98	ug/m3	
		PM 2.5		NYSDEC		12/17/2001			PS 154 Daily Average	Roof top					Ambient Air	24 hour/ave		13.93	ug/m3	24 Hr Avg
		PM 2.5		NYSDEC		12/17/2001	0	Maspeth Library		Roof top					Ambient Air	1 hour		5.71	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	1	Maspeth Library		Roof top					Ambient Air	1 hour		7.66	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	2	Maspeth Library		Roof top					Ambient Air	1 hour		8.42	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	3	Maspeth Library		Roof top					Ambient Air	1 hour		7.55	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	4	Maspeth Library		Roof top					Ambient Air	1 hour		6.08	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	5	Maspeth Library		Roof top					Ambient Air	1 hour		10.20	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	6	Maspeth Library		Roof top					Ambient Air	1 hour		11.14	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	7	Maspeth Library		Roof top					Ambient Air	1 hour		14.75	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	8	Maspeth Library		Roof top					Ambient Air	1 hour		15.51	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	9	Maspeth Library		Roof top					Ambient Air	1 hour		17.50	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	10	Maspeth Library		Roof top					Ambient Air	1 hour		15.55	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	11	Maspeth Library		Roof top					Ambient Air	1 hour		19.44	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	12	Maspeth Library		Roof top					Ambient Air	1 hour			ug/m3	

CITY_DEP_WORBY_CANNATA_SUBP_000032824

DRAFT

Inter-Agency Environmental Sampling Log

12/19/2001, team1217a, Page: 4 of 18

UNIQUE ID	DOCUMENT ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START TIME SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING FLOOR	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	1. EAST WEST STREET	2. EAST WEST STREET	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS METHOD	TIME STANDARD
			PM 2.5		NYSDEC		12/17/2001			Maspeth Library	Roof top					Ambient Air	1 hour			ug/m3		
			PM 2.5		NYSDEC		12/17/2001		13	Maspeth Library	Roof top					Ambient Air	1 hour			ug/m3		
			PM 2.5		NYSDEC		12/17/2001		14	Maspeth Library	Roof top					Ambient Air	1 hour			ug/m3		
			PM 2.5		NYSDEC		12/17/2001		15	Maspeth Library	Roof top					Ambient Air	1 hour			ug/m3		
			PM 2.5		NYSDEC		12/17/2001		16	Maspeth Library	Roof top					Ambient Air	1 hour			ug/m3		
			PM 2.5		NYSDEC		12/17/2001		17	Maspeth Library	Roof top					Ambient Air	1 hour		1.78	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		17	Maspeth Library	Roof top					Ambient Air	1 hour		4.96	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		18	Maspeth Library	Roof top					Ambient Air	1 hour		7.77	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		19	Maspeth Library	Roof top					Ambient Air	1 hour		8.52	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		20	Maspeth Library	Roof top					Ambient Air	1 hour		8.64	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		21	Maspeth Library	Roof top					Ambient Air	1 hour		9.01	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		22	Maspeth Library	Roof top					Ambient Air	1 hour		10.89	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		23	Maspeth Library	Roof top					Ambient Air	1 hour		8.63	ug/m3		
										Maspeth Library Daily Average	Roof top					Ambient Air	24 hours/ave			ug/m3		24 Hr Avg
																			9.98	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		0	Manhattenville P.O.	Roof top					Ambient Air	1 hour		10.65	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		1	Manhattenville P.O.	Roof top					Ambient Air	1 hour		7.93	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		2	Manhattenville P.O.	Roof top					Ambient Air	1 hour		11.23	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		3	Manhattenville P.O.	Roof top					Ambient Air	1 hour		9.51	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		4	Manhattenville P.O.	Roof top					Ambient Air	1 hour		9.15	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		5	Manhattenville P.O.	Roof top					Ambient Air	1 hour		10.55	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		6	Manhattenville P.O.	Roof top					Ambient Air	1 hour		14.20	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		7	Manhattenville P.O.	Roof top					Ambient Air	1 hour		17.93	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		8	Manhattenville P.O.	Roof top					Ambient Air	1 hour		19.02	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		9	Manhattenville P.O.	Roof top					Ambient Air	1 hour		21.40	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		10	Manhattenville P.O.	Roof top					Ambient Air	1 hour		20.29	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		11	Manhattenville P.O.	Roof top					Ambient Air	1 hour		25.55	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		12	Manhattenville P.O.	Roof top					Ambient Air	1 hour		23.78	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		13	Manhattenville P.O.	Roof top					Ambient Air	1 hour		26.98	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		14	Manhattenville P.O.	Roof top					Ambient Air	1 hour		15.83	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		15	Manhattenville P.O.	Roof top					Ambient Air	1 hour		14.31	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		16	Manhattenville P.O.	Roof top					Ambient Air	1 hour		11.31	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		17	Manhattenville P.O.	Roof top					Ambient Air	1 hour		13.17	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		18	Manhattenville P.O.	Roof top					Ambient Air	1 hour		11.11	ug/m3		
			PM 2.5		NYSDEC		12/17/2001		19	Manhattenville P.O.	Roof top					Ambient Air	1 hour		10.97	ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032825

DRAFT

Inter-Agency Environmental Sampling Log

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH_SOUTH STREET OR AVENUE	2. NORTH_SOUTH STREET OR AVENUE	3. EAST_WEST STREET OR AVENUE	4. EAST_WEST STREET OR AVENUE	TEST_MEDIUM	SAMPLE_DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS_METHOD	STANDARD
		PM 2.5		NYSDEC		12/17/2001		20	Manhattanville P.O.	Roof top					Ambient Air	1 hour		10.97	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		21	Manhattanville P.O.	Roof top					Ambient Air	1 hour		13.95	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		22	Manhattanville P.O.	Roof top					Ambient Air	1 hour		11.90	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		23	Manhattanville P.O.	Roof top					Ambient Air	1 hour		10.73	ug/m3		
		PM 2.5		NYSDEC		12/17/2001			Manhattanville P.O. Daily Average						Ambient Air	24 hour		14.68	ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		12/17/2001		0	PS 199	Roof top					Ambient Air	1 hour		7.51	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		1	PS 199	Roof top					Ambient Air	1 hour		7.86	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		2	PS 199	Roof top					Ambient Air	1 hour		9.46	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		3	PS 199	Roof top					Ambient Air	1 hour		8.08	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		4	PS 199	Roof top					Ambient Air	1 hour		6.78	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		5	PS 199	Roof top					Ambient Air	1 hour		10.92	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		6	PS 199	Roof top					Ambient Air	1 hour		13.66	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		7	PS 199	Roof top					Ambient Air	1 hour		16.05	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		8	PS 199	Roof top					Ambient Air	1 hour		17.84	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		9	PS 199	Roof top					Ambient Air	1 hour		18.36	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		10	PS 199	Roof top					Ambient Air	1 hour		18.39	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		11	PS 199	Roof top					Ambient Air	1 hour		20.46	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		12	PS 199	Roof top					Ambient Air	1 hour		19.59	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		13	PS 199	Roof top					Ambient Air	1 hour			ug/m3		
		PM 2.5		NYSDEC		12/17/2001		14	PS 199	Roof top					Ambient Air	1 hour			ug/m3		
		PM 2.5		NYSDEC		12/17/2001		15	PS 199	Roof top					Ambient Air	1 hour		-9.47	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		16	PS 199	Roof top					Ambient Air	1 hour		-0.22	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		17	PS 199	Roof top					Ambient Air	1 hour		4.27	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		18	PS 199	Roof top					Ambient Air	1 hour		7.51	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		19	PS 199	Roof top					Ambient Air	1 hour		7.87	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		20	PS 199	Roof top					Ambient Air	1 hour		7.59	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		21	PS 199	Roof top					Ambient Air	1 hour		7.18	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		22	PS 199	Roof top					Ambient Air	1 hour		9.66	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		23	PS 199	Roof top					Ambient Air	1 hour		8.50	ug/m3		
		PM 2.5		NYSDEC		12/17/2001			PS 199 Daily Average						Ambient Air	24 hour		9.90	ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		12/17/2001		0	IS 143	Roof top					Ambient Air	1 hour		9.04	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		1	IS 143	Roof top					Ambient Air	1 hour		9.00	ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032826

DRAFT

Inter-Agency Environmental Sampling Log

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUR_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	1. EAST WEST STREET	2. EAST WEST STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS TIME STANDARD METHOD
		PM 2.5		NYSDEC		12/17/2001	2		IS 143	Roof top					Ambient Air	1 hour		10.89	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	3		IS 143	Roof top					Ambient Air	1 hour		9.84	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	4		IS 143	Roof top					Ambient Air	1 hour		9.54	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	5		IS 143	Roof top					Ambient Air	1 hour		12.05	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	6		IS 143	Roof top					Ambient Air	1 hour		17.26	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	7		IS 143	Roof top					Ambient Air	1 hour		17.56	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	8		IS 143	Roof top					Ambient Air	1 hour		21.10	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	9		IS 143	Roof top					Ambient Air	1 hour		18.10	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	10		IS 143	Roof top					Ambient Air	1 hour		19.52	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	11		IS 143	Roof top					Ambient Air	1 hour		24.94	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	12		IS 143	Roof top					Ambient Air	1 hour		29.38	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	13		IS 143	Roof top					Ambient Air	1 hour		31.28	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	14		IS 143	Roof top					Ambient Air	1 hour		28.65	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	15		IS 143	Roof top					Ambient Air	1 hour		16.16	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	16		IS 143	Roof top					Ambient Air	1 hour		13.64	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	17		IS 143	Roof top					Ambient Air	1 hour		14.23	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	18		IS 143	Roof top					Ambient Air	1 hour		17.60	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	19		IS 143	Roof top					Ambient Air	1 hour		15.48	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	20		IS 143	Roof top					Ambient Air	1 hour		16.34	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	21		IS 143	Roof top					Ambient Air	1 hour		17.08	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	22		IS 143	Roof top					Ambient Air	1 hour		14.69	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	23		IS 143	Roof top					Ambient Air	1 hour		12.54	ug/m3	
									IS 143 Daily Average	Roof top					Ambient Air	24 hour		16.94	ug/m3	24 Hr Avg
		PM 2.5		NYSDEC		12/17/2001	0		Kew Gardens	Roof top					Ambient Air	1 hour		5.84	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	1		Kew Gardens	Roof top					Ambient Air	1 hour		6.01	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	2		Kew Gardens	Roof top					Ambient Air	1 hour		8.34	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	3		Kew Gardens	Roof top					Ambient Air	1 hour		7.35	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	4		Kew Gardens	Roof top					Ambient Air	1 hour		6.91	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	5		Kew Gardens	Roof top					Ambient Air	1 hour		8.71	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	6		Kew Gardens	Roof top					Ambient Air	1 hour		5.73	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	7		Kew Gardens	Roof top					Ambient Air	1 hour		10.07	ug/m3	
		PM 2.5		NYSDEC		12/17/2001	8		Kew Gardens	Roof top					Ambient Air	1 hour		11.65	ug/m3	

DRAFT

Inter-Agency Environmental Sampling Log

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTIC	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	1. EAST WEST STREET	2. EAST WEST STREET	TEST METHOD	SAMPLE_DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS TIME STANDARD METHOD
		PM 2.5		NYSDEC		12/17/2001		9	Kew Gardens	Roof top					Ambient Air	1 hour		13.47	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		10	Kew Gardens	Roof top					Ambient Air	1 hour		12.69	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		11	Kew Gardens	Roof top					Ambient Air	1 hour		15.85	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		12	Kew Gardens	Roof top					Ambient Air	1 hour		17.36	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		13	Kew Gardens	Roof top					Ambient Air	1 hour		13.81	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		14	Kew Gardens	Roof top					Ambient Air	1 hour		6.58	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		15	Kew Gardens	Roof top					Ambient Air	1 hour		7.03	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		16	Kew Gardens	Roof top					Ambient Air	1 hour		7.62	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		17	Kew Gardens	Roof top					Ambient Air	1 hour		8.50	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		18	Kew Gardens	Roof top					Ambient Air	1 hour		9.49	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		19	Kew Gardens	Roof top					Ambient Air	1 hour		10.24	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		20	Kew Gardens	Roof top					Ambient Air	1 hour		10.94	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		21	Kew Gardens	Roof top					Ambient Air	1 hour		9.19	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		22	Kew Gardens	Roof top					Ambient Air	1 hour		10.69	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		23	Kew Gardens	Roof top					Ambient Air	1 hour		9.19	ug/m3	
		PM 2.5		NYSDEC		12/17/2001			Kew Gardens Daily Average	Roof top					Ambient Air	24 hour		9.84	ug/m3	24 Hr Avg
		PM 2.5		NYSDEC		12/17/2001		0	IS 52	Roof top					Ambient Air	1 hour		8.11	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		1	IS 52	Roof top					Ambient Air	1 hour		8.78	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		2	IS 52	Roof top					Ambient Air	1 hour		8.81	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		3	IS 52	Roof top					Ambient Air	1 hour		9.79	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		4	IS 52	Roof top					Ambient Air	1 hour		8.33	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		5	IS 52	Roof top					Ambient Air	1 hour		12.89	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		6	IS 52	Roof top					Ambient Air	1 hour		12.08	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		7	IS 52	Roof top					Ambient Air	1 hour		12.23	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		8	IS 52	Roof top					Ambient Air	1 hour		12.90	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		9	IS 52	Roof top					Ambient Air	1 hour		13.17	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		10	IS 52	Roof top					Ambient Air	1 hour		15.66	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		11	IS 52	Roof top					Ambient Air	1 hour		21.76	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		12	IS 52	Roof top					Ambient Air	1 hour		22.68	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		13	IS 52	Roof top					Ambient Air	1 hour		24.48	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		14	IS 52	Roof top					Ambient Air	1 hour		20.24	ug/m3	
		PM 2.5		NYSDEC		12/17/2001		15	IS 52	Roof top					Ambient Air	1 hour		9.16	ug/m3	

CITY_DEP_WORBY_CANNATA_SUBP_000032828

DRAFT

Inter-Agency Environmental Sampling Log

12/19/2001, leom1217a, Page 8 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB ANALYTE	AGENCY	LAB	DATE_SAMPLED	START TIME	COUNTY	SITE_NAME OR ADDRESS	BUILDING	1. NORTH 50 JTH. STREET OR AVENUE	2. NORTH 50 H. STREET OR AVENUE	1. EAST W EST_CROSS S. STREET	2. EAST W EST_CROSS S. STREET	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS TIME	STANDARD METHOD
		PM 2.5		NYSDEC		12/17/2001		16	IS 52	Roof top					Ambient Air	1 hour		7.52	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		17	IS 52	Roof top					Ambient Air	1 hour		9.69	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		18	IS 52	Roof top					Ambient Air	1 hour		11.21	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		19	IS 52	Roof top					Ambient Air	1 hour		11.28	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		20	IS 52	Roof top					Ambient Air	1 hour		11.74	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		21	IS 52	Roof top					Ambient Air	1 hour		11.07	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		22	IS 52	Roof top					Ambient Air	1 hour		14.41	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		23	IS 52	Roof top					Ambient Air	1 hour		10.79	ug/m3		
		PM 2.5		NYSDEC		12/17/2001			IS 52 Daily Average	Roof top					Ambient Air	24 hour		12.87	ug/m3		24 Hr average
		PM 2.5		NYSDEC		12/17/2001		0	PS 293	Roof top					Ambient Air	1 hour		7.25	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		1	PS 293	Roof top					Ambient Air	1 hour		7.05	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		2	PS 293	Roof top					Ambient Air	1 hour		8.05	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		3	PS 293	Roof top					Ambient Air	1 hour		7.55	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		4	PS 293	Roof top					Ambient Air	1 hour		7.65	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		5	PS 293	Roof top					Ambient Air	1 hour		10.56	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		6	PS 293	Roof top					Ambient Air	1 hour		14.37	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		7	PS 293	Roof top					Ambient Air	1 hour		18.06	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		8	PS 293	Roof top					Ambient Air	1 hour		15.31	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		9	PS 293	Roof top					Ambient Air	1 hour		16.14	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		10	PS 293	Roof top					Ambient Air	1 hour		13.53	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		11	PS 293	Roof top					Ambient Air	1 hour		14.44	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		12	PS 293	Roof top					Ambient Air	1 hour		8.18	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		13	PS 293	Roof top					Ambient Air	1 hour		6.31	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		14	PS 293	Roof top					Ambient Air	1 hour		8.01	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		15	PS 293	Roof top					Ambient Air	1 hour		9.43	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		16	PS 293	Roof top					Ambient Air	1 hour		8.61	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		17	PS 293	Roof top					Ambient Air	1 hour		9.34	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		18	PS 293	Roof top					Ambient Air	1 hour		10.76	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		19	PS 293	Roof top					Ambient Air	1 hour		11.47	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		20	PS 293	Roof top					Ambient Air	1 hour		11.09	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		21	PS 293	Roof top					Ambient Air	1 hour		8.90	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		22	PS 293	Roof top					Ambient Air	1 hour		11.27	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		23	PS 293	Roof top					Ambient Air	1 hour		10.40	ug/m3		
		PM 2.5		NYSDEC		12/17/2001			PS 293 Daily Average	Roof top					Ambient Air	24 hour/ave		10.57	ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		12/17/2001		0	Albany Street	Roof top					Ambient Air	1 hour		17.40	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		1	Albany Street	Roof top					Ambient Air	1 hour		37.35	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		2	Albany Street	Roof top					Ambient Air	1 hour		23.96	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		3	Albany Street	Roof top					Ambient Air	1 hour		11.63	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		4	Albany Street	Roof top					Ambient Air	1 hour		13.02	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		5	Albany Street	Roof top					Ambient Air	1 hour		16.41	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		6	Albany Street	Roof top					Ambient Air	1 hour		25.65	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		7	Albany Street	Roof top					Ambient Air	1 hour		23.12	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		8	Albany Street	Roof top					Ambient Air	1 hour		18.15	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		9	Albany Street	Roof top					Ambient Air	1 hour		14.28	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		10	Albany Street	Roof top					Ambient Air	1 hour		12.01	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		11	Albany Street	Roof top					Ambient Air	1 hour		12.86	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		12	Albany Street	Roof top					Ambient Air	1 hour		6.76	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		13	Albany Street	Roof top					Ambient Air	1 hour		5.52	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		14	Albany Street	Roof top					Ambient Air	1 hour		7.25	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		15	Albany Street	Roof top					Ambient Air	1 hour		8.41	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		16	Albany Street	Roof top					Ambient Air	1 hour		8.11	ug/m3		
		PM 2.5		NYSDEC		12/17/2001		17	Albany Street	Roof top					Ambient Air	1 hour		8.40	ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032829

Inter-Agency Environmental Sampling Log

12/19/2001, team1217a, Page: 9 of 18

UNIQUE ID	DOCUMENT_ID	SAMP_E_ID	ANA_LYTE	SUB_ANALYTE	LAB	DATE_SAMPLED	SAMPLE TIME	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING FLOOR	1 NORTH SOUTH STREET OR AVENUE	2 NORTH SOUTH STREET OR AVENUE	1 EAST WEST STREET	2 EAST WEST STREET	TEST_METHOD	SAMPLE DURATION	CODE DETECTED ON INIT	RESULTS CONCENTRATION	COUNT	ANALYSIS TIME STANDARD METHOD
			PM 2.5		NYSDEC	12/17/2001	18		Albany Street	Roof top					Ambient Air	1 hour		8.21 ug/m3		
			PM 2.5		NYSDEC	12/17/2001	19		Albany Street	Roof top					Ambient Air	1 hour		8.89 ug/m3		
			PM 2.5		NYSDEC	12/17/2001	20		Albany Street	Roof top					Ambient Air	1 hour		8.32 ug/m3		
			PM 2.5		NYSDEC	12/17/2001	21		Albany Street	Roof top					Ambient Air	1 hour		7.61 ug/m3		
			PM 2.5		NYSDEC	12/17/2001	22		Albany Street	Roof top					Ambient Air	1 hour		11.50 ug/m3		
			PM 2.5		NYSDEC	12/17/2001	23		Albany Street	Roof top					Ambient Air	1 hour		10.60 ug/m3		
			PM 2.5		NYSDEC	12/17/2001			Albany Street Daily Average	Roof top					Ambient Air	24 hour(ave)		ug/m3		24 Hr Avg
																		13.55		
			PM 10		NYSDEC	12/17/2001	0		Albany Street	Roof top					Ambient Air	1 hour		27.97 ug/m3		
			PM 10		NYSDEC	12/17/2001	1		Albany Street	Roof top					Ambient Air	1 hour		51.35 ug/m3		
			PM 10		NYSDEC	12/17/2001	2		Albany Street	Roof top					Ambient Air	1 hour		38.46 ug/m3		
			PM 10		NYSDEC	12/17/2001	3		Albany Street	Roof top					Ambient Air	1 hour		21.10 ug/m3		
			PM 10		NYSDEC	12/17/2001	4		Albany Street	Roof top					Ambient Air	1 hour		16.94 ug/m3		
			PM 10		NYSDEC	12/17/2001	5		Albany Street	Roof top					Ambient Air	1 hour		22.50 ug/m3		
			PM 10		NYSDEC	12/17/2001	6		Albany Street	Roof top					Ambient Air	1 hour		59.90 ug/m3		
			PM 10		NYSDEC	12/17/2001	7		Albany Street	Roof top					Ambient Air	1 hour		37.38 ug/m3		
			PM 10		NYSDEC	12/17/2001	8		Albany Street	Roof top					Ambient Air	1 hour		32.99 ug/m3		
			PM 10		NYSDEC	12/17/2001	9		Albany Street	Roof top					Ambient Air	1 hour		23.57 ug/m3		
			PM 10		NYSDEC	12/17/2001	10		Albany Street	Roof top					Ambient Air	1 hour		18.06 ug/m3		
			PM 10		NYSDEC	12/17/2001	11		Albany Street	Roof top					Ambient Air	1 hour		17.68 ug/m3		
			PM 10		NYSDEC	12/17/2001	12		Albany Street	Roof top					Ambient Air	1 hour		6.99 ug/m3		
			PM 10		NYSDEC	12/17/2001	13		Albany Street	Roof top					Ambient Air	1 hour		9.00 ug/m3		
			PM 10		NYSDEC	12/17/2001	14		Albany Street	Roof top					Ambient Air	1 hour		11.78 ug/m3		
			PM 10		NYSDEC	12/17/2001	15		Albany Street	Roof top					Ambient Air	1 hour		15.59 ug/m3		
			PM 10		NYSDEC	12/17/2001	16		Albany Street	Roof top					Ambient Air	1 hour		16.01 ug/m3		
			PM 10		NYSDEC	12/17/2001	17		Albany Street	Roof top					Ambient Air	1 hour		15.83 ug/m3		
			PM 10		NYSDEC	12/17/2001	18		Albany Street	Roof top					Ambient Air	1 hour		16.82 ug/m3		
			PM 10		NYSDEC	12/17/2001	19		Albany Street	Roof top					Ambient Air	1 hour		19.11 ug/m3		
			PM 10		NYSDEC	12/17/2001	20		Albany Street	Roof top					Ambient Air	1 hour		14.16 ug/m3		
			PM 10		NYSDEC	12/17/2001	21		Albany Street	Roof top					Ambient Air	1 hour		10.72 ug/m3		
			PM 10		NYSDEC	12/17/2001	22		Albany Street	Roof top					Ambient Air	1 hour		14.71 ug/m3		
			PM 10		NYSDEC	12/17/2001	23		Albany Street	Roof top					Ambient Air	1 hour		9.68 ug/m3		
			PM 10		NYSDEC	12/17/2001			Albany Street Daily Average PM10	Roof top					Ambient Air	24 hour(ave)		ug/m3		24 Hr Avg
																		22.01		

Inter-Agency Environmental Sampling Log

12/19/2001, team1217a, Page: 10 of 18

NYC-WTC_000196200

Inter-Agency Environmental Sampling Log

NYC-WTC_000196201

[illegible]

Inter-Agency Environmental Sampling Log

12/19/2001, team1217a, Page: 12 of 18

NYC-WTC_000196202

Inter-Agency Environmental Sampling Log

12/19/2001, :com1217a, Page: 13 of 18

[illegible]

Inter-Agency Environmental Sampling Log

12/19/2001, leom1217a, Page: 14 of 18

NYC-WTC_000196204

Inter-Agency Environmental Sampling Log

12/19/2001, term1217a, Page: 15 of 18

NYC-WTC_000196205

DRAFT

Inter-Agency Environmental Sampling Log

UNIQUE_ID	DATE_DCH_REQ D_TEST	COMMENTS	PAM_ACTIVITY	ZONE	StationID	CASRN	END_DATE	END_TIME	SOURCE	LATITUDE	LONGITUDE
	12/17/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/17/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/17/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/17/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/17/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/17/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/17/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/17/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/17/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/17/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/17/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/17/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/17/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/17/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/17/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/17/2001	24 readings. Meets Standards		Distant from zone	709614					1033255.37138	207544.40243
	12/17/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856

CITY_DEP_WORBY_CANNATA_SUBP_000032837

Inter-Agency Environmental Sampling Log

NYC-WTC_000196207

UNIQUE ID	DATE D_TEST	COMMENTS	PAM_ACTIVITY	ZONE	Station	CASRN	END DATE	END TIME	SOURCE	LATITUDE	LONGITUDE
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001	24 readings, Meets Standards		Distant from zone	709407					1011426.74203	236498.78856
	12/17/2001			Distant from zone	709544					986352.24000	189121.02000
	12/17/2001			Distant from zone	709544					986352.24000	189121.02000
	12/17/2001			Distant from zone	709544					986352.24000	189121.02000
	12/17/2001			Distant from zone	709544					986352.24000	189121.02000
	12/17/2001			Distant from zone	709544					986352.24000	189121.02000
	12/17/2001			Distant from zone	709544					986352.24000	189121.02000
	12/17/2001			Distant from zone	709544					986352.24000	189121.02000
	12/17/2001			Distant from zone	709544					986352.24000	189121.02000
	12/17/2001			Distant from zone	709544					986352.24000	189121.02000
	12/17/2001			Distant from zone	709544					986352.24000	189121.02000
	12/17/2001			Distant from zone	709544					986352.24000	189121.02000
	12/17/2001			Distant from zone	709544					986352.24000	189121.02000
	12/17/2001			Distant from zone	709544					986352.24000	189121.02000
	12/17/2001			Distant from zone	709544					986352.24000	189121.02000
	12/17/2001			Distant from zone	709544					986352.24000	189121.02000
	12/17/2001			Distant from zone	709544					986352.24000	189121.02000
	12/17/2001			Distant from zone	709544					986352.24000	189121.02000
	12/17/2001			Distant from zone	709544					986352.24000	189121.02000
	12/17/2001	24 readings, Meets Standards		Distant from zone	709544					986352.24000	189121.02000
	12/17/2001			Distant from zone	709322						
	12/17/2001			Distant from zone	709322						
	12/17/2001			Distant from zone	709322						
	12/17/2001			Distant from zone	709322						
	12/17/2001			Distant from zone	709322						
	12/17/2001			Distant from zone	709322						
	12/17/2001			Distant from zone	709322						
	12/17/2001			Distant from zone	709322						
	12/17/2001			Distant from zone	709322						
	12/17/2001			Distant from zone	709322						
	12/17/2001			Distant from zone	709322						
	12/17/2001			Distant from zone	709322						
	12/17/2001			Distant from zone	709322						
	12/17/2001			Distant from zone	709322						
	12/17/2001			Distant from zone	709322						
	12/17/2001			Distant from zone	709322						
	12/17/2001			Distant from zone	709322						
	12/17/2001			Distant from zone	709322						
	12/17/2001			Distant from zone	709322						
	12/17/2001			Distant from zone	709322						

Inter-Agency Environmental Sampling Log

NYC-WTC_000196208