

DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 1 of 32

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMP	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1_NORTH_50TH_STREET_OR_AVENUE	2_NORTH_SOUTH_STREET_OR_AVENUE	1_EAST_WEST_CROSS_STREET	2_EAST_WEST_CROSS_STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE_DETECTION_LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_METHOD
		PM 10		NYSDEC		10/26/2001	0		Albany Street	Roof top					Ambient Air	1 hour		29.99 ug/m3		
		PM 10		NYSDEC		10/26/2001	1		Albany Street	Roof top					Ambient Air	1 hour		21.37 ug/m3		
		PM 10		NYSDEC		10/26/2001	2		Albany Street	Roof top					Ambient Air	1 hour		15.41 ug/m3		
		PM 10		NYSDEC		10/26/2001	3		Albany Street	Roof top					Ambient Air	1 hour		15.73 ug/m3		
		PM 10		NYSDEC		10/26/2001	4		Albany Street	Roof top					Ambient Air	1 hour		22.84 ug/m3		
		PM 10		NYSDEC		10/26/2001	5		Albany Street	Roof top					Ambient Air	1 hour		19.12 ug/m3		
		PM 10		NYSDEC		10/26/2001	6		Albany Street	Roof top					Ambient Air	1 hour		24.43 ug/m3		
		PM 10		NYSDEC		10/26/2001	7		Albany Street	Roof top					Ambient Air	1 hour		26.58 ug/m3		
		PM 10		NYSDEC		10/26/2001	8		Albany Street	Roof top					Ambient Air	1 hour		33.70 ug/m3		
		PM 10		NYSDEC		10/26/2001	9		Albany Street	Roof top					Ambient Air	1 hour		NA ug/m3		
		PM 10		NYSDEC		10/26/2001	10		Albany Street	Roof top					Ambient Air	1 hour		NA ug/m3		
		PM 10		NYSDEC		10/26/2001	11		Albany Street	Roof top					Ambient Air	1 hour		NA ug/m3		
		PM 10		NYSDEC		10/26/2001	12		Albany Street	Roof top					Ambient Air	1 hour		NA ug/m3		
		PM 10		NYSDEC		10/26/2001	13		Albany Street	Roof top					Ambient Air	1 hour		NA ug/m3		
		PM 10		NYSDEC		10/26/2001	14		Albany Street	Roof top					Ambient Air	1 hour		NA ug/m3		
		PM 10		NYSDEC		10/26/2001	15		Albany Street	Roof top					Ambient Air	1 hour		12.58 ug/m3		
		PM 10		NYSDEC		10/26/2001	16		Albany Street	Roof top					Ambient Air	1 hour		39.88 ug/m3		
		PM 10		NYSDEC		10/26/2001	17		Albany Street	Roof top					Ambient Air	1 hour		37.36 ug/m3		
		PM 10		NYSDEC		10/26/2001	18		Albany Street	Roof top					Ambient Air	1 hour		36.71 ug/m3		
		PM 10		NYSDEC		10/26/2001	19		Albany Street	Roof top					Ambient Air	1 hour		23.29 ug/m3		
		PM 10		NYSDEC		10/26/2001	20		Albany Street	Roof top					Ambient Air	1 hour		21.32 ug/m3		
		PM 10		NYSDEC		10/26/2001	21		Albany Street	Roof top					Ambient Air	1 hour		24.13 ug/m3		
		PM 10		NYSDEC		10/26/2001	22		Albany Street	Roof top					Ambient Air	1 hour		21.70 ug/m3		
		PM 10		NYSDEC		10/26/2001	23		Albany Street	Roof top					Ambient Air	1 hour		15.91 ug/m3		
		PM 10		NYSDEC		10/26/2001			Albany Street Daily Average	Roof top					Ambient Air	24 hours/ave		24.54	ug/m3	
		PM 10		NYSDEC		10/27/2001	0		Albany Street	Roof top					Ambient Air	1 hour		13.61 ug/m3		
		PM 10		NYSDEC		10/27/2001	1		Albany Street	Roof top					Ambient Air	1 hour		13.53 ug/m3		
		PM 10		NYSDEC		10/27/2001	2		Albany Street	Roof top					Ambient Air	1 hour		14.13 ug/m3		
		PM 10		NYSDEC		10/27/2001	3		Albany Street	Roof top					Ambient Air	1 hour		12.99 ug/m3		
		PM 10		NYSDEC		10/27/2001	4		Albany Street	Roof top					Ambient Air	1 hour		13.51 ug/m3		
		PM 10		NYSDEC		10/27/2001	5		Albany Street	Roof top					Ambient Air	1 hour		11.88 ug/m3		
		PM 10		NYSDEC		10/27/2001	6		Albany Street	Roof top					Ambient Air	1 hour		15.08 ug/m3		
		PM 10		NYSDEC		10/27/2001	7		Albany Street	Roof top					Ambient Air	1 hour		21.73 ug/m3		
		PM 10		NYSDEC		10/27/2001	8		Albany Street	Roof top					Ambient Air	1 hour		20.05 ug/m3		
		PM 10		NYSDEC		10/27/2001	9		Albany Street	Roof top					Ambient Air	1 hour		15.76 ug/m3		
		PM 10		NYSDEC		10/27/2001	10		Albany Street	Roof top					Ambient Air	1 hour		15.93 ug/m3		
		PM 10		NYSDEC		10/27/2001	11		Albany Street	Roof top					Ambient Air	1 hour		7.76 ug/m3		
		PM 10		NYSDEC		10/27/2001	12		Albany Street	Roof top					Ambient Air	1 hour		16.35 ug/m3		
		PM 10		NYSDEC		10/27/2001	13		Albany Street	Roof top					Ambient Air	1 hour		24.08 ug/m3		
		PM 10		NYSDEC		10/27/2001	14		Albany Street	Roof top					Ambient Air	1 hour		26.42 ug/m3		
		PM 10		NYSDEC		10/27/2001	15		Albany Street	Roof top					Ambient Air	1 hour		25.24 ug/m3		
		PM 10		NYSDEC		10/27/2001	16		Albany Street	Roof top					Ambient Air	1 hour		25.49 ug/m3		
		PM 10		NYSDEC		10/27/2001	17		Albany Street	Roof top					Ambient Air	1 hour		21.50 ug/m3		
		PM 10		NYSDEC		10/27/2001	18		Albany Street	Roof top					Ambient Air	1 hour		20.73 ug/m3		
		PM 10		NYSDEC		10/27/2001	19		Albany Street	Roof top					Ambient Air	1 hour		18.67 ug/m3		
		PM 10		NYSDEC		10/27/2001	20		Albany Street	Roof top					Ambient Air	1 hour		13.59 ug/m3		
		PM 10		NYSDEC		10/27/2001	21		Albany Street	Roof top					Ambient Air	1 hour		14.27 ug/m3		
		PM 10		NYSDEC		10/27/2001	22		Albany Street	Roof top					Ambient Air	1 hour		9.24 ug/m3		
		PM 10		NYSDEC		10/27/2001	23		Albany Street	Roof top					Ambient Air	1 hour		6.73 ug/m3		
		PM 10		NYSDEC		10/27/2001			Albany Street Daily Average	Roof top					Ambient Air	24 hours/ave		16.60	ug/m3	
		PM 10		NYSDEC		10/28/2001	0		Albany Street	Roof top					Ambient Air	1 hour		5.47 ug/m3		
		PM 10		NYSDEC		10/28/2001	1		Albany Street	Roof top					Ambient Air	1 hour		7.49 ug/m3		
		PM 10		NYSDEC		10/28/2001	2		Albany Street	Roof top					Ambient Air	1 hour		10.31 ug/m3		
		PM 10		NYSDEC		10/28/2001	3		Albany Street	Roof top					Ambient Air	1 hour		7.44 ug/m3		
		PM 10		NYSDEC		10/28/2001	4		Albany Street	Roof top					Ambient Air	1 hour		9.08 ug/m3		
		PM 10		NYSDEC		10/28/2001	5		Albany Street	Roof top					Ambient Air	1 hour		9.37 ug/m3		
		PM 10		NYSDEC		10/28/2001	6		Albany Street	Roof top					Ambient Air	1 hour		15.67 ug/m3		
		PM 10		NYSDEC		10/28/2001	7		Albany Street	Roof top					Ambient Air	1 hour		13.15 ug/m3		
		PM 10		NYSDEC		10/28/2001	8		Albany Street	Roof top					Ambient Air	1 hour		8.89 ug/m3		
		PM 10		NYSDEC		10/28/2001	9		Albany Street	Roof top					Ambient Air	1 hour		11.05 ug/m3		
		PM 10		NYSDEC		10/28/2001	10		Albany Street	Roof top					Ambient Air	1 hour		11.72 ug/m3		
		PM 10		NYSDEC		10/28/2001	11		Albany Street	Roof top					Ambient Air	1 hour		11.24 ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032840

DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page 2 of 32

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	3. EAST WEST STREET	4. EAST WEST STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE	RESULTS	CONCENTRATION	UNIT	ANALYSIS_METHOD
		PM 10		NYSDEC		10/28/2001	12		Albany Street	Roof top					Ambient Air	1 hour		10.34	ug/m3		
		PM 10		NYSDEC		10/28/2001	13		Albany Street	Roof top					Ambient Air	1 hour		15.22	ug/m3		
		PM 10		NYSDEC		10/28/2001	14		Albany Street	Roof top					Ambient Air	1 hour		17.36	ug/m3		
		PM 10		NYSDEC		10/28/2001	15		Albany Street	Roof top					Ambient Air	1 hour		23.76	ug/m3		
		PM 10		NYSDEC		10/28/2001	16		Albany Street	Roof top					Ambient Air	1 hour		18.92	ug/m3		
		PM 10		NYSDEC		10/28/2001	17		Albany Street	Roof top					Ambient Air	1 hour		17.04	ug/m3		
		PM 10		NYSDEC		10/28/2001	18		Albany Street	Roof top					Ambient Air	1 hour		13.74	ug/m3		
		PM 10		NYSDEC		10/28/2001	19		Albany Street	Roof top					Ambient Air	1 hour		19.90	ug/m3		
		PM 10		NYSDEC		10/28/2001	20		Albany Street	Roof top					Ambient Air	1 hour		18.21	ug/m3		
		PM 10		NYSDEC		10/28/2001	21		Albany Street	Roof top					Ambient Air	1 hour		25.82	ug/m3		
		PM 10		NYSDEC		10/28/2001	22		Albany Street	Roof top					Ambient Air	1 hour		14.03	ug/m3		
		PM 10		NYSDEC		10/28/2001	23		Albany Street	Roof top					Ambient Air	1 hour		13.24	ug/m3		
						10/28/2001			Albany Street Daily Average						Ambient Air	24 hour/ave			13.48	ug/m3	
		PM 10		NYSDEC		10/29/2001	0		Albany Street	Roof top					Ambient Air	1 hour		8.49	ug/m3		
		PM 10		NYSDEC		10/29/2001	1		Albany Street	Roof top					Ambient Air	1 hour		8.84	ug/m3		
		PM 10		NYSDEC		10/29/2001	2		Albany Street	Roof top					Ambient Air	1 hour		15.53	ug/m3		
		PM 10		NYSDEC		10/29/2001	3		Albany Street	Roof top					Ambient Air	1 hour		10.88	ug/m3		
		PM 10		NYSDEC		10/29/2001	4		Albany Street	Roof top					Ambient Air	1 hour		10.44	ug/m3		
		PM 10		NYSDEC		10/29/2001	5		Albany Street	Roof top					Ambient Air	1 hour		11.88	ug/m3		
		PM 10		NYSDEC		10/29/2001	6		Albany Street	Roof top					Ambient Air	1 hour		12.89	ug/m3		
		PM 10		NYSDEC		10/29/2001	7		Albany Street	Roof top					Ambient Air	1 hour		15.98	ug/m3		
		PM 10		NYSDEC		10/29/2001	8		Albany Street	Roof top					Ambient Air	1 hour		32.7	ug/m3		
		PM 10		NYSDEC		10/29/2001	9		Albany Street	Roof top					Ambient Air	1 hour		44.55	ug/m3		
		PM 10		NYSDEC		10/29/2001	10		Albany Street	Roof top					Ambient Air	1 hour		31.52	ug/m3		
		PM 10		NYSDEC		10/29/2001	11		Albany Street	Roof top					Ambient Air	1 hour		14.42	ug/m3		
		PM 10		NYSDEC		10/29/2001	12		Albany Street	Roof top					Ambient Air	1 hour		21.16	ug/m3		
		PM 10		NYSDEC		10/29/2001	13		Albany Street	Roof top					Ambient Air	1 hour		27.47	ug/m3		
		PM 10		NYSDEC		10/29/2001	14		Albany Street	Roof top					Ambient Air	1 hour		27.16	ug/m3		
		PM 10		NYSDEC		10/29/2001	15		Albany Street	Roof top					Ambient Air	1 hour		32.22	ug/m3		
		PM 10		NYSDEC		10/29/2001	16		Albany Street	Roof top					Ambient Air	1 hour		31.50	ug/m3		
		PM 10		NYSDEC		10/29/2001	17		Albany Street	Roof top					Ambient Air	1 hour		40.55	ug/m3		
		PM 10		NYSDEC		10/29/2001	18		Albany Street	Roof top					Ambient Air	1 hour		35.61	ug/m3		
		PM 10		NYSDEC		10/29/2001	19		Albany Street	Roof top					Ambient Air	1 hour		37.02	ug/m3		
		PM 10		NYSDEC		10/29/2001	20		Albany Street	Roof top					Ambient Air	1 hour		33.06	ug/m3		
		PM 10		NYSDEC		10/29/2001	21		Albany Street	Roof top					Ambient Air	1 hour		33.76	ug/m3		
		PM 10		NYSDEC		10/29/2001	22		Albany Street	Roof top					Ambient Air	1 hour		35.14	ug/m3		
		PM 10		NYSDEC		10/29/2001	23		Albany Street	Roof top					Ambient Air	1 hour		38.56	ug/m3		
						10/29/2001			Albany Street Daily Average						Ambient Air	24 hour/ave			25.47	ug/m3	
		PM 10		NYSDEC		10/30/2001	0		Albany Street	Roof top					Ambient Air	1 hour		33.91	ug/m3		
		PM 10		NYSDEC		10/30/2001	1		Albany Street	Roof top					Ambient Air	1 hour		29.24	ug/m3		
		PM 10		NYSDEC		10/30/2001	2		Albany Street	Roof top					Ambient Air	1 hour		30.72	ug/m3		
		PM 10		NYSDEC		10/30/2001	3		Albany Street	Roof top					Ambient Air	1 hour		76.51	ug/m3		
		PM 10		NYSDEC		10/30/2001	4		Albany Street	Roof top					Ambient Air	1 hour		86.51	ug/m3		
		PM 10		NYSDEC		10/30/2001	5		Albany Street	Roof top					Ambient Air	1 hour		97.41	ug/m3		
		PM 10		NYSDEC		10/30/2001	6		Albany Street	Roof top					Ambient Air	1 hour		68.34	ug/m3		
		PM 10		NYSDEC		10/30/2001	7		Albany Street	Roof top					Ambient Air	1 hour		66.03	ug/m3		
		PM 10		NYSDEC		10/30/2001	8		Albany Street	Roof top					Ambient Air	1 hour		88.93	ug/m3		
		PM 10		NYSDEC		10/30/2001	9		Albany Street	Roof top					Ambient Air	1 hour		39.11	ug/m3		
		PM 10		NYSDEC		10/30/2001	10		Albany Street	Roof top					Ambient Air	1 hour		35.18	ug/m3		
		PM 10		NYSDEC		10/30/2001	11		Albany Street	Roof top					Ambient Air	1 hour		28.10	ug/m3		
		PM 10		NYSDEC		10/30/2001	12		Albany Street	Roof top					Ambient Air	1 hour		36.85	ug/m3		
		PM 10		NYSDEC		10/30/2001	13		Albany Street	Roof top					Ambient Air	1 hour		28.39	ug/m3		
		PM 10		NYSDEC		10/30/2001	14		Albany Street	Roof top					Ambient Air	1 hour		39.06	ug/m3		
		PM 10		NYSDEC		10/30/2001	15		Albany Street	Roof top					Ambient Air	1 hour		39.82	ug/m3		
		PM 10		NYSDEC		10/30/2001	16		Albany Street	Roof top					Ambient Air	1 hour		46.56	ug/m3		
		PM 10		NYSDEC		10/30/2001	17		Albany Street	Roof top					Ambient Air	1 hour		47.21	ug/m3		
		PM 10		NYSDEC		10/30/2001	18		Albany Street	Roof top					Ambient Air	1 hour		40.78	ug/m3		
		PM 10		NYSDEC		10/30/2001	19		Albany Street	Roof top					Ambient Air	1 hour		69.84	ug/m3		
		PM 10		NYSDEC		10/30/2001	20		Albany Street	Roof top					Ambient Air	1 hour		65.93	ug/m3		
		PM 10		NYSDEC		10/30/2001	21		Albany Street	Roof top					Ambient Air	1 hour		71.01	ug/m3		
		PM 10		NYSDEC		10/30/2001	22		Albany Street	Roof top					Ambient Air	1 hour		52.20	ug/m3		
		PM 10		NYSDEC		10/30/2001	23		Albany Street	Roof top					Ambient Air	1 hour		84.52	ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032841

DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page 3 of 32

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH_SOUTH_STREET_OR_AVENUE	2. NORTH_SOUTH_STREET_OR_AVENUE	3. EAST_WEST_CROSS_STREET	4. EAST_WEST_CROSS_STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE_DETECTION_LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_METHOD
		PM 10		NYSDEC		10/30/2001			Albany Street Daily	Roof top					Ambient Air	24 hour/ave		ug/m3		
									Average									54.26		
		PM 10		NYSDEC		10/31/2001	0		Albany Street	Roof top					Ambient Air	1 hour		109.01 ug/m3		
		PM 10		NYSDEC		10/31/2001	1		Albany Street	Roof top					Ambient Air	1 hour		103.49 ug/m3		
		PM 10		NYSDEC		10/31/2001	2		Albany Street	Roof top					Ambient Air	1 hour		55.59 ug/m3		
		PM 10		NYSDEC		10/31/2001	3		Albany Street	Roof top					Ambient Air	1 hour		98.97 ug/m3		
		PM 10		NYSDEC		10/31/2001	4		Albany Street	Roof top					Ambient Air	1 hour		124.45 ug/m3		
		PM 10		NYSDEC		10/31/2001	5		Albany Street	Roof top					Ambient Air	1 hour		94.02 ug/m3		
		PM 10		NYSDEC		10/31/2001	6		Albany Street	Roof top					Ambient Air	1 hour		41.40 ug/m3		
		PM 10		NYSDEC		10/31/2001	7		Albany Street	Roof top					Ambient Air	1 hour		94.94 ug/m3		
		PM 10		NYSDEC		10/31/2001	8		Albany Street	Roof top					Ambient Air	1 hour		316.57 ug/m3		
		PM 10		NYSDEC		10/31/2001	9		Albany Street	Roof top					Ambient Air	1 hour		265.96 ug/m3		
		PM 10		NYSDEC		10/31/2001	10		Albany Street	Roof top					Ambient Air	1 hour		173.13 ug/m3		
		PM 10		NYSDEC		10/31/2001	11		Albany Street	Roof top					Ambient Air	1 hour		112.12 ug/m3		
		PM 10		NYSDEC		10/31/2001	12		Albany Street	Roof top					Ambient Air	1 hour		27.29 ug/m3		
		PM 10		NYSDEC		10/31/2001	13		Albany Street	Roof top					Ambient Air	1 hour		27.55 ug/m3		
		PM 10		NYSDEC		10/31/2001	14		Albany Street	Roof top					Ambient Air	1 hour		20.51 ug/m3		
		PM 10		NYSDEC		10/31/2001	15		Albany Street	Roof top					Ambient Air	1 hour		23.69 ug/m3		
		PM 10		NYSDEC		10/31/2001	16		Albany Street	Roof top					Ambient Air	1 hour		24.53 ug/m3		
		PM 10		NYSDEC		10/31/2001	17		Albany Street	Roof top					Ambient Air	1 hour		20.09 ug/m3		
		PM 10		NYSDEC		10/31/2001	18		Albany Street	Roof top					Ambient Air	1 hour		20.16 ug/m3		
		PM 10		NYSDEC		10/31/2001	19		Albany Street	Roof top					Ambient Air	1 hour		20.04 ug/m3		
		PM 10		NYSDEC		10/31/2001	20		Albany Street	Roof top					Ambient Air	1 hour		18.56 ug/m3		
		PM 10		NYSDEC		10/31/2001	21		Albany Street	Roof top					Ambient Air	1 hour		20.29 ug/m3		
		PM 10		NYSDEC		10/31/2001	22		Albany Street	Roof top					Ambient Air	1 hour		18.17 ug/m3		
		PM 10		NYSDEC		10/31/2001	23		Albany Street	Roof top					Ambient Air	1 hour		17.50 ug/m3		
						10/31/2001			Albany Street Daily	Roof top					Ambient Air	24 hour/ave		ug/m3		
									Average									79.50		
		PM 10		NYSDEC		11/3/2001	0		Albany Street	Roof top					Ambient Air	1 hour		17.12 ug/m3		
		PM 10		NYSDEC		11/3/2001	1		Albany Street	Roof top					Ambient Air	1 hour		16.7 ug/m3		
		PM 10		NYSDEC		11/3/2001	2		Albany Street	Roof top					Ambient Air	1 hour		20.22 ug/m3		
		PM 10		NYSDEC		11/3/2001	3		Albany Street	Roof top					Ambient Air	1 hour		20.34 ug/m3		
		PM 10		NYSDEC		11/3/2001	4		Albany Street	Roof top					Ambient Air	1 hour		22.53 ug/m3		
		PM 10		NYSDEC		11/3/2001	5		Albany Street	Roof top					Ambient Air	1 hour		24.52 ug/m3		
		PM 10		NYSDEC		11/3/2001	6		Albany Street	Roof top					Ambient Air	1 hour		28.94 ug/m3		
		PM 10		NYSDEC		11/3/2001	7		Albany Street	Roof top					Ambient Air	1 hour		35.54 ug/m3		
		PM 10		NYSDEC		11/3/2001	8		Albany Street	Roof top					Ambient Air	1 hour		25.9 ug/m3		
		PM 10		NYSDEC		11/3/2001	9		Albany Street	Roof top					Ambient Air	1 hour		26.53 ug/m3		
		PM 10		NYSDEC		11/3/2001	10		Albany Street	Roof top					Ambient Air	1 hour		25.03 ug/m3		
		PM 10		NYSDEC		11/3/2001	11		Albany Street	Roof top					Ambient Air	1 hour		24.06 ug/m3		
		PM 10		NYSDEC		11/3/2001	12		Albany Street	Roof top					Ambient Air	1 hour		16.27 ug/m3		
		PM 10		NYSDEC		11/3/2001	13		Albany Street	Roof top					Ambient Air	1 hour		28.13 ug/m3		
		PM 10		NYSDEC		11/3/2001	14		Albany Street	Roof top					Ambient Air	1 hour		29.06 ug/m3		
		PM 10		NYSDEC		11/3/2001	15		Albany Street	Roof top					Ambient Air	1 hour		2.05 ug/m3		
		PM 10		NYSDEC		11/3/2001	16		Albany Street	Roof top					Ambient Air	1 hour		6.15 ug/m3		
		PM 10		NYSDEC		11/3/2001	17		Albany Street	Roof top					Ambient Air	1 hour		19.02 ug/m3		
		PM 10		NYSDEC		11/3/2001	18		Albany Street	Roof top					Ambient Air	1 hour		19.06 ug/m3		
		PM 10		NYSDEC		11/3/2001	19		Albany Street	Roof top					Ambient Air	1 hour		20.4 ug/m3		
		PM 10		NYSDEC		11/3/2001	20		Albany Street	Roof top					Ambient Air	1 hour		31.17 ug/m3		
		PM 10		NYSDEC		11/3/2001	21		Albany Street	Roof top					Ambient Air	1 hour		87.17 ug/m3		
		PM 10		NYSDEC		11/3/2001	22		Albany Street	Roof top					Ambient Air	1 hour		47.08 ug/m3		
		PM 10		NYSDEC		11/3/2001	23		Albany Street	Roof top					Ambient Air	1 hour		20.74 ug/m3		
						11/3/2001			Albany Street Daily	Roof top					Ambient Air	24 hour/ave		ug/m3		
									Average									25.57		
		PM 10		NYSDEC		11/4/2001	0		Albany Street	Roof top					Ambient Air	1 hour		17.26 ug/m3		
		PM 10		NYSDEC		11/4/2001	1		Albany Street	Roof top					Ambient Air	1 hour		16.69 ug/m3		
		PM 10		NYSDEC		11/4/2001	2		Albany Street	Roof top					Ambient Air	1 hour		14.1 ug/m3		
		PM 10		NYSDEC		11/4/2001	3		Albany Street	Roof top					Ambient Air	1 hour		14.92 ug/m3		
		PM 10		NYSDEC		11/4/2001	4		Albany Street	Roof top					Ambient Air	1 hour		14.9 ug/m3		
		PM 10		NYSDEC		11/4/2001	5		Albany Street	Roof top					Ambient Air	1 hour		14.55 ug/m3		
		PM 10		NYSDEC		11/4/2001	6		Albany Street	Roof top					Ambient Air	1 hour		19.06 ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032842

DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 4 of 32

UNIQUE_DOCUMENT_ID	SAMPLE ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START TIME	COUNTY	SITE NAME OR ADDRESS	BUILDING FLOOR	1. NORTH, SOUTH, WEST, EAST, W. STREET OR AVENUE	2. NORTH, SOUTH, WEST, EAST, W. STREET OR AVENUE	3. NORTH, SOUTH, WEST, EAST, W. STREET OR AVENUE	4. NORTH, SOUTH, WEST, EAST, W. STREET OR AVENUE	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS METHOD
		PM 10		NYSDEC		11/4/2001	7		Albany Street	Roof top					Ambient Air	1 hour		20.68 ug/m3		
		PM 10		NYSDEC		11/4/2001	8		Albany Street	Roof top					Ambient Air	1 hour		18.69 ug/m3		
		PM 10		NYSDEC		11/4/2001	9		Albany Street	Roof top					Ambient Air	1 hour		11.35 ug/m3		
		PM 10		NYSDEC		11/4/2001	10		Albany Street	Roof top					Ambient Air	1 hour		12.22 ug/m3		
		PM 10		NYSDEC		11/4/2001	11		Albany Street	Roof top					Ambient Air	1 hour		9.11 ug/m3		
		PM 10		NYSDEC		11/4/2001	12		Albany Street	Roof top					Ambient Air	1 hour		13.17 ug/m3		
		PM 10		NYSDEC		11/4/2001	13		Albany Street	Roof top					Ambient Air	1 hour		15.12 ug/m3		
		PM 10		NYSDEC		11/4/2001	14		Albany Street	Roof top					Ambient Air	1 hour		17.92 ug/m3		
		PM 10		NYSDEC		11/4/2001	15		Albany Street	Roof top					Ambient Air	1 hour		18.5 ug/m3		
		PM 10		NYSDEC		11/4/2001	16		Albany Street	Roof top					Ambient Air	1 hour		17.86 ug/m3		
		PM 10		NYSDEC		11/4/2001	17		Albany Street	Roof top					Ambient Air	1 hour		24.76 ug/m3		
		PM 10		NYSDEC		11/4/2001	18		Albany Street	Roof top					Ambient Air	1 hour		27.38 ug/m3		
		PM 10		NYSDEC		11/4/2001	19		Albany Street	Roof top					Ambient Air	1 hour		27.69 ug/m3		
		PM 10		NYSDEC		11/4/2001	20		Albany Street	Roof top					Ambient Air	1 hour		21.21 ug/m3		
		PM 10		NYSDEC		11/4/2001	21		Albany Street	Roof top					Ambient Air	1 hour		36.24 ug/m3		
		PM 10		NYSDEC		11/4/2001	22		Albany Street	Roof top					Ambient Air	1 hour		33.03 ug/m3		
		PM 10		NYSDEC		11/4/2001	23		Albany Street	Roof top					Ambient Air	1 hour		15.30 ug/m3		
						11/4/2001			Albany Street Daily Average						Ambient Air	24 hour/ave		18.83 ug/m3		
		PM 10		NYSDEC		11/5/2001	0		Albany Street	Roof top					Ambient Air	1 hour		12.83 ug/m3		
		PM 10		NYSDEC		11/5/2001	1		Albany Street	Roof top					Ambient Air	1 hour		10.34 ug/m3		
		PM 10		NYSDEC		11/5/2001	2		Albany Street	Roof top					Ambient Air	1 hour		11 ug/m3		
		PM 10		NYSDEC		11/5/2001	3		Albany Street	Roof top					Ambient Air	1 hour		12.64 ug/m3		
		PM 10		NYSDEC		11/5/2001	4		Albany Street	Roof top					Ambient Air	1 hour		8.55 ug/m3		
		PM 10		NYSDEC		11/5/2001	5		Albany Street	Roof top					Ambient Air	1 hour		8.31 ug/m3		
		PM 10		NYSDEC		11/5/2001	6		Albany Street	Roof top					Ambient Air	1 hour		10.79 ug/m3		
		PM 10		NYSDEC		11/5/2001	7		Albany Street	Roof top					Ambient Air	1 hour		20.66 ug/m3		
		PM 10		NYSDEC		11/5/2001	8		Albany Street	Roof top					Ambient Air	1 hour		108.64 ug/m3		
		PM 10		NYSDEC		11/5/2001	9		Albany Street	Roof top					Ambient Air	1 hour		36.65 ug/m3		
		PM 10		NYSDEC		11/5/2001	10		Albany Street	Roof top					Ambient Air	1 hour		54.01 ug/m3		
		PM 10		NYSDEC		11/5/2001	11		Albany Street	Roof top					Ambient Air	1 hour		29.92 ug/m3		
		PM 10		NYSDEC		11/5/2001	12		Albany Street	Roof top					Ambient Air	1 hour		41.38 ug/m3		
		PM 10		NYSDEC		11/5/2001	13		Albany Street	Roof top					Ambient Air	1 hour		89.93 ug/m3		
		PM 10		NYSDEC		11/5/2001	14		Albany Street	Roof top					Ambient Air	1 hour		41.03 ug/m3		
		PM 10		NYSDEC		11/5/2001	15		Albany Street	Roof top					Ambient Air	1 hour		44.73 ug/m3		
		PM 10		NYSDEC		11/5/2001	16		Albany Street	Roof top					Ambient Air	1 hour		63.05 ug/m3		
		PM 10		NYSDEC		11/5/2001	17		Albany Street	Roof top					Ambient Air	1 hour		28.56 ug/m3		
		PM 10		NYSDEC		11/5/2001	18		Albany Street	Roof top					Ambient Air	1 hour		38.5 ug/m3		
		PM 10		NYSDEC		11/5/2001	19		Albany Street	Roof top					Ambient Air	1 hour		38.45 ug/m3		
		PM 10		NYSDEC		11/5/2001	20		Albany Street	Roof top					Ambient Air	1 hour		47.17 ug/m3		
		PM 10		NYSDEC		11/5/2001	21		Albany Street	Roof top					Ambient Air	1 hour		41.26 ug/m3		
		PM 10		NYSDEC		11/5/2001	22		Albany Street	Roof top					Ambient Air	1 hour		20.52 ug/m3		
		PM 10		NYSDEC		11/5/2001	23		Albany Street	Roof top					Ambient Air	1 hour		48.65 ug/m3		
						11/5/2001			Albany Street Daily Average						Ambient Air	24 hour/ave		35.32 ug/m3		
		PM 10		NYSDEC		11/6/2001	0		Albany Street	Roof top					Ambient Air	1 hour		31.81 ug/m3		
		PM 10		NYSDEC		11/6/2001	1		Albany Street	Roof top					Ambient Air	1 hour		11.26 ug/m3		
		PM 10		NYSDEC		11/6/2001	2		Albany Street	Roof top					Ambient Air	1 hour		15.14 ug/m3		
		PM 10		NYSDEC		11/6/2001	3		Albany Street	Roof top					Ambient Air	1 hour		11.4 ug/m3		
		PM 10		NYSDEC		11/6/2001	4		Albany Street	Roof top					Ambient Air	1 hour		22.57 ug/m3		
		PM 10		NYSDEC		11/6/2001	5		Albany Street	Roof top					Ambient Air	1 hour		10.82 ug/m3		
		PM 10		NYSDEC		11/6/2001	6		Albany Street	Roof top					Ambient Air	1 hour		13.34 ug/m3		
		PM 10		NYSDEC		11/6/2001	7		Albany Street	Roof top					Ambient Air	1 hour		28.31 ug/m3		
		PM 10		NYSDEC		11/6/2001	8		Albany Street	Roof top					Ambient Air	1 hour		36.26 ug/m3		
		PM 10		NYSDEC		11/6/2001	9		Albany Street	Roof top					Ambient Air	1 hour		97.67 ug/m3		
		PM 10		NYSDEC		11/6/2001	10		Albany Street	Roof top					Ambient Air	1 hour		35.1 ug/m3		
		PM 10		NYSDEC		11/6/2001	11		Albany Street	Roof top					Ambient Air	1 hour		27.43 ug/m3		
		PM 10		NYSDEC		11/6/2001	12		Albany Street	Roof top					Ambient Air	1 hour		35.59 ug/m3		
		PM 10		NYSDEC		11/6/2001	13		Albany Street	Roof top					Ambient Air	1 hour		37.22 ug/m3		
		PM 10		NYSDEC		11/6/2001	14		Albany Street	Roof top					Ambient Air	1 hour		50.58 ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032843

DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 5 of 32

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1_NORTH_SOUTH_STREET_OR_AVENUE	2_NORTH_SOUTH_STREET_OR_AVENUE	3_EAST_WEST_STREET	4_EAST_WEST_STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE_DETECTION_LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_METHOD
	PM 10			NYSDEC		11/6/2001	15		Albany Street	Roof top					Ambient Air	1 hour		55.54 ug/m3		
	PM 10			NYSDEC		11/6/2001	16		Albany Street	Roof top					Ambient Air	1 hour		25.75 ug/m3		
	PM 10			NYSDEC		11/6/2001	17		Albany Street	Roof top					Ambient Air	1 hour		29.64 ug/m3		
	PM 10			NYSDEC		11/6/2001	18		Albany Street	Roof top					Ambient Air	1 hour		20.23 ug/m3		
	PM 10			NYSDEC		11/6/2001	19		Albany Street	Roof top					Ambient Air	1 hour		18.53 ug/m3		
	PM 10			NYSDEC		11/6/2001	20		Albany Street	Roof top					Ambient Air	1 hour		20.24 ug/m3		
	PM 10			NYSDEC		11/6/2001	21		Albany Street	Roof top					Ambient Air	1 hour		29.79 ug/m3		
	PM 10			NYSDEC		11/6/2001	22		Albany Street	Roof top					Ambient Air	1 hour		36.9 ug/m3		
	PM 10			NYSDEC		11/6/2001	23		Albany Street	Roof top					Ambient Air	1 hour		56.51 ug/m3		
									Albany Street Daily Average							24 hours		31.59 ug/m3		
	PM 10			NYSDEC		11/7/2001	0		Albany Street	Roof top					Ambient Air	1 hour		10.63 ug/m3		
	PM 10			NYSDEC		11/7/2001	1		Albany Street	Roof top					Ambient Air	1 hour		8.74 ug/m3		
	PM 10			NYSDEC		11/7/2001	2		Albany Street	Roof top					Ambient Air	1 hour		8.5 ug/m3		
	PM 10			NYSDEC		11/7/2001	3		Albany Street	Roof top					Ambient Air	1 hour		9.99 ug/m3		
	PM 10			NYSDEC		11/7/2001	4		Albany Street	Roof top					Ambient Air	1 hour		10.64 ug/m3		
	PM 10			NYSDEC		11/7/2001	5		Albany Street	Roof top					Ambient Air	1 hour		14.63 ug/m3		
	PM 10			NYSDEC		11/7/2001	6		Albany Street	Roof top					Ambient Air	1 hour		24.15 ug/m3		
	PM 10			NYSDEC		11/7/2001	7		Albany Street	Roof top					Ambient Air	1 hour		34.89 ug/m3		
	PM 10			NYSDEC		11/7/2001	8		Albany Street	Roof top					Ambient Air	1 hour		38.24 ug/m3		
	PM 10			NYSDEC		11/7/2001	9		Albany Street	Roof top					Ambient Air	1 hour		42.92 ug/m3		
	PM 10			NYSDEC		11/7/2001	10		Albany Street	Roof top					Ambient Air	1 hour		47.55 ug/m3		
	PM 10			NYSDEC		11/7/2001	11		Albany Street	Roof top					Ambient Air	1 hour		43.93 ug/m3		
	PM 10			NYSDEC		11/7/2001	12		Albany Street	Roof top					Ambient Air	1 hour		42.13 ug/m3		
	PM 10			NYSDEC		11/7/2001	13		Albany Street	Roof top					Ambient Air	1 hour		48.03 ug/m3		
	PM 10			NYSDEC		11/7/2001	14		Albany Street	Roof top					Ambient Air	1 hour		150.39 ug/m3		
	PM 10			NYSDEC		11/7/2001	15		Albany Street	Roof top					Ambient Air	1 hour		52.78 ug/m3		
	PM 10			NYSDEC		11/7/2001	16		Albany Street	Roof top					Ambient Air	1 hour		55.32 ug/m3		
	PM 10			NYSDEC		11/7/2001	17		Albany Street	Roof top					Ambient Air	1 hour		46.99 ug/m3		
	PM 10			NYSDEC		11/7/2001	18		Albany Street	Roof top					Ambient Air	1 hour		38.12 ug/m3		
	PM 10			NYSDEC		11/7/2001	19		Albany Street	Roof top					Ambient Air	1 hour		35.92 ug/m3		
	PM 10			NYSDEC		11/7/2001	20		Albany Street	Roof top					Ambient Air	1 hour		32.47 ug/m3		
	PM 10			NYSDEC		11/7/2001	21		Albany Street	Roof top					Ambient Air	1 hour		33.73 ug/m3		
	PM 10			NYSDEC		11/7/2001	22		Albany Street	Roof top					Ambient Air	1 hour		31.81 ug/m3		
	PM 10			NYSDEC		11/7/2001	23		Albany Street	Roof top					Ambient Air	1 hour		26.58 ug/m3		
									Albany Street Daily Average							24 hours		37.05 ug/m3		
25	PM 10			NYSDEC		11/9/2001	0		Albany Street	Roof top					Ambient Air	1 hour		21.84 ug/m3		
	PM 10			NYSDEC		11/9/2001	1		Albany Street	Roof top					Ambient Air	1 hour		20.33 ug/m3		
	PM 10			NYSDEC		11/9/2001	2		Albany Street	Roof top					Ambient Air	1 hour		23.72 ug/m3		
	PM 10			NYSDEC		11/9/2001	3		Albany Street	Roof top					Ambient Air	1 hour		24.66 ug/m3		
	PM 10			NYSDEC		11/9/2001	4		Albany Street	Roof top					Ambient Air	1 hour		18.48 ug/m3		
	PM 10			NYSDEC		11/9/2001	5		Albany Street	Roof top					Ambient Air	1 hour		19.36 ug/m3		
	PM 10			NYSDEC		11/9/2001	6		Albany Street	Roof top					Ambient Air	1 hour		19.56 ug/m3		
	PM 10			NYSDEC		11/9/2001	7		Albany Street	Roof top					Ambient Air	1 hour		27.43 ug/m3		
	PM 10			NYSDEC		11/9/2001	8		Albany Street	Roof top					Ambient Air	1 hour		33.23 ug/m3		
	PM 10			NYSDEC		11/9/2001	9		Albany Street	Roof top					Ambient Air	1 hour		34.96 ug/m3		
	PM 10			NYSDEC		11/9/2001	10		Albany Street	Roof top					Ambient Air	1 hour		36.13 ug/m3		
	PM 10			NYSDEC		11/9/2001	11		Albany Street	Roof top					Ambient Air	1 hour		24.8 ug/m3		
	PM 10			NYSDEC		11/9/2001	12		Albany Street	Roof top					Ambient Air	1 hour		24.66 ug/m3		
	PM 10			NYSDEC		11/9/2001	13		Albany Street	Roof top					Ambient Air	1 hour		24.16 ug/m3		
	PM 10			NYSDEC		11/9/2001	14		Albany Street	Roof top					Ambient Air	1 hour		23.95 ug/m3		
	PM 10			NYSDEC		11/9/2001	15		Albany Street	Roof top					Ambient Air	1 hour		28.89 ug/m3		
	PM 10			NYSDEC		11/9/2001	16		Albany Street	Roof top					Ambient Air	1 hour		33.86 ug/m3		
	PM 10			NYSDEC		11/9/2001	17		Albany Street	Roof top					Ambient Air	1 hour		33.33 ug/m3		
	PM 10			NYSDEC		11/9/2001	18		Albany Street	Roof top					Ambient Air	1 hour		30.1 ug/m3		
	PM 10			NYSDEC		11/9/2001	19		Albany Street	Roof top					Ambient Air	1 hour		27.53 ug/m3		
	PM 10			NYSDEC		11/9/2001	20		Albany Street	Roof top					Ambient Air	1 hour		29.65 ug/m3		
	PM 10			NYSDEC		11/9/2001	21		Albany Street	Roof top					Ambient Air	1 hour		28.03 ug/m3		
	PM 10			NYSDEC		11/9/2001	22		Albany Street	Roof top					Ambient Air	1 hour		27.07 ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032844

• DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 8 of 32

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB ANALYTE	AGENCY	LAB	DATE_SAMPLED	START TIME	COUNTY	SITE_NAME OR ADDRESS	BUILDING FLOOR	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	3. EAST WEST STREET	4. EAST WEST STREET	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS METHOD
		PM 10		NYSDEC		11/8/2001		23	Albany Street	Roof top					Ambient Air	1 hour		29.31 ug/m3		
		PM 10		NYSDEC		11/8/2001			Albany Street Daily Average	Roof top					Ambient Air	24 hour ave		26.99 ug/m3		
40		PM 10		NYSDEC		11/8/2001		0	Albany Street	Roof top					Ambient Air	1 hour		33.47 ug/m3		
		PM 10		NYSDEC		11/8/2001		1	Albany Street	Roof top					Ambient Air	1 hour		33.84 ug/m3		
		PM 10		NYSDEC		11/8/2001		2	Albany Street	Roof top					Ambient Air	1 hour		35.7 ug/m3		
		PM 10		NYSDEC		11/8/2001		3	Albany Street	Roof top					Ambient Air	1 hour		28.81 ug/m3		
		PM 10		NYSDEC		11/8/2001		4	Albany Street	Roof top					Ambient Air	1 hour		26.87 ug/m3		
		PM 10		NYSDEC		11/8/2001		5	Albany Street	Roof top					Ambient Air	1 hour		26.47 ug/m3		
		PM 10		NYSDEC		11/8/2001		6	Albany Street	Roof top					Ambient Air	1 hour		27.28 ug/m3		
		PM 10		NYSDEC		11/8/2001		7	Albany Street	Roof top					Ambient Air	1 hour		62.68 ug/m3		
		PM 10		NYSDEC		11/8/2001		8	Albany Street	Roof top					Ambient Air	1 hour		59.83 ug/m3		
		PM 10		NYSDEC		11/8/2001		9	Albany Street	Roof top					Ambient Air	1 hour		64.05 ug/m3		
		PM 10		NYSDEC		11/8/2001		10	Albany Street	Roof top					Ambient Air	1 hour		34.9 ug/m3		
		PM 10		NYSDEC		11/8/2001		11	Albany Street	Roof top					Ambient Air	1 hour		32.3 ug/m3		
		PM 10		NYSDEC		11/8/2001		12	Albany Street	Roof top					Ambient Air	1 hour		22.99 ug/m3		
		PM 10		NYSDEC		11/8/2001		13	Albany Street	Roof top					Ambient Air	1 hour		21.4 ug/m3		
		PM 10		NYSDEC		11/8/2001		14	Albany Street	Roof top					Ambient Air	1 hour		28.58 ug/m3		
		PM 10		NYSDEC		11/8/2001		15	Albany Street	Roof top					Ambient Air	1 hour		24.84 ug/m3		
		PM 10		NYSDEC		11/8/2001		16	Albany Street	Roof top					Ambient Air	1 hour		20.83 ug/m3		
		PM 10		NYSDEC		11/8/2001		17	Albany Street	Roof top					Ambient Air	1 hour		23.85 ug/m3		
		PM 10		NYSDEC		11/8/2001		18	Albany Street	Roof top					Ambient Air	1 hour		21.69 ug/m3		
		PM 10		NYSDEC		11/8/2001		19	Albany Street	Roof top					Ambient Air	1 hour		19 ug/m3		
		PM 10		NYSDEC		11/8/2001		20	Albany Street	Roof top					Ambient Air	1 hour		13.75 ug/m3		
		PM 10		NYSDEC		11/8/2001		21	Albany Street	Roof top					Ambient Air	1 hour		9.70 ug/m3		
		PM 10		NYSDEC		11/8/2001		22	Albany Street	Roof top					Ambient Air	1 hour		6.32 ug/m3		
		PM 10		NYSDEC		11/8/2001		23	Albany Street	Roof top					Ambient Air	1 hour		8.25 ug/m3		
						11/8/2001			Albany Street Daily Average	Roof top					Ambient Air	24 hour ave		28.65 ug/m3		
25		PM 10		NYSDEC		11/10/2001		0	Albany Street	Roof top					Ambient Air	1 hour		16.53 ug/m3		
		PM 10		NYSDEC		11/10/2001		1	Albany Street	Roof top					Ambient Air	1 hour		20.39 ug/m3		
		PM 10		NYSDEC		11/10/2001		2	Albany Street	Roof top					Ambient Air	1 hour		15.39 ug/m3		
		PM 10		NYSDEC		11/10/2001		3	Albany Street	Roof top					Ambient Air	1 hour		17.51 ug/m3		
		PM 10		NYSDEC		11/10/2001		4	Albany Street	Roof top					Ambient Air	1 hour		16.56 ug/m3		
		PM 10		NYSDEC		11/10/2001		5	Albany Street	Roof top					Ambient Air	1 hour		20.1 ug/m3		
		PM 10		NYSDEC		11/10/2001		6	Albany Street	Roof top					Ambient Air	1 hour		18.64 ug/m3		
		PM 10		NYSDEC		11/10/2001		7	Albany Street	Roof top					Ambient Air	1 hour		22.82 ug/m3		
		PM 10		NYSDEC		11/10/2001		8	Albany Street	Roof top					Ambient Air	1 hour		28.16 ug/m3		
		PM 10		NYSDEC		11/10/2001		9	Albany Street	Roof top					Ambient Air	1 hour		35.32 ug/m3		
		PM 10		NYSDEC		11/10/2001		10	Albany Street	Roof top					Ambient Air	1 hour		29.91 ug/m3		
		PM 10		NYSDEC		11/10/2001		11	Albany Street	Roof top					Ambient Air	1 hour		41.3 ug/m3		
		PM 10		NYSDEC		11/10/2001		12	Albany Street	Roof top					Ambient Air	1 hour		42.26 ug/m3		
		PM 10		NYSDEC		11/10/2001		13	Albany Street	Roof top					Ambient Air	1 hour		67.28 ug/m3		
		PM 10		NYSDEC		11/10/2001		14	Albany Street	Roof top					Ambient Air	1 hour		48.94 ug/m3		
		PM 10		NYSDEC		11/10/2001		15	Albany Street	Roof top					Ambient Air	1 hour		45.14 ug/m3		
		PM 10		NYSDEC		11/10/2001		16	Albany Street	Roof top					Ambient Air	1 hour		41.3 ug/m3		
		PM 10		NYSDEC		11/10/2001		17	Albany Street	Roof top					Ambient Air	1 hour		39.65 ug/m3		
		PM 10		NYSDEC		11/10/2001		18	Albany Street	Roof top					Ambient Air	1 hour		36.13 ug/m3		
		PM 10		NYSDEC		11/10/2001		19	Albany Street	Roof top					Ambient Air	1 hour		32.46 ug/m3		
		PM 10		NYSDEC		11/10/2001		20	Albany Street	Roof top					Ambient Air	1 hour		34.74 ug/m3		
		PM 10		NYSDEC		11/10/2001		21	Albany Street	Roof top					Ambient Air	1 hour		33.74 ug/m3		
		PM 10		NYSDEC		11/10/2001		22	Albany Street	Roof top					Ambient Air	1 hour		36.25 ug/m3		
		PM 10		NYSDEC		11/10/2001		23	Albany Street	Roof top					Ambient Air	1 hour		33.74 ug/m3		
						11/10/2001			Albany Street Daily Average	Roof top					Ambient Air	24 hour ave		31.87 ug/m3		
25		PM 10		NYSDEC		11/11/2001		0	Albany Street	Roof top					Ambient Air	1 hour		37.47 ug/m3		
		PM 10		NYSDEC		11/11/2001		1	Albany Street	Roof top					Ambient Air	1 hour		33.15 ug/m3		
		PM 10		NYSDEC		11/11/2001		2	Albany Street	Roof top					Ambient Air	1 hour		32.85 ug/m3		
		PM 10		NYSDEC		11/11/2001		3	Albany Street	Roof top					Ambient Air	1 hour		37.01 ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032845

• DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 7 of 32

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH_SOUTH_STREET_OR_AVENUE	2. NORTH_SOUTH_STREET_OR_AVENUE	3. EAST_WEST_STREET	4. EAST_WEST_STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE_DETECTION_LIMIT	RESULTS_CONCENTRATION	CONUNIT	ANALYSIS_METHOD
	PM 10			NYSDEC		11/11/2001	4		Albany Street	Roof top					Ambient Air	1 hour		37.26 ug/m3		
	PM 10			NYSDEC		11/11/2001	5		Albany Street	Roof top					Ambient Air	1 hour		34.73 ug/m3		
	PM 10			NYSDEC		11/11/2001	6		Albany Street	Roof top					Ambient Air	1 hour		26.59 ug/m3		
	PM 10			NYSDEC		11/11/2001	7		Albany Street	Roof top					Ambient Air	1 hour		31.01 ug/m3		
	PM 10			NYSDEC		11/11/2001	8		Albany Street	Roof top					Ambient Air	1 hour		27.3 ug/m3		
	PM 10			NYSDEC		11/11/2001	9		Albany Street	Roof top					Ambient Air	1 hour		58.61 ug/m3		
	PM 10			NYSDEC		11/11/2001	10		Albany Street	Roof top					Ambient Air	1 hour		52.74 ug/m3		
	PM 10			NYSDEC		11/11/2001	11		Albany Street	Roof top					Ambient Air	1 hour		24.13 ug/m3		
	PM 10			NYSDEC		11/11/2001	12		Albany Street	Roof top					Ambient Air	1 hour		20.39 ug/m3		
	PM 10			NYSDEC		11/11/2001	13		Albany Street	Roof top					Ambient Air	1 hour		15.68 ug/m3		
	PM 10			NYSDEC		11/11/2001	14		Albany Street	Roof top					Ambient Air	1 hour		80.1 ug/m3		
	PM 10			NYSDEC		11/11/2001	15		Albany Street	Roof top					Ambient Air	1 hour		58.72 ug/m3		
	PM 10			NYSDEC		11/11/2001	16		Albany Street	Roof top					Ambient Air	1 hour		39.46 ug/m3		
	PM 10			NYSDEC		11/11/2001	17		Albany Street	Roof top					Ambient Air	1 hour		17.68 ug/m3		
	PM 10			NYSDEC		11/11/2001	18		Albany Street	Roof top					Ambient Air	1 hour		14.57 ug/m3		
	PM 10			NYSDEC		11/11/2001	19		Albany Street	Roof top					Ambient Air	1 hour		16.19 ug/m3		
	PM 10			NYSDEC		11/11/2001	20		Albany Street	Roof top					Ambient Air	1 hour		16.24 ug/m3		
	PM 10			NYSDEC		11/11/2001	21		Albany Street	Roof top					Ambient Air	1 hour		17.35 ug/m3		
	PM 10			NYSDEC		11/11/2001	22		Albany Street	Roof top					Ambient Air	1 hour		13.83 ug/m3		
	PM 10			NYSDEC		11/11/2001	23		Albany Street	Roof top					Ambient Air	1 hour		10.61 ug/m3		
									Albany Street Daily Average	Roof top					Ambient Air	24 hour/ave				
																		31.44		
25	PM 10			NYSDEC		11/12/2001	0		Albany Street	Roof top					Ambient Air	1 hour		15.88 ug/m3		
	PM 10			NYSDEC		11/12/2001	1		Albany Street	Roof top					Ambient Air	1 hour		10.47 ug/m3		
	PM 10			NYSDEC		11/12/2001	2		Albany Street	Roof top					Ambient Air	1 hour		11.45 ug/m3		
	PM 10			NYSDEC		11/12/2001	3		Albany Street	Roof top					Ambient Air	1 hour		12.21 ug/m3		
	PM 10			NYSDEC		11/12/2001	4		Albany Street	Roof top					Ambient Air	1 hour		13.49 ug/m3		
	PM 10			NYSDEC		11/12/2001	5		Albany Street	Roof top					Ambient Air	1 hour		14.66 ug/m3		
	PM 10			NYSDEC		11/12/2001	6		Albany Street	Roof top					Ambient Air	1 hour		15.39 ug/m3		
	PM 10			NYSDEC		11/12/2001	7		Albany Street	Roof top					Ambient Air	1 hour		14.66 ug/m3		
	PM 10			NYSDEC		11/12/2001	8		Albany Street	Roof top					Ambient Air	1 hour		18.52 ug/m3		
	PM 10			NYSDEC		11/12/2001	9		Albany Street	Roof top					Ambient Air	1 hour		29.09 ug/m3		
	PM 10			NYSDEC		11/12/2001	10		Albany Street	Roof top					Ambient Air	1 hour		26.22 ug/m3		
	PM 10			NYSDEC		11/12/2001	11		Albany Street	Roof top					Ambient Air	1 hour		26.01 ug/m3		
	PM 10			NYSDEC		11/12/2001	12		Albany Street	Roof top					Ambient Air	1 hour		24.94 ug/m3		
	PM 10			NYSDEC		11/12/2001	13		Albany Street	Roof top					Ambient Air	1 hour		23.36 ug/m3		
	PM 10			NYSDEC		11/12/2001	14		Albany Street	Roof top					Ambient Air	1 hour		41.66 ug/m3		
	PM 10			NYSDEC		11/12/2001	15		Albany Street	Roof top					Ambient Air	1 hour		28.93 ug/m3		
	PM 10			NYSDEC		11/12/2001	16		Albany Street	Roof top					Ambient Air	1 hour		24.26 ug/m3		
	PM 10			NYSDEC		11/12/2001	17		Albany Street	Roof top					Ambient Air	1 hour		28.3 ug/m3		
	PM 10			NYSDEC		11/12/2001	18		Albany Street	Roof top					Ambient Air	1 hour		28.59 ug/m3		
	PM 10			NYSDEC		11/12/2001	19		Albany Street	Roof top					Ambient Air	1 hour		25.88 ug/m3		
	PM 10			NYSDEC		11/12/2001	20		Albany Street	Roof top					Ambient Air	1 hour		27.62 ug/m3		
	PM 10			NYSDEC		11/12/2001	21		Albany Street	Roof top					Ambient Air	1 hour		24.17 ug/m3		
	PM 10			NYSDEC		11/12/2001	22		Albany Street	Roof top					Ambient Air	1 hour		12.62 ug/m3		
	PM 10			NYSDEC		11/12/2001	23		Albany Street	Roof top					Ambient Air	1 hour		12.99 ug/m3		
									Albany Street Daily Average	Roof top					Ambient Air	24 hour/ave				
																		21.21		
25	PM 10			NYSDEC		11/13/2001	0		Albany Street	Roof top					Ambient Air	1 hour		15.25 ug/m3		
	PM 10			NYSDEC		11/13/2001	1		Albany Street	Roof top					Ambient Air	1 hour		15.75 ug/m3		
	PM 10			NYSDEC		11/13/2001	2		Albany Street	Roof top					Ambient Air	1 hour		16.47 ug/m3		
	PM 10			NYSDEC		11/13/2001	3		Albany Street	Roof top					Ambient Air	1 hour		13.96 ug/m3		
	PM 10			NYSDEC		11/13/2001	4		Albany Street	Roof top					Ambient Air	1 hour		11.29 ug/m3		
	PM 10			NYSDEC		11/13/2001	5		Albany Street	Roof top					Ambient Air	1 hour		14.08 ug/m3		
	PM 10			NYSDEC		11/13/2001	6		Albany Street	Roof top					Ambient Air	1 hour		23.35 ug/m3		
	PM 10			NYSDEC		11/13/2001	7		Albany Street	Roof top					Ambient Air	1 hour		40.08 ug/m3		
	PM 10			NYSDEC		11/13/2001	8		Albany Street	Roof top					Ambient Air	1 hour		43.44 ug/m3		
	PM 10			NYSDEC		11/13/2001	9		Albany Street	Roof top					Ambient Air	1 hour		38.41 ug/m3		
	PM 10			NYSDEC		11/13/2001	10		Albany Street	Roof top					Ambient Air	1 hour		40.21 ug/m3		
	PM 10			NYSDEC		11/13/2001	11		Albany Street	Roof top					Ambient Air	1 hour		59.12 ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032846

DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 8 of 32

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH_SOUTH_STREET_OR_AVENUE	2. NORTH_SOUTH_STREET_OR_AVENUE	1. EAST_WEST_STREET	2. EAST_WEST_STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE_RESULTS	CONCENTRATION	UNIT	ANALYSIS_METHOD
		PM 10		NYSDEC		11/13/2001	12		Albany Street	Roof top					Ambient Air	1 hour		37.93	ug/m3	
		PM 10		NYSDEC		11/13/2001	13		Albany Street	Roof top					Ambient Air	1 hour		29.66	ug/m3	
		PM 10		NYSDEC		11/13/2001	14		Albany Street	Roof top					Ambient Air	1 hour		25.77	ug/m3	
		PM 10		NYSDEC		11/13/2001	15		Albany Street	Roof top					Ambient Air	1 hour		27.35	ug/m3	
		PM 10		NYSDEC		11/13/2001	16		Albany Street	Roof top					Ambient Air	1 hour		25.79	ug/m3	
		PM 10		NYSDEC		11/13/2001	17		Albany Street	Roof top					Ambient Air	1 hour		28.53	ug/m3	
		PM 10		NYSDEC		11/13/2001	18		Albany Street	Roof top					Ambient Air	1 hour		31.98	ug/m3	
		PM 10		NYSDEC		11/13/2001	19		Albany Street	Roof top					Ambient Air	1 hour		25.6	ug/m3	
		PM 10		NYSDEC		11/13/2001	20		Albany Street	Roof top					Ambient Air	1 hour		24.17	ug/m3	
		PM 10		NYSDEC		11/13/2001	21		Albany Street	Roof top					Ambient Air	1 hour		27.09	ug/m3	
		PM 10		NYSDEC		11/13/2001	22		Albany Street	Roof top					Ambient Air	1 hour		29.5	ug/m3	
		PM 10		NYSDEC		11/13/2001	23		Albany Street	Roof top					Ambient Air	1 hour		23.74	ug/m3	
									Albany Street Daily Average						Ambient Air	24 hours ave		27.88		
25		PM 10		NYSDEC		11/14/2001	0		Albany Street	Roof top					Ambient Air	1 hour		24.47	ug/m3	
		PM 10		NYSDEC		11/14/2001	1		Albany Street	Roof top					Ambient Air	1 hour		23.65	ug/m3	
		PM 10		NYSDEC		11/14/2001	2		Albany Street	Roof top					Ambient Air	1 hour		20.96	ug/m3	
		PM 10		NYSDEC		11/14/2001	3		Albany Street	Roof top					Ambient Air	1 hour		22.28	ug/m3	
		PM 10		NYSDEC		11/14/2001	4		Albany Street	Roof top					Ambient Air	1 hour		27.08	ug/m3	
		PM 10		NYSDEC		11/14/2001	5		Albany Street	Roof top					Ambient Air	1 hour		26.04	ug/m3	
		PM 10		NYSDEC		11/14/2001	6		Albany Street	Roof top					Ambient Air	1 hour		28.23	ug/m3	
		PM 10		NYSDEC		11/14/2001	7		Albany Street	Roof top					Ambient Air	1 hour		31.5	ug/m3	
		PM 10		NYSDEC		11/14/2001	8		Albany Street	Roof top					Ambient Air	1 hour		39.58	ug/m3	
		PM 10		NYSDEC		11/14/2001	9		Albany Street	Roof top					Ambient Air	1 hour		43.41	ug/m3	
		PM 10		NYSDEC		11/14/2001	10		Albany Street	Roof top					Ambient Air	1 hour		38.32	ug/m3	
		PM 10		NYSDEC		11/14/2001	11		Albany Street	Roof top					Ambient Air	1 hour		33.65	ug/m3	
		PM 10		NYSDEC		11/14/2001	12		Albany Street	Roof top					Ambient Air	1 hour		28.89	ug/m3	
		PM 10		NYSDEC		11/14/2001	13		Albany Street	Roof top					Ambient Air	1 hour		35.42	ug/m3	
		PM 10		NYSDEC		11/14/2001	14		Albany Street	Roof top					Ambient Air	1 hour		40.82	ug/m3	
		PM 10		NYSDEC		11/14/2001	15		Albany Street	Roof top					Ambient Air	1 hour		40.49	ug/m3	
		PM 10		NYSDEC		11/14/2001	16		Albany Street	Roof top					Ambient Air	1 hour		44.98	ug/m3	
		PM 10		NYSDEC		11/14/2001	17		Albany Street	Roof top					Ambient Air	1 hour		17.47	ug/m3	
		PM 10		NYSDEC		11/14/2001	18		Albany Street	Roof top					Ambient Air	1 hour		52.55	ug/m3	
		PM 10		NYSDEC		11/14/2001	19		Albany Street	Roof top					Ambient Air	1 hour		54.68	ug/m3	
		PM 10		NYSDEC		11/14/2001	20		Albany Street	Roof top					Ambient Air	1 hour		44.37	ug/m3	
		PM 10		NYSDEC		11/14/2001	21		Albany Street	Roof top					Ambient Air	1 hour		46.34	ug/m3	
		PM 10		NYSDEC		11/14/2001	22		Albany Street	Roof top					Ambient Air	1 hour		45.11	ug/m3	
		PM 10		NYSDEC		11/14/2001	23		Albany Street	Roof top					Ambient Air	1 hour		42.49	ug/m3	
									Albany Street Daily Average						Ambient Air	24 hours ave		35.55		
25		PM 10		NYSDEC		11/15/2001	0		Albany Street	Roof top					Ambient Air	1 hour		37.81	ug/m3	
		PM 10		NYSDEC		11/15/2001	1		Albany Street	Roof top					Ambient Air	1 hour		37.02	ug/m3	
		PM 10		NYSDEC		11/15/2001	2		Albany Street	Roof top					Ambient Air	1 hour		36.88	ug/m3	
		PM 10		NYSDEC		11/15/2001	3		Albany Street	Roof top					Ambient Air	1 hour		39.61	ug/m3	
		PM 10		NYSDEC		11/15/2001	4		Albany Street	Roof top					Ambient Air	1 hour		38.82	ug/m3	
		PM 10		NYSDEC		11/15/2001	5		Albany Street	Roof top					Ambient Air	1 hour		40.5	ug/m3	
		PM 10		NYSDEC		11/15/2001	6		Albany Street	Roof top					Ambient Air	1 hour		50.52	ug/m3	
		PM 10		NYSDEC		11/15/2001	7		Albany Street	Roof top					Ambient Air	1 hour		65.91	ug/m3	
		PM 10		NYSDEC		11/15/2001	8		Albany Street	Roof top					Ambient Air	1 hour		54.68	ug/m3	
		PM 10		NYSDEC		11/15/2001	9		Albany Street	Roof top					Ambient Air	1 hour		57.15	ug/m3	
		PM 10		NYSDEC		11/15/2001	10		Albany Street	Roof top					Ambient Air	1 hour		69.45	ug/m3	
		PM 10		NYSDEC		11/15/2001	11		Albany Street	Roof top					Ambient Air	1 hour		74.21	ug/m3	
		PM 10		NYSDEC		11/15/2001	12		Albany Street	Roof top					Ambient Air	1 hour		62.69	ug/m3	
		PM 10		NYSDEC		11/15/2001	13		Albany Street	Roof top					Ambient Air	1 hour		57.38	ug/m3	
		PM 10		NYSDEC		11/15/2001	14		Albany Street	Roof top					Ambient Air	1 hour		60.47	ug/m3	
		PM 10		NYSDEC		11/15/2001	15		Albany Street	Roof top					Ambient Air	1 hour		52.37	ug/m3	
		PM 10		NYSDEC		11/15/2001	16		Albany Street	Roof top					Ambient Air	1 hour		54.77	ug/m3	
		PM 10		NYSDEC		11/15/2001	17		Albany Street	Roof top					Ambient Air	1 hour		53.06	ug/m3	
		PM 10		NYSDEC		11/15/2001	18		Albany Street	Roof top					Ambient Air	1 hour		58.74	ug/m3	
		PM 10		NYSDEC		11/15/2001	19		Albany Street	Roof top					Ambient Air	1 hour		70.11	ug/m3	

CITY_DEP_WORBY_CANNATA_SUBP_000032847

DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 6 of 32

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH_SOUTH_STREET_OR_AVENUE	2. NORTH_SOUTH_STREET_OR_AVENUE	3. EAST_WEST_CROSS_STREET	4. EAST_WEST_CROSS_STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE_DETECTION_LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_METHOD
	PM 10			NYSDDEC		11/15/2001	20		Albany Street	Roof top					Ambient Air	1 hour		70.42 ug/m3		
	PM 10			NYSDDEC		11/15/2001	21		Albany Street	Roof top					Ambient Air	1 hour		63.61 ug/m3		
	PM 10			NYSDDEC		11/15/2001	22		Albany Street	Roof top					Ambient Air	1 hour		56.29 ug/m3		
	PM 10			NYSDDEC		11/15/2001	23		Albany Street	Roof top					Ambient Air	1 hour		54.35 ug/m3		
	PM 10			NYSDDEC		11/15/2001			Albany Street Daily Average	Roof top					Ambient Air	24 hours		54.90 ug/m3		
125	PM 10			NYSDDEC		11/16/2001	0		Albany Street	Roof top					Ambient Air	1 hour		55.19 ug/m3		
	PM 10			NYSDDEC		11/16/2001	1		Albany Street	Roof top					Ambient Air	1 hour		55.36 ug/m3		
	PM 10			NYSDDEC		11/16/2001	2		Albany Street	Roof top					Ambient Air	1 hour		51.7 ug/m3		
	PM 10			NYSDDEC		11/16/2001	3		Albany Street	Roof top					Ambient Air	1 hour		50.96 ug/m3		
	PM 10			NYSDDEC		11/16/2001	4		Albany Street	Roof top					Ambient Air	1 hour		49.27 ug/m3		
	PM 10			NYSDDEC		11/16/2001	5		Albany Street	Roof top					Ambient Air	1 hour		51.22 ug/m3		
	PM 10			NYSDDEC		11/16/2001	6		Albany Street	Roof top					Ambient Air	1 hour		59.35 ug/m3		
	PM 10			NYSDDEC		11/16/2001	7		Albany Street	Roof top					Ambient Air	1 hour		73.75 ug/m3		
	PM 10			NYSDDEC		11/16/2001	8		Albany Street	Roof top					Ambient Air	1 hour		65.14 ug/m3		
	PM 10			NYSDDEC		11/16/2001	9		Albany Street	Roof top					Ambient Air	1 hour		76.28 ug/m3		
	PM 10			NYSDDEC		11/16/2001	10		Albany Street	Roof top					Ambient Air	1 hour		68.46 ug/m3		
	PM 10			NYSDDEC		11/16/2001	11		Albany Street	Roof top					Ambient Air	1 hour		63.81 ug/m3		
	PM 10			NYSDDEC		11/16/2001	12		Albany Street	Roof top					Ambient Air	1 hour		65.65 ug/m3		
	PM 10			NYSDDEC		11/16/2001	13		Albany Street	Roof top					Ambient Air	1 hour		58.5 ug/m3		
	PM 10			NYSDDEC		11/16/2001	14		Albany Street	Roof top					Ambient Air	1 hour		61.14 ug/m3		
	PM 10			NYSDDEC		11/16/2001	15		Albany Street	Roof top					Ambient Air	1 hour		54.25 ug/m3		
	PM 10			NYSDDEC		11/16/2001	16		Albany Street	Roof top					Ambient Air	1 hour		52.26 ug/m3		
	PM 10			NYSDDEC		11/16/2001	17		Albany Street	Roof top					Ambient Air	1 hour		45.84 ug/m3		
	PM 10			NYSDDEC		11/16/2001	18		Albany Street	Roof top					Ambient Air	1 hour		32.43 ug/m3		
	PM 10			NYSDDEC		11/16/2001	19		Albany Street	Roof top					Ambient Air	1 hour		41.01 ug/m3		
	PM 10			NYSDDEC		11/16/2001	20		Albany Street	Roof top					Ambient Air	1 hour		32.29 ug/m3		
	PM 10			NYSDDEC		11/16/2001	21		Albany Street	Roof top					Ambient Air	1 hour		29.53 ug/m3		
	PM 10			NYSDDEC		11/16/2001	22		Albany Street	Roof top					Ambient Air	1 hour		38.22 ug/m3		
	PM 10			NYSDDEC		11/16/2001	23		Albany Street	Roof top					Ambient Air	1 hour		40.24 ug/m3		
	PM 10			NYSDDEC		11/16/2001			Albany Street Daily Average	Roof top					Ambient Air	24 hours		53.83 ug/m3		
	PM 10			NYSDDEC		11/17/2001	0		Albany Street	Roof top					Ambient Air	1 hour		24.68 ug/m3		
	PM 10			NYSDDEC		11/17/2001	1		Albany Street	Roof top					Ambient Air	1 hour		18.7 ug/m3		
	PM 10			NYSDDEC		11/17/2001	2		Albany Street	Roof top					Ambient Air	1 hour		35.19 ug/m3		
	PM 10			NYSDDEC		11/17/2001	3		Albany Street	Roof top					Ambient Air	1 hour		18.64 ug/m3		
	PM 10			NYSDDEC		11/17/2001	4		Albany Street	Roof top					Ambient Air	1 hour		14.31 ug/m3		
	PM 10			NYSDDEC		11/17/2001	5		Albany Street	Roof top					Ambient Air	1 hour		14.83 ug/m3		
	PM 10			NYSDDEC		11/17/2001	6		Albany Street	Roof top					Ambient Air	1 hour		20.44 ug/m3		
	PM 10			NYSDDEC		11/17/2001	7		Albany Street	Roof top					Ambient Air	1 hour		32.64 ug/m3		
	PM 10			NYSDDEC		11/17/2001	8		Albany Street	Roof top					Ambient Air	1 hour		85.94 ug/m3		
	PM 10			NYSDDEC		11/17/2001	9		Albany Street	Roof top					Ambient Air	1 hour		103.82 ug/m3		
	PM 10			NYSDDEC		11/17/2001	10		Albany Street	Roof top					Ambient Air	1 hour		57.34 ug/m3		
	PM 10			NYSDDEC		11/17/2001	11		Albany Street	Roof top					Ambient Air	1 hour		51.47 ug/m3		
	PM 10			NYSDDEC		11/17/2001	12		Albany Street	Roof top					Ambient Air	1 hour		36.46 ug/m3		
	PM 10			NYSDDEC		11/17/2001	13		Albany Street	Roof top					Ambient Air	1 hour		65.92 ug/m3		
	PM 10			NYSDDEC		11/17/2001	14		Albany Street	Roof top					Ambient Air	1 hour		39.43 ug/m3		
	PM 10			NYSDDEC		11/17/2001	15		Albany Street	Roof top					Ambient Air	1 hour		29.19 ug/m3		
	PM 10			NYSDDEC		11/17/2001	16		Albany Street	Roof top					Ambient Air	1 hour		30.18 ug/m3		
	PM 10			NYSDDEC		11/17/2001	17		Albany Street	Roof top					Ambient Air	1 hour		22.42 ug/m3		
	PM 10			NYSDDEC		11/17/2001	18		Albany Street	Roof top					Ambient Air	1 hour		19.72 ug/m3		
	PM 10			NYSDDEC		11/17/2001	19		Albany Street	Roof top					Ambient Air	1 hour		20.18 ug/m3		
	PM 10			NYSDDEC		11/17/2001	20		Albany Street	Roof top					Ambient Air	1 hour		16.72 ug/m3		
	PM 10			NYSDDEC		11/17/2001	21		Albany Street	Roof top					Ambient Air	1 hour		17.09 ug/m3		
	PM 10			NYSDDEC		11/17/2001	22		Albany Street	Roof top					Ambient Air	1 hour		16.56 ug/m3		
	PM 10			NYSDDEC		11/17/2001	23		Albany Street	Roof top					Ambient Air	1 hour		18.91 ug/m3		
	PM 10			NYSDDEC		11/17/2001			Albany Street Daily Average	Roof top					Ambient Air	24 hours		33.75 ug/m3		
	PM 10			NYSDDEC		1/15/2001	0		Albany Street	Roof top					Ambient Air	1 hour		20.83 ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032848

DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 10 of 32

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1 NORTH SOUTH STREET OR AVENUE	2 NORTH SOUTH STREET OR AVENUE	1 EAST WEST STREET	2 EAST WEST STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS METHOD
	PM 10			NYSDEC		11/18/2001		1	Albany Street	Roof top					Ambient Air	1 hour		26.16	ug/m3	
	PM 10			NYSDEC		11/18/2001		2	Albany Street	Roof top					Ambient Air	1 hour		21.17	ug/m3	
	PM 10			NYSDEC		11/18/2001		3	Albany Street	Roof top					Ambient Air	1 hour		27.26	ug/m3	
	PM 10			NYSDEC		11/18/2001		4	Albany Street	Roof top					Ambient Air	1 hour		32.17	ug/m3	
	PM 10			NYSDEC		11/18/2001		5	Albany Street	Roof top					Ambient Air	1 hour		20.84	ug/m3	
	PM 10			NYSDEC		11/18/2001		6	Albany Street	Roof top					Ambient Air	1 hour		21.34	ug/m3	
	PM 10			NYSDEC		11/18/2001		7	Albany Street	Roof top					Ambient Air	1 hour		19.01	ug/m3	
	PM 10			NYSDEC		11/18/2001		8	Albany Street	Roof top					Ambient Air	1 hour		23.16	ug/m3	
	PM 10			NYSDEC		11/18/2001		9	Albany Street	Roof top					Ambient Air	1 hour		22.41	ug/m3	
	PM 10			NYSDEC		11/18/2001		10	Albany Street	Roof top					Ambient Air	1 hour		23.04	ug/m3	
	PM 10			NYSDEC		11/18/2001		11	Albany Street	Roof top					Ambient Air	1 hour		24.5	ug/m3	
	PM 10			NYSDEC		11/18/2001		12	Albany Street	Roof top					Ambient Air	1 hour		24.59	ug/m3	
	PM 10			NYSDEC		11/18/2001		13	Albany Street	Roof top					Ambient Air	1 hour		24.3	ug/m3	
	PM 10			NYSDEC		11/18/2001		14	Albany Street	Roof top					Ambient Air	1 hour		24.09	ug/m3	
	PM 10			NYSDEC		11/18/2001		15	Albany Street	Roof top					Ambient Air	1 hour		24.26	ug/m3	
	PM 10			NYSDEC		11/18/2001		16	Albany Street	Roof top					Ambient Air	1 hour		32.77	ug/m3	
	PM 10			NYSDEC		11/18/2001		17	Albany Street	Roof top					Ambient Air	1 hour		36.55	ug/m3	
	PM 10			NYSDEC		11/18/2001		18	Albany Street	Roof top					Ambient Air	1 hour		41.26	ug/m3	
	PM 10			NYSDEC		11/18/2001		19	Albany Street	Roof top					Ambient Air	1 hour		39.34	ug/m3	
	PM 10			NYSDEC		11/18/2001		20	Albany Street	Roof top					Ambient Air	1 hour		37.85	ug/m3	
	PM 10			NYSDEC		11/18/2001		21	Albany Street	Roof top					Ambient Air	1 hour		37.6	ug/m3	
	PM 10			NYSDEC		11/18/2001		22	Albany Street	Roof top					Ambient Air	1 hour		34.92	ug/m3	
	PM 10			NYSDEC		11/18/2001		23	Albany Street	Roof top					Ambient Air	1 hour		34.25	ug/m3	
						11/18/2001			Albany Street Daily Average	Roof top					Ambient Air	24 hour average			ug/m3	
																		28.10		
	PM 10			NYSDEC		11/15/2001		0	Albany Street	Roof top					Ambient Air	1 hour		31.2	ug/m3	
	PM 10			NYSDEC		11/15/2001		1	Albany Street	Roof top					Ambient Air	1 hour		27.74	ug/m3	
	PM 10			NYSDEC		11/15/2001		2	Albany Street	Roof top					Ambient Air	1 hour		24.47	ug/m3	
	PM 10			NYSDEC		11/15/2001		3	Albany Street	Roof top					Ambient Air	1 hour		20.02	ug/m3	
	PM 10			NYSDEC		11/15/2001		4	Albany Street	Roof top					Ambient Air	1 hour		20.48	ug/m3	
	PM 10			NYSDEC		11/15/2001		5	Albany Street	Roof top					Ambient Air	1 hour		19.99	ug/m3	
	PM 10			NYSDEC		11/15/2001		6	Albany Street	Roof top					Ambient Air	1 hour		24.38	ug/m3	
	PM 10			NYSDEC		11/15/2001		7	Albany Street	Roof top					Ambient Air	1 hour		26	ug/m3	
	PM 10			NYSDEC		11/15/2001		8	Albany Street	Roof top					Ambient Air	1 hour		26.98	ug/m3	
	PM 10			NYSDEC		11/15/2001		9	Albany Street	Roof top					Ambient Air	1 hour		28.14	ug/m3	
	PM 10			NYSDEC		11/15/2001		10	Albany Street	Roof top					Ambient Air	1 hour		19.25	ug/m3	
	PM 10			NYSDEC		11/15/2001		11	Albany Street	Roof top					Ambient Air	1 hour		22.17	ug/m3	
	PM 10			NYSDEC		11/15/2001		12	Albany Street	Roof top					Ambient Air	1 hour		21.31	ug/m3	
	PM 10			NYSDEC		11/15/2001		13	Albany Street	Roof top					Ambient Air	1 hour		29.22	ug/m3	
	PM 10			NYSDEC		11/15/2001		14	Albany Street	Roof top					Ambient Air	1 hour		32.65	ug/m3	
	PM 10			NYSDEC		11/15/2001		15	Albany Street	Roof top					Ambient Air	1 hour		35.74	ug/m3	
	PM 10			NYSDEC		11/15/2001		16	Albany Street	Roof top					Ambient Air	1 hour		38.76	ug/m3	
	PM 10			NYSDEC		11/15/2001		17	Albany Street	Roof top					Ambient Air	1 hour		34.2	ug/m3	
	PM 10			NYSDEC		11/15/2001		18	Albany Street	Roof top					Ambient Air	1 hour		33.39	ug/m3	
	PM 10			NYSDEC		11/15/2001		19	Albany Street	Roof top					Ambient Air	1 hour		28.4	ug/m3	
	PM 10			NYSDEC		11/15/2001		20	Albany Street	Roof top					Ambient Air	1 hour		24.23	ug/m3	
	PM 10			NYSDEC		11/15/2001		21	Albany Street	Roof top					Ambient Air	1 hour		21.24	ug/m3	
	PM 10			NYSDEC		11/15/2001		22	Albany Street	Roof top					Ambient Air	1 hour		21.14	ug/m3	
	PM 10			NYSDEC		11/15/2001		23	Albany Street	Roof top					Ambient Air	1 hour		18.14	ug/m3	
						11/15/2001			Albany Street Daily Average	Roof top					Ambient Air	24 hour average			ug/m3	
																		26.26		
	PM 10			NYSDEC		11/20/2001		0	Albany Street	Roof top					Ambient Air	1 hour		18.45	ug/m3	
	PM 10			NYSDEC		11/20/2001		1	Albany Street	Roof top					Ambient Air	1 hour		14.51	ug/m3	
	PM 10			NYSDEC		11/20/2001		2	Albany Street	Roof top					Ambient Air	1 hour		15.3	ug/m3	
	PM 10			NYSDEC		11/20/2001		3	Albany Street	Roof top					Ambient Air	1 hour		17.87	ug/m3	
	PM 10			NYSDEC		11/20/2001		4	Albany Street	Roof top					Ambient Air	1 hour		22.56	ug/m3	
	PM 10			NYSDEC		11/20/2001		5	Albany Street	Roof top					Ambient Air	1 hour		3.4	ug/m3	
	PM 10			NYSDEC		11/20/2001		6	Albany Street	Roof top					Ambient Air	1 hour		7.43	ug/m3	
	PM 10			NYSDEC		11/20/2001		7	Albany Street	Roof top					Ambient Air	1 hour		4.52	ug/m3	
	PM 10			NYSDEC		11/20/2001		8	Albany Street	Roof top					Ambient Air	1 hour		8.2	ug/m3	

CITY_DEP_WORBY_CANNATA_SUBP_000032849

DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 11 of 32

UNIQUE DOCUMENT ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START TIME SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING FLOOR	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	1. EAST WEST STREET	2. EAST WEST STREET	TEST_MEDIUM	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS METHOD
		PM 10		NYSDEC		11/20/2001	9		Albany Street	Roof top					Ambient Air	1 hour		8.92 ug/m3		
		PM 10		NYSDEC		11/20/2001	10		Albany Street	Roof top					Ambient Air	1 hour		8.56 ug/m3		
		PM 10		NYSDEC		11/20/2001	11		Albany Street	Roof top					Ambient Air	1 hour		6.11 ug/m3		
		PM 10		NYSDEC		11/20/2001	12		Albany Street	Roof top					Ambient Air	1 hour		0.26 ug/m3		
		PM 10		NYSDEC		11/20/2001	13		Albany Street	Roof top					Ambient Air	1 hour		14.01 ug/m3		
		PM 10		NYSDEC		11/20/2001	14		Albany Street	Roof top					Ambient Air	1 hour		19.14 ug/m3		
		PM 10		NYSDEC		11/20/2001	15		Albany Street	Roof top					Ambient Air	1 hour		17.93 ug/m3		
		PM 10		NYSDEC		11/20/2001	16		Albany Street	Roof top					Ambient Air	1 hour		16.3 ug/m3		
		PM 10		NYSDEC		11/20/2001	17		Albany Street	Roof top					Ambient Air	1 hour		17.13 ug/m3		
		PM 10		NYSDEC		11/20/2001	18		Albany Street	Roof top					Ambient Air	1 hour		21.42 ug/m3		
		PM 10		NYSDEC		11/20/2001	19		Albany Street	Roof top					Ambient Air	1 hour		22.6 ug/m3		
		PM 10		NYSDEC		11/20/2001	20		Albany Street	Roof top					Ambient Air	1 hour		22.32 ug/m3		
		PM 10		NYSDEC		11/20/2001	21		Albany Street	Roof top					Ambient Air	1 hour		18.86 ug/m3		
		PM 10		NYSDEC		11/20/2001	22		Albany Street	Roof top					Ambient Air	1 hour		11.85 ug/m3		
		PM 10		NYSDEC		11/20/2001	23		Albany Street	Roof top					Ambient Air	1 hour		12.06 ug/m3		
									Albany Street Daily Average	Roof top					Ambient Air	24 hours/ave				
																		14.11		
		PM 10		NYSDEC		11/21/2001	0		Albany Street	Roof top					Ambient Air	1 hour		11.2 ug/m3		
		PM 10		NYSDEC		11/21/2001	1		Albany Street	Roof top					Ambient Air	1 hour		9.55 ug/m3		
		PM 10		NYSDEC		11/21/2001	2		Albany Street	Roof top					Ambient Air	1 hour		12.51 ug/m3		
		PM 10		NYSDEC		11/21/2001	3		Albany Street	Roof top					Ambient Air	1 hour		11.5 ug/m3		
		PM 10		NYSDEC		11/21/2001	4		Albany Street	Roof top					Ambient Air	1 hour		8.85 ug/m3		
		PM 10		NYSDEC		11/21/2001	5		Albany Street	Roof top					Ambient Air	1 hour		10.1 ug/m3		
		PM 10		NYSDEC		11/21/2001	6		Albany Street	Roof top					Ambient Air	1 hour		18 ug/m3		
		PM 10		NYSDEC		11/21/2001	7		Albany Street	Roof top					Ambient Air	1 hour		26.40 ug/m3		
		PM 10		NYSDEC		11/21/2001	8		Albany Street	Roof top					Ambient Air	1 hour		33.09 ug/m3		
		PM 10		NYSDEC		11/21/2001	9		Albany Street	Roof top					Ambient Air	1 hour		29.43 ug/m3		
		PM 10		NYSDEC		11/21/2001	10		Albany Street	Roof top					Ambient Air	1 hour		24.32 ug/m3		
		PM 10		NYSDEC		11/21/2001	11		Albany Street	Roof top					Ambient Air	1 hour		18.43 ug/m3		
		PM 10		NYSDEC		11/21/2001	12		Albany Street	Roof top					Ambient Air	1 hour		21.79 ug/m3		
		PM 10		NYSDEC		11/21/2001	13		Albany Street	Roof top					Ambient Air	1 hour		18.19 ug/m3		
		PM 10		NYSDEC		11/21/2001	14		Albany Street	Roof top					Ambient Air	1 hour		16.4 ug/m3		
		PM 10		NYSDEC		11/21/2001	15		Albany Street	Roof top					Ambient Air	1 hour		16.58 ug/m3		
		PM 10		NYSDEC		11/21/2001	16		Albany Street	Roof top					Ambient Air	1 hour		18.49 ug/m3		
		PM 10		NYSDEC		11/21/2001	17		Albany Street	Roof top					Ambient Air	1 hour		23.84 ug/m3		
		PM 10		NYSDEC		11/21/2001	18		Albany Street	Roof top					Ambient Air	1 hour		20.79 ug/m3		
		PM 10		NYSDEC		11/21/2001	19		Albany Street	Roof top					Ambient Air	1 hour		18.61 ug/m3		
		PM 10		NYSDEC		11/21/2001	20		Albany Street	Roof top					Ambient Air	1 hour		17.82 ug/m3		
		PM 10		NYSDEC		11/21/2001	21		Albany Street	Roof top					Ambient Air	1 hour		18.05 ug/m3		
		PM 10		NYSDEC		11/21/2001	22		Albany Street	Roof top					Ambient Air	1 hour		19.9 ug/m3		
		PM 10		NYSDEC		11/21/2001	23		Albany Street	Roof top					Ambient Air	1 hour		18.89 ug/m3		
									Albany Street Daily Average	Roof top					Ambient Air	24 hours/ave				
																		18.44		
		PM 10		NYSDEC		11/22/2001	0		Albany Street	Roof top					Ambient Air	1 hour		15.98 ug/m3		
		PM 10		NYSDEC		11/22/2001	1		Albany Street	Roof top					Ambient Air	1 hour		18.43 ug/m3		
		PM 10		NYSDEC		11/22/2001	2		Albany Street	Roof top					Ambient Air	1 hour		19.53 ug/m3		
		PM 10		NYSDEC		11/22/2001	3		Albany Street	Roof top					Ambient Air	1 hour		19.06 ug/m3		
		PM 10		NYSDEC		11/22/2001	4		Albany Street	Roof top					Ambient Air	1 hour		18.14 ug/m3		
		PM 10		NYSDEC		11/22/2001	5		Albany Street	Roof top					Ambient Air	1 hour		19.31 ug/m3		
		PM 10		NYSDEC		11/22/2001	6		Albany Street	Roof top					Ambient Air	1 hour		19.35 ug/m3		
		PM 10		NYSDEC		11/22/2001	7		Albany Street	Roof top					Ambient Air	1 hour		20.58 ug/m3		
		PM 10		NYSDEC		11/22/2001	8		Albany Street	Roof top					Ambient Air	1 hour		19.8 ug/m3		
		PM 10		NYSDEC		11/22/2001	9		Albany Street	Roof top					Ambient Air	1 hour		21.6 ug/m3		
		PM 10		NYSDEC		11/22/2001	10		Albany Street	Roof top					Ambient Air	1 hour		21.4 ug/m3		
		PM 10		NYSDEC		11/22/2001	11		Albany Street	Roof top					Ambient Air	1 hour		18.01 ug/m3		
		PM 10		NYSDEC		11/22/2001	12		Albany Street	Roof top					Ambient Air	1 hour		18.72 ug/m3		
		PM 10		NYSDEC		11/22/2001	13		Albany Street	Roof top					Ambient Air	1 hour		20.28 ug/m3		
		PM 10		NYSDEC		11/22/2001	14		Albany Street	Roof top					Ambient Air	1 hour		21.97 ug/m3		
		PM 10		NYSDEC		11/22/2001	15		Albany Street	Roof top					Ambient Air	1 hour		22.94 ug/m3		
		PM 10		NYSDEC		11/22/2001	16		Albany Street	Roof top					Ambient Air	1 hour		23.96 ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032850

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 12 of 32

NYC-WTC_000196220

DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 13 of 32

UNIQUE_DOCUMENT_ID ID	SAMPLE_ID	ANALYTE	SUB ANALYTE	AGENCY	LAB	DATE_SAMPLED	START TIME ME_SAMP LED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING FLOOR	1. NORTH SOUTH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	3. EAST WEST STREET	4. EAST WEST STREET	TEST_METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS METHOD
		PM 10		NYSDEC		11/24/2001			Albany Street Daily	Roof top					Ambient Air	24 hours ave			ug/m3	
									Average									50.47		
25		PM 10		NYSDEC		11/25/2001	0		Albany Street	Roof top					Ambient Air	1 hour		5.65 ug/m3		
		PM 10		NYSDEC		11/25/2001	1		Albany Street	Roof top					Ambient Air	1 hour		10.93 ug/m3		
		PM 10		NYSDEC		11/25/2001	2		Albany Street	Roof top					Ambient Air	1 hour		11.63 ug/m3		
		PM 10		NYSDEC		11/25/2001	3		Albany Street	Roof top					Ambient Air	1 hour		14.56 ug/m3		
		PM 10		NYSDEC		11/25/2001	4		Albany Street	Roof top					Ambient Air	1 hour		10.97 ug/m3		
		PM 10		NYSDEC		11/25/2001	5		Albany Street	Roof top					Ambient Air	1 hour		12.42 ug/m3		
		PM 10		NYSDEC		11/25/2001	6		Albany Street	Roof top					Ambient Air	1 hour		12.27 ug/m3		
		PM 10		NYSDEC		11/25/2001	7		Albany Street	Roof top					Ambient Air	1 hour		11.95 ug/m3		
		PM 10		NYSDEC		11/25/2001	8		Albany Street	Roof top					Ambient Air	1 hour		13.6 ug/m3		
		PM 10		NYSDEC		11/25/2001	9		Albany Street	Roof top					Ambient Air	1 hour		9.33 ug/m3		
		PM 10		NYSDEC		11/25/2001	10		Albany Street	Roof top					Ambient Air	1 hour		10.84 ug/m3		
		PM 10		NYSDEC		11/25/2001	11		Albany Street	Roof top					Ambient Air	1 hour		9.68 ug/m3		
		PM 10		NYSDEC		11/25/2001	12		Albany Street	Roof top					Ambient Air	1 hour		9.82 ug/m3		
		PM 10		NYSDEC		11/25/2001	13		Albany Street	Roof top					Ambient Air	1 hour		12.84 ug/m3		
		PM 10		NYSDEC		11/25/2001	14		Albany Street	Roof top					Ambient Air	1 hour		11.09 ug/m3		
		PM 10		NYSDEC		11/25/2001	15		Albany Street	Roof top					Ambient Air	1 hour		11.52 ug/m3		
		PM 10		NYSDEC		11/25/2001	16		Albany Street	Roof top					Ambient Air	1 hour		16.36 ug/m3		
		PM 10		NYSDEC		11/25/2001	17		Albany Street	Roof top					Ambient Air	1 hour		19.64 ug/m3		
		PM 10		NYSDEC		11/25/2001	18		Albany Street	Roof top					Ambient Air	1 hour		21.06 ug/m3		
		PM 10		NYSDEC		11/25/2001	19		Albany Street	Roof top					Ambient Air	1 hour		6.28 ug/m3		
		PM 10		NYSDEC		11/25/2001	20		Albany Street	Roof top					Ambient Air	1 hour		18.32 ug/m3		
		PM 10		NYSDEC		11/25/2001	21		Albany Street	Roof top					Ambient Air	1 hour		33.77 ug/m3		
		PM 10		NYSDEC		11/25/2001	22		Albany Street	Roof top					Ambient Air	1 hour		24.42 ug/m3		
		PM 10		NYSDEC		11/25/2001	23		Albany Street	Roof top					Ambient Air	1 hour		14.36 ug/m3		
									Albany Street Daily	Roof top					Ambient Air	24 hours ave			ug/m3	
									Average									13.89		
25		PM 10		NYSDEC		11/26/2001	0		Albany Street	Roof top					Ambient Air	1 hour		6.74 ug/m3		
		PM 10		NYSDEC		11/26/2001	1		Albany Street	Roof top					Ambient Air	1 hour		7.85 ug/m3		
		PM 10		NYSDEC		11/26/2001	2		Albany Street	Roof top					Ambient Air	1 hour		7.91 ug/m3		
		PM 10		NYSDEC		11/26/2001	3		Albany Street	Roof top					Ambient Air	1 hour		5.77 ug/m3		
		PM 10		NYSDEC		11/26/2001	4		Albany Street	Roof top					Ambient Air	1 hour		7.39 ug/m3		
		PM 10		NYSDEC		11/26/2001	5		Albany Street	Roof top					Ambient Air	1 hour		3.76 ug/m3		
		PM 10		NYSDEC		11/26/2001	6		Albany Street	Roof top					Ambient Air	1 hour		7.64 ug/m3		
		PM 10		NYSDEC		11/26/2001	7		Albany Street	Roof top					Ambient Air	1 hour		16.53 ug/m3		
		PM 10		NYSDEC		11/26/2001	8		Albany Street	Roof top					Ambient Air	1 hour		24.67 ug/m3		
		PM 10		NYSDEC		11/26/2001	9		Albany Street	Roof top					Ambient Air	1 hour		23.95 ug/m3		
		PM 10		NYSDEC		11/26/2001	10		Albany Street	Roof top					Ambient Air	1 hour		26.72 ug/m3		
		PM 10		NYSDEC		11/26/2001	11		Albany Street	Roof top					Ambient Air	1 hour		16.73 ug/m3		
		PM 10		NYSDEC		11/26/2001	12		Albany Street	Roof top					Ambient Air	1 hour		10.72 ug/m3		
		PM 10		NYSDEC		11/26/2001	13		Albany Street	Roof top					Ambient Air	1 hour		18.4 ug/m3		
		PM 10		NYSDEC		11/26/2001	14		Albany Street	Roof top					Ambient Air	1 hour		19.29 ug/m3		
		PM 10		NYSDEC		11/26/2001	15		Albany Street	Roof top					Ambient Air	1 hour		20.8 ug/m3		
		PM 10		NYSDEC		11/26/2001	16		Albany Street	Roof top					Ambient Air	1 hour		24.22 ug/m3		
		PM 10		NYSDEC		11/26/2001	17		Albany Street	Roof top					Ambient Air	1 hour		29.69 ug/m3		
		PM 10		NYSDEC		11/26/2001	18		Albany Street	Roof top					Ambient Air	1 hour		24.23 ug/m3		
		PM 10		NYSDEC		11/26/2001	19		Albany Street	Roof top					Ambient Air	1 hour		27.05 ug/m3		
		PM 10		NYSDEC		11/26/2001	20		Albany Street	Roof top					Ambient Air	1 hour		28.73 ug/m3		
		PM 10		NYSDEC		11/26/2001	21		Albany Street	Roof top					Ambient Air	1 hour		21.77 ug/m3		
		PM 10		NYSDEC		11/26/2001	22		Albany Street	Roof top					Ambient Air	1 hour		13.68 ug/m3		
		PM 10		NYSDEC		11/26/2001	23		Albany Street	Roof top					Ambient Air	1 hour		20.06 ug/m3		
									Albany Street Daily	Roof top					Ambient Air	24 hours ave			ug/m3	
									Average									17.30		
25		PM 10		NYSDEC		11/27/2001	0		Albany Street	Roof top					Ambient Air	1 hour		13.78 ug/m3		
		PM 10		NYSDEC		11/27/2001	1		Albany Street	Roof top					Ambient Air	1 hour		16.02 ug/m3		
		PM 10		NYSDEC		11/27/2001	2		Albany Street	Roof top					Ambient Air	1 hour		14.08 ug/m3		
		PM 10		NYSDEC		11/27/2001	3		Albany Street	Roof top					Ambient Air	1 hour		15.88 ug/m3		
		PM 10		NYSDEC		11/27/2001	4		Albany Street	Roof top					Ambient Air	1 hour		13.95 ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032852

DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 14 of 32

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1_NORTH_SOUTH_STREET_OR_AVENUE	2_NORTH_SOUTH_STREET_OR_AVENUE	1_EAST_WEST_STREET	2_EAST_WEST_STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE_DETECTION_LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS METHOD
		PM 10		NYSDEC		11/27/2001		5	Albany Street	Roof top					Ambient Air	1 hour		11.11 ug/m3		
		PM 10		NYSDEC		11/27/2001		6	Albany Street	Roof top					Ambient Air	1 hour		16.16 ug/m3		
		PM 10		NYSDEC		11/27/2001		7	Albany Street	Roof top					Ambient Air	1 hour		22.38 ug/m3		
		PM 10		NYSDEC		11/27/2001		8	Albany Street	Roof top					Ambient Air	1 hour		21.35 ug/m3		
		PM 10		NYSDEC		11/27/2001		9	Albany Street	Roof top					Ambient Air	1 hour		25.01 ug/m3		
		PM 10		NYSDEC		11/27/2001		10	Albany Street	Roof top					Ambient Air	1 hour		28.9 ug/m3		
		PM 10		NYSDEC		11/27/2001		11	Albany Street	Roof top					Ambient Air	1 hour		21.45 ug/m3		
		PM 10		NYSDEC		11/27/2001		12	Albany Street	Roof top					Ambient Air	1 hour		30.64 ug/m3		
		PM 10		NYSDEC		11/27/2001		13	Albany Street	Roof top					Ambient Air	1 hour		31.37 ug/m3		
		PM 10		NYSDEC		11/27/2001		14	Albany Street	Roof top					Ambient Air	1 hour		29.94 ug/m3		
		PM 10		NYSDEC		11/27/2001		15	Albany Street	Roof top					Ambient Air	1 hour		29.35 ug/m3		
		PM 10		NYSDEC		11/27/2001		16	Albany Street	Roof top					Ambient Air	1 hour		32.11 ug/m3		
		PM 10		NYSDEC		11/27/2001		17	Albany Street	Roof top					Ambient Air	1 hour		31.43 ug/m3		
		PM 10		NYSDEC		11/27/2001		18	Albany Street	Roof top					Ambient Air	1 hour		26.62 ug/m3		
		PM 10		NYSDEC		11/27/2001		19	Albany Street	Roof top					Ambient Air	1 hour		28.31 ug/m3		
		PM 10		NYSDEC		11/27/2001		20	Albany Street	Roof top					Ambient Air	1 hour		27.05 ug/m3		
		PM 10		NYSDEC		11/27/2001		21	Albany Street	Roof top					Ambient Air	1 hour		24.56 ug/m3		
		PM 10		NYSDEC		11/27/2001		22	Albany Street	Roof top					Ambient Air	1 hour		20.75 ug/m3		
		PM 10		NYSDEC		11/27/2001		23	Albany Street	Roof top					Ambient Air	1 hour		23.36 ug/m3		
						11/27/2001			Albany Street Daily Average	Roof top					Ambient Air	24 hour/ave		23.15	ug/m3	
25		PM 10		NYSDEC		11/28/2001		0	Albany Street	Roof top					Ambient Air	1 hour		23.87 ug/m3		
		PM 10		NYSDEC		11/28/2001		1	Albany Street	Roof top					Ambient Air	1 hour		25.4 ug/m3		
		PM 10		NYSDEC		11/28/2001		2	Albany Street	Roof top					Ambient Air	1 hour		29.96 ug/m3		
		PM 10		NYSDEC		11/28/2001		3	Albany Street	Roof top					Ambient Air	1 hour		31.16 ug/m3		
		PM 10		NYSDEC		11/28/2001		4	Albany Street	Roof top					Ambient Air	1 hour		31.11 ug/m3		
		PM 10		NYSDEC		11/28/2001		5	Albany Street	Roof top					Ambient Air	1 hour		31.97 ug/m3		
		PM 10		NYSDEC		11/28/2001		6	Albany Street	Roof top					Ambient Air	1 hour		37.28 ug/m3		
		PM 10		NYSDEC		11/28/2001		7	Albany Street	Roof top					Ambient Air	1 hour		42.56 ug/m3		
		PM 10		NYSDEC		11/28/2001		8	Albany Street	Roof top					Ambient Air	1 hour		32.42 ug/m3		
		PM 10		NYSDEC		11/28/2001		9	Albany Street	Roof top					Ambient Air	1 hour		32.24 ug/m3		
		PM 10		NYSDEC		11/28/2001		10	Albany Street	Roof top					Ambient Air	1 hour		25.82 ug/m3		
		PM 10		NYSDEC		11/28/2001		11	Albany Street	Roof top					Ambient Air	1 hour		8.02 ug/m3		
		PM 10		NYSDEC		11/28/2001		12	Albany Street	Roof top					Ambient Air	1 hour		23.98 ug/m3		
		PM 10		NYSDEC		11/28/2001		13	Albany Street	Roof top					Ambient Air	1 hour		17.76 ug/m3		
		PM 10		NYSDEC		11/28/2001		14	Albany Street	Roof top					Ambient Air	1 hour		35.72 ug/m3		
		PM 10		NYSDEC		11/28/2001		15	Albany Street	Roof top					Ambient Air	1 hour		34.88 ug/m3		
		PM 10		NYSDEC		11/28/2001		16	Albany Street	Roof top					Ambient Air	1 hour		53.32 ug/m3		
		PM 10		NYSDEC		11/28/2001		17	Albany Street	Roof top					Ambient Air	1 hour		40.41 ug/m3		
		PM 10		NYSDEC		11/28/2001		18	Albany Street	Roof top					Ambient Air	1 hour		45.45 ug/m3		
		PM 10		NYSDEC		11/28/2001		19	Albany Street	Roof top					Ambient Air	1 hour		08.6 ug/m3		
		PM 10		NYSDEC		11/28/2001		20	Albany Street	Roof top					Ambient Air	1 hour		55.76 ug/m3		
		PM 10		NYSDEC		11/28/2001		21	Albany Street	Roof top					Ambient Air	1 hour		52.24 ug/m3		
		PM 10		NYSDEC		11/28/2001		22	Albany Street	Roof top					Ambient Air	1 hour		71.24 ug/m3		
		PM 10		NYSDEC		11/28/2001		23	Albany Street	Roof top					Ambient Air	1 hour				
						11/28/2001			Albany Street Daily Average	Roof top					Ambient Air	24 hour/ave		38.31	ug/m3	
25		PM 10		NYSDEC		11/29/2001		0	Albany Street	Roof top					Ambient Air	1 hour		49.43 ug/m3		
		PM 10		NYSDEC		11/29/2001		1	Albany Street	Roof top					Ambient Air	1 hour		65.58 ug/m3		
		PM 10		NYSDEC		11/29/2001		2	Albany Street	Roof top					Ambient Air	1 hour		70.41 ug/m3		
		PM 10		NYSDEC		11/29/2001		3	Albany Street	Roof top					Ambient Air	1 hour		51.6 ug/m3		
		PM 10		NYSDEC		11/29/2001		4	Albany Street	Roof top					Ambient Air	1 hour		72.4 ug/m3		
		PM 10		NYSDEC		11/29/2001		5	Albany Street	Roof top					Ambient Air	1 hour		42.1 ug/m3		
		PM 10		NYSDEC		11/29/2001		6	Albany Street	Roof top					Ambient Air	1 hour		73.13 ug/m3		
		PM 10		NYSDEC		11/29/2001		7	Albany Street	Roof top					Ambient Air	1 hour		32.33 ug/m3		
		PM 10		NYSDEC		11/29/2001		8	Albany Street	Roof top					Ambient Air	1 hour		32.68 ug/m3		
		PM 10		NYSDEC		11/29/2001		9	Albany Street	Roof top					Ambient Air	1 hour		40.9 ug/m3		
		PM 10		NYSDEC		11/29/2001		10	Albany Street	Roof top					Ambient Air	1 hour		45.15 ug/m3		
		PM 10		NYSDEC		11/29/2001		11	Albany Street	Roof top					Ambient Air	1 hour		66.91 ug/m3		
		PM 10		NYSDEC		11/29/2001		12	Albany Street	Roof top					Ambient Air	1 hour		33.02 ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032853

- DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 15 of 32

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START TIME, SAMPLED	COUNTY	SITE_NAME OR ADDRESS	BUILDING FLOOR	1 NORTH SOUTH STREET OR AVENUE	2 NORTH SOUTH STREET OR AVENUE	1 EAST WEST STREET	2 EAST WEST STREET	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS METHOD
		PM 10		NYSDEC		1/29/2001	13		Albany Street	Roof top					Ambient Air	1 hour		49.45 ug/m3		
		PM 10		NYSDEC		1/29/2001	14		Albany Street	Roof top					Ambient Air	1 hour		42.72 ug/m3		
		PM 10		NYSDEC		1/29/2001	15		Albany Street	Roof top					Ambient Air	1 hour		43.97 ug/m3		
		PM 10		NYSDEC		1/29/2001	16		Albany Street	Roof top					Ambient Air	1 hour		72.82 ug/m3		
		PM 10		NYSDEC		1/29/2001	17		Albany Street	Roof top					Ambient Air	1 hour		61.07 ug/m3		
		PM 10		NYSDEC		1/29/2001	18		Albany Street	Roof top					Ambient Air	1 hour		96.36 ug/m3		
		PM 10		NYSDEC		1/29/2001	19		Albany Street	Roof top					Ambient Air	1 hour		35.22 ug/m3		
		PM 10		NYSDEC		1/29/2001	20		Albany Street	Roof top					Ambient Air	1 hour		39.94 ug/m3		
		PM 10		NYSDEC		1/29/2001	21		Albany Street	Roof top					Ambient Air	1 hour		26.36 ug/m3		
		PM 10		NYSDEC		1/29/2001	22		Albany Street	Roof top					Ambient Air	1 hour		47.04 ug/m3		
		PM 10		NYSDEC		1/29/2001	23		Albany Street	Roof top					Ambient Air	1 hour		30.97 ug/m3		
		PM 10		NYSDEC		1/29/2001			Albany Street Daily Average	Roof top					Ambient Air	24 hours/ave				
																				50.53
25		PM 10		NYSDEC		1/30/2001	0		Albany Street	Roof top					Ambient Air	1 hour		13.44 ug/m3		
		PM 10		NYSDEC		1/30/2001	1		Albany Street	Roof top					Ambient Air	1 hour		13.22 ug/m3		
		PM 10		NYSDEC		1/30/2001	2		Albany Street	Roof top					Ambient Air	1 hour		12.17 ug/m3		
		PM 10		NYSDEC		1/30/2001	3		Albany Street	Roof top					Ambient Air	1 hour		37.06 ug/m3		
		PM 10		NYSDEC		1/30/2001	4		Albany Street	Roof top					Ambient Air	1 hour		111.08 ug/m3		
		PM 10		NYSDEC		1/30/2001	5		Albany Street	Roof top					Ambient Air	1 hour		105.22 ug/m3		
		PM 10		NYSDEC		1/30/2001	6		Albany Street	Roof top					Ambient Air	1 hour		37.79 ug/m3		
		PM 10		NYSDEC		1/30/2001	7		Albany Street	Roof top					Ambient Air	1 hour		13.99 ug/m3		
		PM 10		NYSDEC		1/30/2001	8		Albany Street	Roof top					Ambient Air	1 hour		14.75 ug/m3		
		PM 10		NYSDEC		1/30/2001	9		Albany Street	Roof top					Ambient Air	1 hour		18.64 ug/m3		
		PM 10		NYSDEC		1/30/2001	10		Albany Street	Roof top					Ambient Air	1 hour		19.34 ug/m3		
		PM 10		NYSDEC		1/30/2001	11		Albany Street	Roof top					Ambient Air	1 hour		22.10 ug/m3		
		PM 10		NYSDEC		1/30/2001	12		Albany Street	Roof top					Ambient Air	1 hour		30.04 ug/m3		
		PM 10		NYSDEC		1/30/2001	13		Albany Street	Roof top					Ambient Air	1 hour		37.58 ug/m3		
		PM 10		NYSDEC		1/30/2001	14		Albany Street	Roof top					Ambient Air	1 hour		32.08 ug/m3		
		PM 10		NYSDEC		1/30/2001	15		Albany Street	Roof top					Ambient Air	1 hour		29.55 ug/m3		
		PM 10		NYSDEC		1/30/2001	16		Albany Street	Roof top					Ambient Air	1 hour		27.62 ug/m3		
		PM 10		NYSDEC		1/30/2001	17		Albany Street	Roof top					Ambient Air	1 hour		23.1 ug/m3		
		PM 10		NYSDEC		1/30/2001	18		Albany Street	Roof top					Ambient Air	1 hour		22.62 ug/m3		
		PM 10		NYSDEC		1/30/2001	19		Albany Street	Roof top					Ambient Air	1 hour		22.19 ug/m3		
		PM 10		NYSDEC		1/30/2001	20		Albany Street	Roof top					Ambient Air	1 hour		23.21 ug/m3		
		PM 10		NYSDEC		1/30/2001	21		Albany Street	Roof top					Ambient Air	1 hour		22.21 ug/m3		
		PM 10		NYSDEC		1/30/2001	22		Albany Street	Roof top					Ambient Air	1 hour		23.2 ug/m3		
		PM 10		NYSDEC		1/30/2001	23		Albany Street	Roof top					Ambient Air	1 hour		21.44 ug/m3		
		PM 10		NYSDEC		1/30/2001			Albany Street Daily Average	Roof top					Ambient Air	24 hours/ave				
																				30.59
25		PM 10		NYSDEC		2/1/2001	0		Albany Street	Roof top					Ambient Air	1 hour		20.8 ug/m3		
		PM 10		NYSDEC		2/1/2001	1		Albany Street	Roof top					Ambient Air	1 hour		21.32 ug/m3		
		PM 10		NYSDEC		2/1/2001	2		Albany Street	Roof top					Ambient Air	1 hour		22.42 ug/m3		
		PM 10		NYSDEC		2/1/2001	3		Albany Street	Roof top					Ambient Air	1 hour		20.14 ug/m3		
		PM 10		NYSDEC		2/1/2001	4		Albany Street	Roof top					Ambient Air	1 hour		20.11 ug/m3		
		PM 10		NYSDEC		2/1/2001	5		Albany Street	Roof top					Ambient Air	1 hour		21.24 ug/m3		
		PM 10		NYSDEC		2/1/2001	6		Albany Street	Roof top					Ambient Air	1 hour		24.05 ug/m3		
		PM 10		NYSDEC		2/1/2001	7		Albany Street	Roof top					Ambient Air	1 hour		23.65 ug/m3		
		PM 10		NYSDEC		2/1/2001	8		Albany Street	Roof top					Ambient Air	1 hour		26.56 ug/m3		
		PM 10		NYSDEC		2/1/2001	9		Albany Street	Roof top					Ambient Air	1 hour		17.02 ug/m3		
		PM 10		NYSDEC		2/1/2001	10		Albany Street	Roof top					Ambient Air	1 hour		10.71 ug/m3		
		PM 10		NYSDEC		2/1/2001	11		Albany Street	Roof top					Ambient Air	1 hour		8.89 ug/m3		
		PM 10		NYSDEC		2/1/2001	12		Albany Street	Roof top					Ambient Air	1 hour		13.33 ug/m3		
		PM 10		NYSDEC		2/1/2001	13		Albany Street	Roof top					Ambient Air	1 hour		13.95 ug/m3		
		PM 10		NYSDEC		2/1/2001	14		Albany Street	Roof top					Ambient Air	1 hour		15.3 ug/m3		
		PM 10		NYSDEC		2/1/2001	15		Albany Street	Roof top					Ambient Air	1 hour		17.86 ug/m3		
		PM 10		NYSDEC		2/1/2001	16		Albany Street	Roof top					Ambient Air	1 hour		19.34 ug/m3		
		PM 10		NYSDEC		2/1/2001	17		Albany Street	Roof top					Ambient Air	1 hour		17.62 ug/m3		
		PM 10		NYSDEC		2/1/2001	18		Albany Street	Roof top					Ambient Air	1 hour		29.87 ug/m3		
		PM 10		NYSDEC		2/1/2001	19		Albany Street	Roof top					Ambient Air	1 hour		32.25 ug/m3		
		PM 10		NYSDEC		2/1/2001	20		Albany Street	Roof top					Ambient Air	1 hour		23.76 ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032854

DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 16 of 32

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1_NORTH_10TH_STREET_OR_AVENUE	2_NORTH_10TH_STREET_OR_AVENUE	3_NORTH_10TH_STREET_OR_AVENUE	4_NORTH_10TH_STREET_OR_AVENUE	5_NORTH_10TH_STREET_OR_AVENUE	6_NORTH_10TH_STREET_OR_AVENUE	7_NORTH_10TH_STREET_OR_AVENUE	8_NORTH_10TH_STREET_OR_AVENUE	9_NORTH_10TH_STREET_OR_AVENUE	10_NORTH_10TH_STREET_OR_AVENUE	11_NORTH_10TH_STREET_OR_AVENUE	12_NORTH_10TH_STREET_OR_AVENUE	13_NORTH_10TH_STREET_OR_AVENUE	14_NORTH_10TH_STREET_OR_AVENUE	15_NORTH_10TH_STREET_OR_AVENUE	16_NORTH_10TH_STREET_OR_AVENUE	17_NORTH_10TH_STREET_OR_AVENUE	18_NORTH_10TH_STREET_OR_AVENUE	19_NORTH_10TH_STREET_OR_AVENUE	20_NORTH_10TH_STREET_OR_AVENUE	21_NORTH_10TH_STREET_OR_AVENUE	22_NORTH_10TH_STREET_OR_AVENUE	23_NORTH_10TH_STREET_OR_AVENUE	TEST_MEDIUM	SAMPLE_DURATION	CODE_DETECTION_LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_METHOD		
	PM 10			NYSDEC		12/1/2001	21		Albany Street	Roof top																										Ambient Air	1 hour		19.79 ug/m3		
	PM 10			NYSDEC		12/1/2001	22		Albany Street	Roof top																										Ambient Air	1 hour		20.9 ug/m3		
	PM 10			NYSDEC		12/1/2001	23		Albany Street	Roof top																										Ambient Air	1 hour		17.42 ug/m3		
	PM 10			NYSDEC		12/1/2001			Albany Street Daily Average	Roof top																										Ambient Air	24 hours/ave		19.93 ug/m3		
25	PM 10			NYSDEC		12/2/2001	0		Albany Street	Roof top																										Ambient Air	1 hour		24.25 ug/m3		
	PM 10			NYSDEC		12/2/2001	1		Albany Street	Roof top																										Ambient Air	1 hour		21.94 ug/m3		
	PM 10			NYSDEC		12/2/2001	2		Albany Street	Roof top																										Ambient Air	1 hour		32.52 ug/m3		
	PM 10			NYSDEC		12/2/2001	3		Albany Street	Roof top																										Ambient Air	1 hour		18.29 ug/m3		
	PM 10			NYSDEC		12/2/2001	4		Albany Street	Roof top																										Ambient Air	1 hour		15.19 ug/m3		
	PM 10			NYSDEC		12/2/2001	5		Albany Street	Roof top																										Ambient Air	1 hour		11.33 ug/m3		
	PM 10			NYSDEC		12/2/2001	6		Albany Street	Roof top																										Ambient Air	1 hour		36.24 ug/m3		
	PM 10			NYSDEC		12/2/2001	7		Albany Street	Roof top																										Ambient Air	1 hour		10.21 ug/m3		
	PM 10			NYSDEC		12/2/2001	8		Albany Street	Roof top																										Ambient Air	1 hour		13.73 ug/m3		
	PM 10			NYSDEC		12/2/2001	9		Albany Street	Roof top																										Ambient Air	1 hour		15.63 ug/m3		
	PM 10			NYSDEC		12/2/2001	10		Albany Street	Roof top																										Ambient Air	1 hour		13.52 ug/m3		
	PM 10			NYSDEC		12/2/2001	11		Albany Street	Roof top																										Ambient Air	1 hour		13.63 ug/m3		
	PM 10			NYSDEC		12/2/2001	12		Albany Street	Roof top																										Ambient Air	1 hour		13.86 ug/m3		
	PM 10			NYSDEC		12/2/2001	13		Albany Street	Roof top																										Ambient Air	1 hour		13.68 ug/m3		
	PM 10			NYSDEC		12/2/2001	14		Albany Street	Roof top																										Ambient Air	1 hour		17.2 ug/m3		
	PM 10			NYSDEC		12/2/2001	15		Albany Street	Roof top																										Ambient Air	1 hour		25.3 ug/m3		
	PM 10			NYSDEC		12/2/2001	16		Albany Street	Roof top																										Ambient Air	1 hour		20.13 ug/m3		
	PM 10			NYSDEC		12/2/2001	17		Albany Street	Roof top																										Ambient Air	1 hour		18.24 ug/m3		
	PM 10			NYSDEC		12/2/2001	18		Albany Street	Roof top																										Ambient Air	1 hour		21.13 ug/m3		
	PM 10			NYSDEC		12/2/2001	19		Albany Street	Roof top																										Ambient Air	1 hour		21.32 ug/m3		
	PM 10			NYSDEC		12/2/2001	20		Albany Street	Roof top																										Ambient Air	1 hour		24.48 ug/m3		
	PM 10			NYSDEC		12/2/2001	21		Albany Street	Roof top																										Ambient Air	1 hour		17.37 ug/m3		
	PM 10			NYSDEC		12/2/2001	22		Albany Street	Roof top																										Ambient Air	1 hour		16.38 ug/m3		
	PM 10			NYSDEC		12/2/2001	23		Albany Street	Roof top																										Ambient Air	1 hour		15.59 ug/m3		
	PM 10			NYSDEC		12/2/2001			Albany Street Daily Average	Roof top																										Ambient Air	24 hours/ave		18.76 ug/m3		
25	PM 10			NYSDEC		12/3/2001	0		Albany Street	Roof top																										Ambient Air	1 hour		18.02 ug/m3		
	PM 10			NYSDEC		12/3/2001	1		Albany Street	Roof top																										Ambient Air	1 hour		15.52 ug/m3		
	PM 10			NYSDEC		12/3/2001	2		Albany Street	Roof top																										Ambient Air	1 hour		20.21 ug/m3		
	PM 10			NYSDEC		12/3/2001	3		Albany Street	Roof top																										Ambient Air	1 hour		20.87 ug/m3		
	PM 10			NYSDEC		12/3/2001	4		Albany Street	Roof top																										Ambient Air	1 hour		22.75 ug/m3		
	PM 10			NYSDEC		12/3/2001	5		Albany Street	Roof top																										Ambient Air	1 hour		24.35 ug/m3		
	PM 10			NYSDEC		12/3/2001	6		Albany Street	Roof top																										Ambient Air	1 hour		32.57 ug/m3		
	PM 10			NYSDEC		12/3/2001	7		Albany Street	Roof top																										Ambient Air	1 hour		49.73 ug/m3		
	PM 10			NYSDEC		12/3/2001	8		Albany Street	Roof top																										Ambient Air	1 hour		44.89 ug/m3		
	PM 10			NYSDEC		12/3/2001	9		Albany Street	Roof top																										Ambient Air	1 hour		52.84 ug/m3		
	PM 10			NYSDEC		12/3/2001	10		Albany Street	Roof top																										Ambient Air	1 hour		64.84 ug/m3		
	PM 10			NYSDEC		12/3/2001	11		Albany Street	Roof top																										Ambient Air	1 hour		ug/m3		
	PM 10			NYSDEC		12/3/2001	12		Albany Street	Roof top																										Ambient Air	1 hour		ug/m3		
	PM 10			NYSDEC		12/3/2001	13		Albany Street	Roof top																										Ambient Air	1 hour		ug/m3		
	PM 10			NYSDEC		12/3/2001	14		Albany Street	Roof top																										Ambient Air	1 hour		ug/m3		
	PM 10			NYSDEC		12/3/2001	15		Albany Street	Roof top																										Ambient Air	1 hour		ug/m3		
	PM 10			NYSDEC		12/3/2001	16		Albany Street	Roof top																										Ambient Air	1 hour		ug/m3		
	PM 10			NYSDEC		12/3/2001	17		Albany Street	Roof top																										Ambient Air	1 hour		ug/m3		
	PM 10			NYSDEC		12/3/2001	18		Albany Street	Roof top																										Ambient Air	1 hour		ug/m3		
	PM 10			NYSDEC		12/3/2001	19		Albany Street	Roof top																										Ambient Air	1 hour		ug/m3		
	PM 10			NYSDEC		12/3/2001	20		Albany Street	Roof top																										Ambient Air	1 hour		ug/m3		
	PM 10			NYSDEC		12/3/2001	21		Albany Street	Roof top																										Ambient Air	1 hour		ug/m3		
	PM 10			NYSDEC		12/3/2001	22		Albany Street	Roof top																										Ambient Air	1 hour		ug/m3		
	PM 10			NYSDEC		12/3/2001	23		Albany Street	Roof top																										Ambient Air	1 hour		ug/m3		
	PM 10			NYSDEC		12/3/																																			

*DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 17 of 32

UNIQUE_TIME_STANDARD_ID	DATE_SAMPLED	COMMENTS	PAM_ACTIVITY	ZONE	StationID	CASRN	END_DATE	END_TIME	SOURCE	LATITUDE	LONGITUDE
24 Hr Avg	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001			Distant from zone	709322						
	10/26/2001	24 readings, Meets Standards		Distant from zone	709322						
24 Hr Avg	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001			Distant from zone	709322						
	10/27/2001	24 readings, Meets Standards		Distant from zone	709322						
	10/28/2001			Distant from zone	709322						
	10/28/2001			Distant from zone	709322						
	10/28/2001			Distant from zone	709322						
	10/28/2001			Distant from zone	709322						
	10/28/2001			Distant from zone	709322						
	10/28/2001			Distant from zone	709322						
	10/28/2001			Distant from zone	709322						
	10/28/2001			Distant from zone	709322						
	10/28/2001			Distant from zone	709322						
	10/28/2001			Distant from zone	709322						
	10/28/2001			Distant from zone	709322						
	10/28/2001			Distant from zone	709322						

CITY_DEP_WORBY_CANNATA_SUBP_000032856

- DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 18 of 32

UNIQUE_TIME_STANDARD ID	DATE_SAMPLED	COMMENTS	PAM_ACTIVITY	ZONE	Station/CASRN	END_DATE	END_TIME	SOURCE	LATITUDE	LONGITUDE
24 Hr Avg	10/28/2001			Distant from zone	709322					
	10/28/2001			Distant from zone	709322					
	10/28/2001			Distant from zone	709322					
	10/28/2001			Distant from zone	709322					
	10/28/2001			Distant from zone	709322					
	10/28/2001			Distant from zone	709322					
	10/28/2001			Distant from zone	709322					
	10/28/2001			Distant from zone	709322					
	10/28/2001			Distant from zone	709322					
	10/28/2001			Distant from zone	709322					
	10/28/2001			Distant from zone	709322					
	10/28/2001			Distant from zone	709322					
	10/28/2001	24 readings, Meets Standards		Distant from zone	709322					
	10/28/2001			Distant from zone	709322					
24 Hr Avg	10/29/2001			Distant from zone	709322					
	10/29/2001			Distant from zone	709322					
	10/29/2001			Distant from zone	709322					
	10/29/2001			Distant from zone	709322					
	10/29/2001			Distant from zone	709322					
	10/29/2001			Distant from zone	709322					
	10/29/2001			Distant from zone	709322					
	10/29/2001			Distant from zone	709322					
	10/29/2001			Distant from zone	709322					
	10/29/2001			Distant from zone	709322					
	10/29/2001			Distant from zone	709322					
	10/29/2001			Distant from zone	709322					
	10/29/2001			Distant from zone	709322					
	10/29/2001	24 readings, Meets Standards		Distant from zone	709322					
24 Hr Avg	10/30/2001			Distant from zone	709322					
	10/30/2001			Distant from zone	709322					
	10/30/2001			Distant from zone	709322					
	10/30/2001			Distant from zone	709322					
	10/30/2001			Distant from zone	709322					
	10/30/2001			Distant from zone	709322					
	10/30/2001			Distant from zone	709322					
	10/30/2001			Distant from zone	709322					
	10/30/2001			Distant from zone	709322					
	10/30/2001			Distant from zone	709322					
	10/30/2001			Distant from zone	709322					
	10/30/2001			Distant from zone	709322					
	10/30/2001			Distant from zone	709322					
	10/30/2001			Distant from zone	709322					

CITY_DEP_WORBY_CANNATA_SUBP_000032857

Inter-Agency Environmental Sampling Log

NYC-WTC_000196227

[illegible]

Inter-Agency Environmental Sampling Log

12/7/2001 Albany Street PM 10, Page: 20 of 32

NYC-WTC_000196228

DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 21 of 32

UNIQUE_TIME_STANDARD ID	DATE_SAMPLED	COMMENTS	PAM_ACTIVITY	ZONE	StationID	CASRN	END_DATE	END_TIME	SOURCE	LATITUDE	LONGITUDE
24 Hr Avg	11/6/2001			Distant from zone	709322						
	11/6/2001			Distant from zone	709322						
	11/6/2001			Distant from zone	709322						
	11/6/2001			Distant from zone	709322						
	11/6/2001			Distant from zone	709322						
	11/6/2001			Distant from zone	709322						
	11/6/2001			Distant from zone	709322						
	11/6/2001			Distant from zone	709322						
	11/6/2001			Distant from zone	709322						
	11/6/2001			Distant from zone	709322						
	11/6/2001	24 readings, Meets Standards		Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
24 Hr Avg	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001			Distant from zone	709322						
	11/7/2001	24 readings, Meets Standards		Distant from zone	709322						
25	11/8/2001			Distant from zone	709322						
	11/8/2001			Distant from zone	709322						
	11/8/2001			Distant from zone	709322						
	11/8/2001			Distant from zone	709322						
	11/8/2001			Distant from zone	709322						
	11/8/2001			Distant from zone	709322						
	11/8/2001			Distant from zone	709322						
	11/8/2001			Distant from zone	709322						
	11/8/2001			Distant from zone	709322						
	11/8/2001			Distant from zone	709322						
	11/8/2001			Distant from zone	709322						
	11/8/2001			Distant from zone	709322						
	11/8/2001			Distant from zone	709322						
	11/8/2001			Distant from zone	709322						
	11/8/2001			Distant from zone	709322						
	11/8/2001			Distant from zone	709322						
	11/8/2001			Distant from zone	709322						
	11/8/2001			Distant from zone	709322						
	11/8/2001			Distant from zone	709322						
	11/8/2001			Distant from zone	709322						

CITY_DEP_WORBY_CANNATA_SUBP_000032860

DRAFT

Inter-Agency Environmental Sampling Log

UNIQUE ID	TIME STANDARD	DATE SAMPLED	COMMENTS	PAM ACTIVITY	ZONE	StationID	CASRN	END DATE	END TIME	SOURCE	LATITUDE	LONGITUDE
24	24 Hr Avg	11/8/2001	24 readings, Meets Standards		Distant from zone	709322						
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
		11/9/2001			Distant from zone							
25	24 Hr Avg	11/9/2001	24 readings, Meets Standards		Distant from zone	709322						
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
		11/10/2001			Distant from zone							
25	24 Hr Avg	11/11/2001	24 readings, Meets Standards		Distant from zone	709322						
		11/11/2001			Distant from zone							
		11/11/2001			Distant from zone							
		11/11/2001			Distant from zone							

CITY_DEP_WORBY_CANNATA_SUBP_000032861

TRIAL VERSION

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 23 of 32

NYC-WTC_000196231

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 24 of 32

NYC-WTC_000196232

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 25 of 32

NYC-WTC_000196233

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 26 of 32

[illegible]

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 27 of 32

NYC-WTC_000196235

DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 28 of 32

UNIQUE_ID	TIME_STANDARD	DATE_SAMPLED	COMMENTS	PAM_ACTIVITY	ZONE	StationID	CASRN	END_DATE	END_TIME	SOURCE	LATITUDE	LONGITUDE
25	24 Hr Avg	11/22/2001	24 readings, Meets Standards		Distant from zone	709322						
		11/22/2001			Distant from zone	709322						
		11/22/2001			Distant from zone	709322						
		11/22/2001			Distant from zone	709322						
		11/22/2001			Distant from zone	709322						
		11/22/2001			Distant from zone	709322						
		11/22/2001			Distant from zone	709322						
		11/22/2001			Distant from zone	709322						
		11/22/2001			Distant from zone	709322						
		11/22/2001			Distant from zone	709322						
		11/22/2001			Distant from zone	709322						
		11/22/2001			Distant from zone	709322						
		11/22/2001			Distant from zone	709322						
25	24 Hr Avg	11/23/2001	24 readings, Meets Standards		Distant from zone	709322						
		11/23/2001			Distant from zone	709322						
		11/23/2001			Distant from zone	709322						
		11/23/2001			Distant from zone	709322						
		11/23/2001			Distant from zone	709322						
		11/23/2001			Distant from zone	709322						
		11/23/2001			Distant from zone	709322						
		11/23/2001			Distant from zone	709322						
		11/23/2001			Distant from zone	709322						
		11/23/2001			Distant from zone	709322						
		11/23/2001			Distant from zone	709322						
		11/23/2001			Distant from zone	709322						
		11/23/2001			Distant from zone	709322						
25	24 Hr Avg	11/24/2001	24 readings, Meets Standards		Distant from zone	709322						
		11/24/2001			Distant from zone	709322						
		11/24/2001			Distant from zone	709322						
		11/24/2001			Distant from zone	709322						
		11/24/2001			Distant from zone	709322						
		11/24/2001			Distant from zone	709322						
		11/24/2001			Distant from zone	709322						
		11/24/2001			Distant from zone	709322						
		11/24/2001			Distant from zone	709322						
		11/24/2001			Distant from zone	709322						
		11/24/2001			Distant from zone	709322						
		11/24/2001			Distant from zone	709322						
		11/24/2001			Distant from zone	709322						

CITY_DEP_WORBY_CANNATA_SUBP_000032867

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 29 of 32

NYC-WTC_000196237

DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001 Albany Street PM 10, Page: 30 of 32

UNIQUE_ID	TIME_STANDARD	DATE_SAMPLED	COMMENTS	PAM_ACTIVITY	ZONE	StationID	CASRN	END_DATE	END_TIME	SOURCE	LATITUDE	LONGITUDE
25	24 Hr Avg	11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
		11/27/2001			Distant from zone	709322						
25	24 Hr Avg	11/28/2001	24 readings, Meets Standards		Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
		11/28/2001			Distant from zone	709322						
25		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						

CITY_DEP_WORBY_CANNATA_SUBP_000032869

DRAFT

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page 31 of 32

UNIQUE ID	TIME STANDARD	DATE SAMPLED	COMMENTS	PAM ACTIVITY	ZONE	Station ID	CASRN	END DATE	END TIME	SOURCE	LATITUDE	LONGITUDE
25	24 Hr Avg	11/29/2001	24 readings, Meets Standards		Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
		11/29/2001			Distant from zone	709322						
25	24 Hr Avg	11/30/2001	24 readings, Meets Standards		Distant from zone	709322						
		11/30/2001			Distant from zone	709322						
		11/30/2001			Distant from zone	709322						
		11/30/2001			Distant from zone	709322						
		11/30/2001			Distant from zone	709322						
		11/30/2001			Distant from zone	709322						
		11/30/2001			Distant from zone	709322						
		11/30/2001			Distant from zone	709322						
		11/30/2001			Distant from zone	709322						
		11/30/2001			Distant from zone	709322						
		11/30/2001			Distant from zone	709322						
		11/30/2001			Distant from zone	709322						
		11/30/2001			Distant from zone	709322						
		11/30/2001			Distant from zone	709322						
		11/30/2001			Distant from zone	709322						
		11/30/2001			Distant from zone	709322						
25	24 Hr Avg	12/1/2001	24 readings, Meets Standards		Distant from zone	709322						
		12/1/2001			Distant from zone	709322						
		12/1/2001			Distant from zone	709322						
		12/1/2001			Distant from zone	709322						
		12/1/2001			Distant from zone	709322						
		12/1/2001			Distant from zone	709322						
		12/1/2001			Distant from zone	709322						
		12/1/2001			Distant from zone	709322						
		12/1/2001			Distant from zone	709322						
		12/1/2001			Distant from zone	709322						
		12/1/2001			Distant from zone	709322						
		12/1/2001			Distant from zone	709322						
		12/1/2001			Distant from zone	709322						
		12/1/2001			Distant from zone	709322						
		12/1/2001			Distant from zone	709322						
		12/1/2001			Distant from zone	709322						

CITY_DEP_WORBY_CANNATA_SUBP_000032870

TRIAL VERSION

Inter-Agency Environmental Sampling Log

12/7/2001, Albany Street PM 10, Page: 32 of 32

NYC-WTC_000196240