

DRAFT

Inter-Agency Environmental Sampling Log

12/5/2001, Iecm1201 addendum, Page: 1 of 6

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	JOB	DATE_SAMPLED	START_TIME	END_TIME	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING LOOK	1. NORTH DOOR OR AVENUE	2. NORTH DOOR OR AVENUE	1. EAST WEST CROSS STREET	2. EAST WEST CROSS STREET	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS METHOD	TIME STANDARD
		PM 2.5		NYSDEC		12/1/2001		0		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		16.4	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		1		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		17.25	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		2		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		19.42	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		3		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		20.1	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		4		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		18.81	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		5		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		21.41	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		6		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		24.75	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		7		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		18.28	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		8		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		25.23	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		9		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		24.99	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		10		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		18.43	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		11		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		12.3	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		12		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		10.09	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		13		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		13.09	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		14		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		15.89	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		15		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		14.49	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		16		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		17.96	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		17		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		11.63	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		18		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		11.89	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		19		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		12.97	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		20		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		12.99	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		21		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		13.36	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		22		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		14.01	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		23		Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		1 hour		14.29	ug/m3		
		PM 2.5		NYSDEC		12/1/2001				Park Row	Roof top	Frankfort	Spruce	Gold	Park Row		24 hour/ave		16.68	ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		12/1/2001		0		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		14.8	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		1		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		16.26	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		2		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		16.11	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		3		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		15.18	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		4		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		15.73	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		5		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		14.53	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		6		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		15.63	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		7		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		16.73	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		8		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		20.48	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		9		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		13.02	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		10		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		6.105	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		11		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		4.528	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		12		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		6.892	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		13		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		7.238	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		14		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		6.058	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		15		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		6.638	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		16		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		7.777	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		17		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		8.285	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		18		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		10.43	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		19		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		11.05	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		20		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		12.82	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		21		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		12.34	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		22		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		12.7	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		23		Coast Guard Battery Park	Roof top	West	None	S.I. Ferry	Battery Park		1 hour		12.9	ug/m3		
		PM 2.5		NYSDEC		12/1/2001				Coast Guard Battery Park Daily Average	Roof top	West	None	S.I. Ferry	Battery Park		24 hour/ave			ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		12/1/2001				Average									11.84	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		0		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		18.65	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		1		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		20.49	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		2		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		17.7	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		3		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		19.47	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		4		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		18.93	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		5		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		20.11	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		6		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		17.83	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		7		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		18.24	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		8		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		20.82	ug/m3		
		PM 2.5		NYSDEC		12/1/2001		9		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		16.61	ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032932

DRAFT

Inter-Agency Environmental Sampling Log

12/5/2001, tsom1201.addendum, Page: 2 of 6

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUR_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1.NORTH_SOUTH_STREET_OR_AVENUE	2.NORTH_SOUTH_STREET_OR_AVENUE	3.EAST_WEST_STREET	4.EAST_WEST_STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE_DETECTION_LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_METHOD	TIME_STANDARD
	PM 2.5			NYSDEC		12/1/2001	10		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		10.42	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	11		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		8.865	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	12		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		12.23	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	13		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		12.22	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	14		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		7.873	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	15		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		9.74	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	16		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		9.84	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	17		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		10.44	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	18		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		12.68	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	19		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		15.74	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	20		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		17.1	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	21		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		15.39	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	22		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		17.8	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	23		Manhattan Borough C.C.	Roof top	Harrison	Chambers	Greenwich	West		1 hour		16.64	ug/m3		
									Manhattan Borough C.C. Daily Average							24 hour/ave		15.22	ug/m3		24 Hr Avg
	PM 2.5			NYSDEC		12/1/2001	0		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		15.39	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	1		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		16.41	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	2		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		17.69	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	3		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		16.31	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	4		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		16.44	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	5		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		16.3	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	6		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		16.63	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	7		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		18.86	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	8		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		25.97	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	9		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		19.93	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	10		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		8.05	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	11		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		10.81	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	12		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		11.18	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	13		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		8.574	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	14		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		7.703	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	15		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		8.277	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	16		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		9.204	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	17		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		9.201	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	18		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		12.22	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	19		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		13.72	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	20		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		17.86	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	21		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		21.14	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	22		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		18.37	ug/m3		
	PM 2.5			NYSDEC		12/1/2001	23		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		23.32	ug/m3		
									Wall Street							24 hour/ave		14.98	ug/m3		24 Hr Avg
	PM 10			NYSDEC		12/1/2001	0		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		25.66	ug/m3		
	PM 10			NYSDEC		12/1/2001	1		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		26.17	ug/m3		
	PM 10			NYSDEC		12/1/2001	2		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		27.76	ug/m3		
	PM 10			NYSDEC		12/1/2001	3		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		25.38	ug/m3		
	PM 10			NYSDEC		12/1/2001	4		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		25.35	ug/m3		
	PM 10			NYSDEC		12/1/2001	5		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		24.99	ug/m3		
	PM 10			NYSDEC		12/1/2001	6		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		25.98	ug/m3		
	PM 10			NYSDEC		12/1/2001	7		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		30.38	ug/m3		
	PM 10			NYSDEC		12/1/2001	8		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		61.79	ug/m3		
	PM 10			NYSDEC		12/1/2001	9		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		43	ug/m3		
	PM 10			NYSDEC		12/1/2001	10		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		22.28	ug/m3		
	PM 10			NYSDEC		12/1/2001	11		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		32.53	ug/m3		
	PM 10			NYSDEC		12/1/2001	12		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		27.33	ug/m3		
	PM 10			NYSDEC		12/1/2001	13		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		24.35	ug/m3		
	PM 10			NYSDEC		12/1/2001	14		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		23.38	ug/m3		
	PM 10			NYSDEC		12/1/2001	15		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		23.7	ug/m3		
	PM 10			NYSDEC		12/1/2001	16		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		15.46	ug/m3		
	PM 10			NYSDEC		12/1/2001	17		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		17.08	ug/m3		
	PM 10			NYSDEC		12/1/2001	18		Wall Street	Roof top	Wall	Exchange	William	Broad		1 hour		17.94	ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032933

Inter-Agency Environmental Sampling Log

12/5/2001, team1201 addendum, Page 3 of 6

NYC-WTC_000196243

Inter-Agency Environmental Sampling Log

12/5/2001, team1201 addendum, Page 4 of 6

[illegible]

Inter-Agency Environmental Sampling Log

12/5/2001, team1201 addendum, Page: 5 of 6

NYC-WTC_000196245

Inter-Agency Environmental Sampling Log

12/5/2001, term1201 addendum, Page: 6 of 6

[illegible]