

DRAFT

Inter-Agency Environmental Sampling Log

12/5/2001, from1202a, Page: 1 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1 NORTH 50 UTM STREET OR AVENUE	2 NORTH 50 H STREET OR AVENUE	1 EAST W EST CROSS STREET	2 EAST W EST CROSS STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE DETECTION LIMIT	RESULT'S CONCENTRATION	UNIT	ANALYSIS TIME STANDARD METHOD
		PV 2.5		NYSDEC		12/2/2001	0		PS 274	Roof top					Ambient Air	1 hour		8.77 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	1		PS 274	Roof top					Ambient Air	1 hour		8.43 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	2		PS 274	Roof top					Ambient Air	1 hour		9.32 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	3		PS 274	Roof top					Ambient Air	1 hour		9.64 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	4		PS 274	Roof top					Ambient Air	1 hour		10.87 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	5		PS 274	Roof top					Ambient Air	1 hour		9.92 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	6		PS 274	Roof top					Ambient Air	1 hour		15.72 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	7		PS 274	Roof top					Ambient Air	1 hour		14.25 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	8		PS 274	Roof top					Ambient Air	1 hour		21.65 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	9		PS 274	Roof top					Ambient Air	1 hour		12.31 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	10		PS 274	Roof top					Ambient Air	1 hour		14.42 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	11		PS 274	Roof top					Ambient Air	1 hour		11.88 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	12		PS 274	Roof top					Ambient Air	1 hour		12.91 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	13		PS 274	Roof top					Ambient Air	1 hour		11.46 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	14		PS 274	Roof top					Ambient Air	1 hour		11.29 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	15		PS 274	Roof top					Ambient Air	1 hour		12.98 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	16		PS 274	Roof top					Ambient Air	1 hour		12.33 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	17		PS 274	Roof top					Ambient Air	1 hour		14.05 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	18		PS 274	Roof top					Ambient Air	1 hour		15.59 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	19		PS 274	Roof top					Ambient Air	1 hour		15.82 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	20		PS 274	Roof top					Ambient Air	1 hour		17.07 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	21		PS 274	Roof top					Ambient Air	1 hour		19.91 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	22		PS 274	Roof top					Ambient Air	1 hour		22.07 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	23		PS 274	Roof top					Ambient Air	1 hour		16.78 ug/m3		
		PV 2.5		NYSDEC		12/2/2001			PS 274 Daily Average	Roof top					Ambient Air	24 hours/ave		13.71 ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		12/2/2001	0		PS 64	Roof top					Ambient Air	1 hour		9.59 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	1		PS 64	Roof top					Ambient Air	1 hour		9.54 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	2		PS 64	Roof top					Ambient Air	1 hour		9.48 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	3		PS 64	Roof top					Ambient Air	1 hour		9.83 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	4		PS 64	Roof top					Ambient Air	1 hour		10.49 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	5		PS 64	Roof top					Ambient Air	1 hour		11.56 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	6		PS 64	Roof top					Ambient Air	1 hour		12.38 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	7		PS 64	Roof top					Ambient Air	1 hour		26.90 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	8		PS 64	Roof top					Ambient Air	1 hour		16.08 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	9		PS 64	Roof top					Ambient Air	1 hour		11.29 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	10		PS 64	Roof top					Ambient Air	1 hour		13.33 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	11		PS 64	Roof top					Ambient Air	1 hour		11.39 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	12		PS 64	Roof top					Ambient Air	1 hour		13.08 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	13		PS 64	Roof top					Ambient Air	1 hour		11.32 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	14		PS 64	Roof top					Ambient Air	1 hour		12.00 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	15		PS 64	Roof top					Ambient Air	1 hour		13.14 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	16		PS 64	Roof top					Ambient Air	1 hour		14.15 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	17		PS 64	Roof top					Ambient Air	1 hour		14.63 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	18		PS 64	Roof top					Ambient Air	1 hour		15.82 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	19		PS 64	Roof top					Ambient Air	1 hour		17.21 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	20		PS 64	Roof top					Ambient Air	1 hour		17.59 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	21		PS 64	Roof top					Ambient Air	1 hour		18.12 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	22		PS 64	Roof top					Ambient Air	1 hour		18.76 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	23		PS 64	Roof top					Ambient Air	1 hour		17.40 ug/m3		
		PM 2.5		NYSDEC		12/2/2001			PS 64 Daily Average	Roof top					Ambient Air	24 hours/ave		13.95 ug/m3		24 Hr Avg
		PV 2.5		NYSDEC		12/2/2001	0		Fresh Kills Met	Roof top					Ambient Air	1 hour		9.75 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	1		Fresh Kills Met	Roof top					Ambient Air	1 hour		10.05 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	2		Fresh Kills Met	Roof top					Ambient Air	1 hour		10.47 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	3		Fresh Kills Met	Roof top					Ambient Air	1 hour		10.28 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	4		Fresh Kills Met	Roof top					Ambient Air	1 hour		10.21 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	5		Fresh Kills Met	Roof top					Ambient Air	1 hour		9.82 ug/m3		
		PV 2.5		NYSDEC		12/2/2001	6		Fresh Kills Met	Roof top					Ambient Air	1 hour		ug/m3		Communication Error
		PM 2.5		NYSDEC		12/2/2001	7		Fresh Kills Met	Roof top					Ambient Air	1 hour		ug/m3		Communication Error
		PV 2.5		NYSDEC		12/2/2001	8		Fresh Kills Met	Roof top					Ambient Air	1 hour		ug/m3		Communication Error

CITY_DEP_WORBY_CANNATA_SUBP_000032956

DRAFT

Inter-Agency Environmental Sampling Log

12/5/2001, team1202a, Page: 2 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START TIME SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING FLOOR	1. NORTH_SOUTH STREET OR AVENUE	2. NORTH_SOUTH STREET OR AVENUE	1. EAST_WEST CROSS STREET	2. EAST_WEST CROSS STREET	TEST_METHOD	SAMPLE_DURATION	DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS_METHOD	TIME STANDARD
		PM 2.5		NYSDEC		12/2/2001	9		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		Communication Error
		PM 2.5		NYSDEC		12/2/2001	10		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		Communication Error
		PM 2.5		NYSDEC		12/2/2001	11		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		Communication Error
		PM 2.5		NYSDEC		12/2/2001	12		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		Communication Error
		PM 2.5		NYSDEC		12/2/2001	13		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		Communication Error
		PM 2.5		NYSDEC		12/2/2001	14		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		Communication Error
		PM 2.5		NYSDEC		12/2/2001	15		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		Communication Error
		PM 2.5		NYSDEC		12/2/2001	16		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		Communication Error
		PM 2.5		NYSDEC		12/2/2001	17		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		Communication Error
		PM 2.5		NYSDEC		12/2/2001	18		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		Communication Error
		PM 2.5		NYSDEC		12/2/2001	19		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		Communication Error
		PM 2.5		NYSDEC		12/2/2001	20		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		Communication Error
		PM 2.5		NYSDEC		12/2/2001	21		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		Communication Error
		PM 2.5		NYSDEC		12/2/2001	22		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		Communication Error
		PM 2.5		NYSDEC		12/2/2001	23		Fresh Kills Met	Roof top					Ambient Air	1 hour			ug/m3		Communication Error
		PM 2.5		NYSDEC		12/2/2001			Fresh Kills Daily Average	Roof top					Ambient Air	24 hours/ave			ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		12/2/2001	0		PS 44	Roof top					Ambient Air	1 hour			8.70 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	1		PS 44	Roof top					Ambient Air	1 hour			8.86 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	2		PS 44	Roof top					Ambient Air	1 hour			8.60 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	3		PS 44	Roof top					Ambient Air	1 hour			8.95 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	4		PS 44	Roof top					Ambient Air	1 hour			10.27 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	5		PS 44	Roof top					Ambient Air	1 hour			11.16 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	6		PS 44	Roof top					Ambient Air	1 hour			11.32 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	7		PS 44	Roof top					Ambient Air	1 hour			12.33 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	8		PS 44	Roof top					Ambient Air	1 hour			12.85 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	9		PS 44	Roof top					Ambient Air	1 hour			11.31 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	10		PS 44	Roof top					Ambient Air	1 hour			11.56 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	11		PS 44	Roof top					Ambient Air	1 hour			10.39 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	12		PS 44	Roof top					Ambient Air	1 hour			9.52 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	13		PS 44	Roof top					Ambient Air	1 hour			10.71 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	14		PS 44	Roof top					Ambient Air	1 hour			9.52 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	15		PS 44	Roof top					Ambient Air	1 hour			11.36 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	16		PS 44	Roof top					Ambient Air	1 hour			11.46 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	17		PS 44	Roof top					Ambient Air	1 hour			11.90 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	18		PS 44	Roof top					Ambient Air	1 hour			13.37 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	19		PS 44	Roof top					Ambient Air	1 hour			17.66 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	20		PS 44	Roof top					Ambient Air	1 hour			15.96 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	21		PS 44	Roof top					Ambient Air	1 hour			17.27 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	22		PS 44	Roof top					Ambient Air	1 hour			16.38 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	23		PS 44	Roof top					Ambient Air	1 hour			17.72 ug/m3		
		PM 2.5		NYSDEC		12/2/2001			PS44 Daily Average	Roof top					Ambient Air	24 hours/ave			ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		12/2/2001	0		IS 74	Roof top					Ambient Air	1 hour			8.41 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	1		IS 74	Roof top					Ambient Air	1 hour			8.55 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	2		IS 74	Roof top					Ambient Air	1 hour			8.90 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	3		IS 74	Roof top					Ambient Air	1 hour			9.40 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	4		IS 74	Roof top					Ambient Air	1 hour			11.08 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	5		IS 74	Roof top					Ambient Air	1 hour			16.05 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	6		IS 74	Roof top					Ambient Air	1 hour			14.69 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	7		IS 74	Roof top					Ambient Air	1 hour			14.12 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	8		IS 74	Roof top					Ambient Air	1 hour			17.44 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	9		IS 74	Roof top					Ambient Air	1 hour			22.99 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	10		IS 74	Roof top					Ambient Air	1 hour			24.58 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	11		IS 74	Roof top					Ambient Air	1 hour			20.60 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	12		IS 74	Roof top					Ambient Air	1 hour			13.71 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	13		IS 74	Roof top					Ambient Air	1 hour			11.45 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	14		IS 74	Roof top					Ambient Air	1 hour			9.77 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	15		IS 74	Roof top					Ambient Air	1 hour			12.73 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	16		IS 74	Roof top					Ambient Air	1 hour			13.36 ug/m3		
		PM 2.5		NYSDEC		12/2/2001	17		IS 74	Roof top					Ambient Air	1 hour			12.24 ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032957

DRAFT

Inter-Agency Environmental Sampling Log

12/5/2001, team1202a, Page: 3 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START TIME SAMPLED	COUNTY	SITE NAME OR ADDRESS	BUILDING FLOOR	1. NORTH 150TH STREET OR AVENUE	2. NORTH SOUTH STREET OR AVENUE	3. EAST WEST CROSS STREET	4. EAST WEST CROSS STREET	TEST METHOD	SAMPLE DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS TIME STANDARD METHOD
		PM 2.5		NYSDEC		12/2/2001	18		IS 74	Roof top					Ambient Air	1 hour		14.36	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	19		IS 74	Roof top					Ambient Air	1 hour		15.04	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	20		IS 74	Roof top					Ambient Air	1 hour		17.90	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	21		IS 74	Roof top					Ambient Air	1 hour		17.00	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	22		IS 74	Roof top					Ambient Air	1 hour		18.05	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	23		IS 74	Roof top					Ambient Air	1 hour		16.89	ug/m3	
						12/2/2001			IS 74 Daily Average	Roof top					Ambient Air	24 hours/ave		14.55	ug/m3	24 Hr Avg
		PM 2.5		NYSDEC		12/2/2001	0		PS 154	Roof top					Ambient Air	1 hour		9.54	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	1		PS 154	Roof top					Ambient Air	1 hour		9.25	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	2		PS 154	Roof top					Ambient Air	1 hour		9.42	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	3		PS 154	Roof top					Ambient Air	1 hour		9.67	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	4		PS 154	Roof top					Ambient Air	1 hour		11.07	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	5		PS 154	Roof top					Ambient Air	1 hour		12.06	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	6		PS 154	Roof top					Ambient Air	1 hour		11.98	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	7		PS 154	Roof top					Ambient Air	1 hour		11.88	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	8		PS 154	Roof top					Ambient Air	1 hour		11.99	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	9		PS 154	Roof top					Ambient Air	1 hour		12.46	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	10		PS 154	Roof top					Ambient Air	1 hour		13.42	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	11		PS 154	Roof top					Ambient Air	1 hour		12.14	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	12		PS 154	Roof top					Ambient Air	1 hour		12.02	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	13		PS 154	Roof top					Ambient Air	1 hour		9.89	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	14		PS 154	Roof top					Ambient Air	1 hour		11.37	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	15		PS 154	Roof top					Ambient Air	1 hour		11.73	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	16		PS 154	Roof top					Ambient Air	1 hour		13.25	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	17		PS 154	Roof top					Ambient Air	1 hour		13.19	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	18		PS 154	Roof top					Ambient Air	1 hour		15.33	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	19		PS 154	Roof top					Ambient Air	1 hour		15.65	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	20		PS 154	Roof top					Ambient Air	1 hour		15.25	ug/m3	
						12/2/2001				Roof top					Ambient Air	1 hour			ug/m3	
		PM 2.5		NYSDEC		12/2/2001	21		PS 154	Roof top					Ambient Air	1 hour		17.56	ug/m3	
						12/2/2001				Roof top					Ambient Air	1 hour		18.55	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	22		PS 154	Roof top					Ambient Air	1 hour		19.96	ug/m3	
						12/2/2001				Roof top					Ambient Air	24 hours/ave		12.86	ug/m3	24 Hr Avg
						12/2/2001			PS 154 Daily Average	Roof top					Ambient Air	1 hour			ug/m3	
		PM 2.5		NYSDEC		12/2/2001	0		Maspeth Library	Roof top					Ambient Air	1 hour		7.73	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	1		Maspeth Library	Roof top					Ambient Air	1 hour		7.58	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	2		Maspeth Library	Roof top					Ambient Air	1 hour		8.36	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	3		Maspeth Library	Roof top					Ambient Air	1 hour		8.95	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	4		Maspeth Library	Roof top					Ambient Air	1 hour		9.55	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	5		Maspeth Library	Roof top					Ambient Air	1 hour		11.01	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	6		Maspeth Library	Roof top					Ambient Air	1 hour		12.87	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	7		Maspeth Library	Roof top					Ambient Air	1 hour		12.96	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	8		Maspeth Library	Roof top					Ambient Air	1 hour		14.12	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	9		Maspeth Library	Roof top					Ambient Air	1 hour		13.40	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	10		Maspeth Library	Roof top					Ambient Air	1 hour		12.64	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	11		Maspeth Library	Roof top					Ambient Air	1 hour		10.85	ug/m3	
		PM 2.5		NYSDEC		12/2/2001	12		Maspeth Library	Roof top					Ambient Air	1 hour		12.73	ug/m3	

CITY_DEP_WORBY_CANNATA_SUBP_000032958

DRAFT

Inter-Agency Environmental Sampling Log

12/5/2001, team1202a, Page: 4 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH_SOUTH_STREET_OR_AVENUE	2. NORTH_SOUTH_STREET_OR_AVENUE	1. EAST_WEST_STREET_S_STREET	2. EAST_WEST_STREET_S_STREET	TEST_METHOD	SAMPLE_DURATION	CODE_DETECTION_LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_TIME_STANDARD_METHOD
		PM 2.5		NYSDEC		12/2/2001				Roof top					Ambient Air	1 hour			ug/m3	
		PM 2.5		NYSDEC		12/2/2001		13	Maspeth Library	Roof top					Ambient Air	1 hour		17.48	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		14	Maspeth Library	Roof top					Ambient Air	1 hour		16.32	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		15	Maspeth Library	Roof top					Ambient Air	1 hour		19.64	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		16	Maspeth Library	Roof top					Ambient Air	1 hour		24.64	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		17	Maspeth Library	Roof top					Ambient Air	1 hour		24.56	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		18	Maspeth Library	Roof top					Ambient Air	1 hour		22.82	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		19	Maspeth Library	Roof top					Ambient Air	1 hour		24.91	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		20	Maspeth Library	Roof top					Ambient Air	1 hour		24.78	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		21	Maspeth Library	Roof top					Ambient Air	1 hour		16.69	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		22	Maspeth Library	Roof top					Ambient Air	1 hour		17.72	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		23	Maspeth Library	Roof top					Ambient Air	1 hour		19.30	ug/m3	
		PM 2.5		NYSDEC		12/2/2001			Maspeth Library Daily Average	Roof top					Ambient Air	24 hour/ave			ug/m3	24 Hr Avg
		PM 2.5		NYSDEC		12/2/2001												15.48		
		PM 2.5		NYSDEC		12/2/2001		0	Manhattenville P.O.	Roof top					Ambient Air	1 hour		8.58	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		1	Manhattenville P.O.	Roof top					Ambient Air	1 hour		8.91	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		2	Manhattenville P.O.	Roof top					Ambient Air	1 hour		8.53	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		3	Manhattenville P.O.	Roof top					Ambient Air	1 hour		7.94	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		4	Manhattenville P.O.	Roof top					Ambient Air	1 hour		9.29	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		5	Manhattenville P.O.	Roof top					Ambient Air	1 hour		10.31	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		6	Manhattenville P.O.	Roof top					Ambient Air	1 hour		9.57	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		7	Manhattenville P.O.	Roof top					Ambient Air	1 hour		10.03	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		8	Manhattenville P.O.	Roof top					Ambient Air	1 hour		11.33	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		9	Manhattenville P.O.	Roof top					Ambient Air	1 hour		10.63	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		10	Manhattenville P.O.	Roof top					Ambient Air	1 hour		10.81	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		11	Manhattenville P.O.	Roof top					Ambient Air	1 hour		10.58	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		12	Manhattenville P.O.	Roof top					Ambient Air	1 hour		10.35	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		13	Manhattenville P.O.	Roof top					Ambient Air	1 hour		9.44	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		14	Manhattenville P.O.	Roof top					Ambient Air	1 hour		10.80	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		15	Manhattenville P.O.	Roof top					Ambient Air	1 hour		10.83	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		16	Manhattenville P.O.	Roof top					Ambient Air	1 hour		11.91	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		17	Manhattenville P.O.	Roof top					Ambient Air	1 hour		12.49	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		18	Manhattenville P.O.	Roof top					Ambient Air	1 hour		14.55	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		19	Manhattenville P.O.	Roof top					Ambient Air	1 hour		14.27	ug/m3	

CITY_DEP_WORBY_CANNATA_SUBP_000032959

DRAFT

Inter-Agency Environmental Sampling Log

12/5/2001, team1202a, Page: 5 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYT	AGENCY	JOB	DATE_SAMPLED	START TIME	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING FLOOR	1. NORTH, SOUTH STREET OR AVENUE	2. NORTH, SOUTH STREET OR AVENUE	1. EAST, WEST CROSS STREET	2. EAST, WEST CROSS STREET	TEST MEDIUM	SAMPLE DURATION	COOLING DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS METHOD	TIME STANDARD
		PM 2.5		NYSDEC		12/2/2001		20	Manhattanville P.O.	Roof top					Ambient Air	1 hour		16.50	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		21	Manhattanville P.O.	Roof top					Ambient Air	1 hour		18.22	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		22	Manhattanville P.O.	Roof top					Ambient Air	1 hour		16.09	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		23	Manhattanville P.O.	Roof top					Ambient Air	1 hour		15.40	ug/m3		
		PM 2.5		NYSDEC		12/2/2001			Manhattanville P.O. Daily Average						Ambient Air	24 hour		11.56	ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		12/2/2001		0	PS 199	Roof top					Ambient Air	1 hour		8.71	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		1	PS 199	Roof top					Ambient Air	1 hour		9.96	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		2	PS 199	Roof top					Ambient Air	1 hour		9.37	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		3	PS 199	Roof top					Ambient Air	1 hour		9.66	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		4	PS 199	Roof top					Ambient Air	1 hour		13.12	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		5	PS 199	Roof top					Ambient Air	1 hour		11.19	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		6	PS 199	Roof top					Ambient Air	1 hour		13.22	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		7	PS 199	Roof top					Ambient Air	1 hour		14.23	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		8	PS 199	Roof top					Ambient Air	1 hour		15.31	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		9	PS 199	Roof top					Ambient Air	1 hour		14.21	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		10	PS 199	Roof top					Ambient Air	1 hour		13.73	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		11	PS 199	Roof top					Ambient Air	1 hour		11.10	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		12	PS 199	Roof top					Ambient Air	1 hour		11.44	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		13	PS 199	Roof top					Ambient Air	1 hour		11.51	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		14	PS 199	Roof top					Ambient Air	1 hour		11.24	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		15	PS 199	Roof top					Ambient Air	1 hour		11.61	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		16	PS 199	Roof top					Ambient Air	1 hour		13.08	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		17	PS 199	Roof top					Ambient Air	1 hour		13.47	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		18	PS 199	Roof top					Ambient Air	1 hour		13.87	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		19	PS 199	Roof top					Ambient Air	1 hour		14.03	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		20	PS 199	Roof top					Ambient Air	1 hour		16.71	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		21	PS 199	Roof top					Ambient Air	1 hour		20.07	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		22	PS 199	Roof top					Ambient Air	1 hour		18.13	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		23	PS 199	Roof top					Ambient Air	1 hour		17.31	ug/m3		
		PM 2.5		NYSDEC		12/2/2001			PS 199 Daily Average						Ambient Air	24 hour		13.18	ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		12/2/2001		0	IS 143	Roof top					Ambient Air	1 hour		9.44	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		1	IS 143	Roof top					Ambient Air	1 hour		8.34	ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032960

DRAFT

Inter-Agency Environmental Sampling Log

12/5/2001, team1202a, Page: 6 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH_SOUTH_STREET_OR_AVENUE	2. NORTH_SOUTH_STREET_OR_AVENUE	3. EAST_WEST_CROSS_STREET	4. EAST_WEST_CROSS_STREET	TEST_MEDIUM	SAMPLE_DURATION	CONFIDENCE_LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_METHOD	STANDARD
		PM 2.5		NYSDEC		12/2/2001		2	IS 143	Roof top					Ambient Air	1 hour		8.80	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		3	IS 143	Roof top					Ambient Air	1 hour		10.15	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		4	IS 143	Roof top					Ambient Air	1 hour		11.66	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		5	IS 143	Roof top					Ambient Air	1 hour		17.34	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		6	IS 143	Roof top					Ambient Air	1 hour		14.48	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		7	IS 143	Roof top					Ambient Air	1 hour		12.57	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		8	IS 143	Roof top					Ambient Air	1 hour		15.64	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		9	IS 143	Roof top					Ambient Air	1 hour		15.03	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		10	IS 143	Roof top					Ambient Air	1 hour		13.49	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		11	IS 143	Roof top					Ambient Air	1 hour		12.59	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		12	IS 143	Roof top					Ambient Air	1 hour		12.10	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		13	IS 143	Roof top					Ambient Air	1 hour		11.83	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		14	IS 143	Roof top					Ambient Air	1 hour		12.53	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		15	IS 143	Roof top					Ambient Air	1 hour		12.74	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		16	IS 143	Roof top					Ambient Air	1 hour		13.64	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		17	IS 143	Roof top					Ambient Air	1 hour		13.06	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		18	IS 143	Roof top					Ambient Air	1 hour		15.96	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		19	IS 143	Roof top					Ambient Air	1 hour		17.09	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		20	IS 143	Roof top					Ambient Air	1 hour		17.48	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		21	IS 143	Roof top					Ambient Air	1 hour		18.64	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		22	IS 143	Roof top					Ambient Air	1 hour		16.39	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		23	IS 143	Roof top					Ambient Air	1 hour		14.35	ug/m3		
		PM 2.5		NYSDEC		12/2/2001			IS 143 Daily Average	Roof top					Ambient Air	24 hour		13.56	ug/m3		24 Hr Avg
		PM 2.5		NYSDEC		12/2/2001		0	Kew Gardens	Roof top					Ambient Air	1 hour		9.23	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		1	Kew Gardens	Roof top					Ambient Air	1 hour		8.86	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		2	Kew Gardens	Roof top					Ambient Air	1 hour		9.61	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		3	Kew Gardens	Roof top					Ambient Air	1 hour		10.58	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		4	Kew Gardens	Roof top					Ambient Air	1 hour		11.30	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		5	Kew Gardens	Roof top					Ambient Air	1 hour		11.94	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		6	Kew Gardens	Roof top					Ambient Air	1 hour		13.21	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		7	Kew Gardens	Roof top					Ambient Air	1 hour		14.84	ug/m3		
		PM 2.5		NYSDEC		12/2/2001		8	Kew Gardens	Roof top					Ambient Air	1 hour		14.70	ug/m3		

CITY_DEP_WORBY_CANNATA_SUBP_000032961

DRAFT

Inter-Agency Environmental Sampling Log

12/5/2001, team1202a, Page: 7 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1_NORTH_SOUTH_STREET_OR_AVENUE	2_NORTH_SOUTH_STREET_OR_AVENUE	1_EAST_WEST_STREET	2_EAST_WEST_STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE_DETECTION_LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_TIME_STANDARD_METHOD
		PM 2.5		NYSDEC		12/2/2001		9	Kew Gardens	Roof top					Ambient Air	1 hour		13.21	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		10	Kew Gardens	Roof top					Ambient Air	1 hour		12.25	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		11	Kew Gardens	Roof top					Ambient Air	1 hour		10.72	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		12	Kew Gardens	Roof top					Ambient Air	1 hour		10.59	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		13	Kew Gardens	Roof top					Ambient Air	1 hour		11.29	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		14	Kew Gardens	Roof top					Ambient Air	1 hour		10.49	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		15	Kew Gardens	Roof top					Ambient Air	1 hour		12.16	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		16	Kew Gardens	Roof top					Ambient Air	1 hour		13.02	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		17	Kew Gardens	Roof top					Ambient Air	1 hour		12.78	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		18	Kew Gardens	Roof top					Ambient Air	1 hour		14.08	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		19	Kew Gardens	Roof top					Ambient Air	1 hour		14.70	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		20	Kew Gardens	Roof top					Ambient Air	1 hour		16.28	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		21	Kew Gardens	Roof top					Ambient Air	1 hour		18.24	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		22	Kew Gardens	Roof top					Ambient Air	1 hour		18.35	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		23	Kew Gardens	Roof top					Ambient Air	24 hour		17.55	ug/m3	24 Hr Avg
									Kew Gardens Daily Average								12.92			
		PM 2.5		NYSDEC		12/2/2001		0	IS 52	Roof top					Ambient Air	1 hour		8.09	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		1	IS 52	Roof top					Ambient Air	1 hour		8.39	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		2	IS 52	Roof top					Ambient Air	1 hour		8.92	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		3	IS 52	Roof top					Ambient Air	1 hour		8.98	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		4	IS 52	Roof top					Ambient Air	1 hour		10.34	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		5	IS 52	Roof top					Ambient Air	1 hour		12.20	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		6	IS 52	Roof top					Ambient Air	1 hour		12.96	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		7	IS 52	Roof top					Ambient Air	1 hour		13.82	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		8	IS 52	Roof top					Ambient Air	1 hour		15.41	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		9	IS 52	Roof top					Ambient Air	1 hour		13.17	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		10	IS 52	Roof top					Ambient Air	1 hour		15.65	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		11	IS 52	Roof top					Ambient Air	1 hour		10.06	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		12	IS 52	Roof top					Ambient Air	1 hour		11.83	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		13	IS 52	Roof top					Ambient Air	1 hour		10.76	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		14	IS 52	Roof top					Ambient Air	1 hour		11.38	ug/m3	
		PM 2.5		NYSDEC		12/2/2001		15	IS 52	Roof top					Ambient Air	1 hour		12.61	ug/m3	

CITY_DEP_WORBY_CANNATA_SUBP_000032962

DRAFT

Inter-Agency Environmental Sampling Log

12/5/2001, team1202a, Page: 8 of 18

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUB_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH_SOUTH_STREET_OR_AVENUE	2. NORTH_SOUTH_STREET_OR_AVENUE	3. EAST_WEST_CROSS STREET	4. EAST_WEST_CROSS STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE_DETECTION_LIMIT	RESULTS_CONCENTRATION	UNIT	ANALYSIS_METHOD	TIME_STANDARD
	PM 2.5			NYSDEC		12/2/2001		16	IS 52	Roof top					Ambient Air	1 hour			ug/m3		
	PM 2.5			NYSDEC		12/2/2001		17	IS 52	Roof top					Ambient Air	1 hour			ug/m3		
	PM 2.5			NYSDEC		12/2/2001		18	IS 52	Roof top					Ambient Air	1 hour			ug/m3		
	PM 2.5			NYSDEC		12/2/2001		19	IS 52	Roof top					Ambient Air	1 hour			ug/m3		
	PM 2.5			NYSDEC		12/2/2001		20	IS 52	Roof top					Ambient Air	1 hour			ug/m3		
	PM 2.5			NYSDEC		12/2/2001		21	IS 52	Roof top					Ambient Air	1 hour			ug/m3		
	PM 2.5			NYSDEC		12/2/2001		22	IS 52	Roof top					Ambient Air	1 hour			ug/m3		
	PM 2.5			NYSDEC		12/2/2001		23	IS 52	Roof top					Ambient Air	1 hour			ug/m3		
	PM 2.5			NYSDEC		12/2/2001			IS 52 Daily Average	Roof top					Ambient Air	24 hour			ug/m3		24 Hr average
	PM 2.5			NYSDEC		12/2/2001		0	PS 293	Roof top					Ambient Air	1 hour		13.43	ug/m3		
	PM 2.5			NYSDEC		12/2/2001		1	PS 293	Roof top					Ambient Air	1 hour			8.88 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		2	PS 293	Roof top					Ambient Air	1 hour			9.30 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		3	PS 293	Roof top					Ambient Air	1 hour			9.14 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		4	PS 293	Roof top					Ambient Air	1 hour			9.39 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		5	PS 293	Roof top					Ambient Air	1 hour			9.73 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		6	PS 293	Roof top					Ambient Air	1 hour			10.87 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		7	PS 293	Roof top					Ambient Air	1 hour			20.77 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		8	PS 293	Roof top					Ambient Air	1 hour			12.70 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		9	PS 293	Roof top					Ambient Air	1 hour			11.60 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		10	PS 293	Roof top					Ambient Air	1 hour			11.67 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		11	PS 293	Roof top					Ambient Air	1 hour			12.12 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		12	PS 293	Roof top					Ambient Air	1 hour			12.87 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		13	PS 293	Roof top					Ambient Air	1 hour			11.50 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		14	PS 293	Roof top					Ambient Air	1 hour			10.21 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		15	PS 293	Roof top					Ambient Air	1 hour			10.73 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		16	PS 293	Roof top					Ambient Air	1 hour			12.17 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		17	PS 293	Roof top					Ambient Air	1 hour			13.07 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		18	PS 293	Roof top					Ambient Air	1 hour			13.91 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		19	PS 293	Roof top					Ambient Air	1 hour			16.84 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		20	PS 293	Roof top					Ambient Air	1 hour			15.70 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		21	PS 293	Roof top					Ambient Air	1 hour			16.51 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		22	PS 293	Roof top					Ambient Air	1 hour			18.26 ug/m3		
	PM 2.5			NYSDEC		12/2/2001		23	PS 293	Roof top					Ambient Air	1 hour			17.54 ug/m3		
	PM 2.5			NYSDEC		12/2/2001			PS 293 Daily Average	Roof top					Ambient Air	24 hour ave			15.53 ug/m3		24 Hr Avg
	PM 2.5			NYSDEC		12/2/2001			PS 293 Daily Average	Roof top					Ambient Air	24 hour ave			ug/m3		
	PM 2.5			NYSDEC		12/2/2001		0	Albany Street	Roof top					Ambient Air	1 hour		13.13	N/A ug/m3		Communication Error
	PM 2.5			NYSDEC		12/2/2001		1	Albany Street	Roof top					Ambient Air	1 hour			N/A ug/m3		Communication Error
	PM 2.5			NYSDEC		12/2/2001		2	Albany Street	Roof top					Ambient Air	1 hour			N/A ug/m3		Communication Error
	PM 2.5			NYSDEC		12/2/2001		3	Albany Street	Roof top					Ambient Air	1 hour			N/A ug/m3		Communication Error
	PM 2.5			NYSDEC		12/2/2001		4	Albany Street	Roof top					Ambient Air	1 hour			N/A ug/m3		Communication Error
	PM 2.5			NYSDEC		12/2/2001		5	Albany Street	Roof top					Ambient Air	1 hour			N/A ug/m3		Communication Error
	PM 2.5			NYSDEC		12/2/2001		6	Albany Street	Roof top					Ambient Air	1 hour			N/A ug/m3		Communication Error
	PM 2.5			NYSDEC		12/2/2001		7	Albany Street	Roof top					Ambient Air	1 hour			N/A ug/m3		Communication Error
	PM 2.5			NYSDEC		12/2/2001		8	Albany Street	Roof top					Ambient Air	1 hour			N/A ug/m3		Communication Error
	PM 2.5			NYSDEC		12/2/2001		9	Albany Street	Roof top					Ambient Air	1 hour			N/A ug/m3		Communication Error
	PM 2.5			NYSDEC		12/2/2001		10	Albany Street	Roof top					Ambient Air	1 hour			N/A ug/m3		Communication Error
	PM 2.5			NYSDEC		12/2/2001		11	Albany Street	Roof top					Ambient Air	1 hour			N/A ug/m3		Communication Error
	PM 2.5			NYSDEC		12/2/2001		12	Albany Street	Roof top					Ambient Air	1 hour			N/A ug/m3		Communication Error
	PM 2.5			NYSDEC		12/2/2001		13	Albany Street	Roof top					Ambient Air	1 hour			N/A ug/m3		Communication Error
	PM 2.5			NYSDEC		12/2/2001		14	Albany Street	Roof top					Ambient Air	1 hour			N/A ug/m3		Communication Error
	PM 2.5			NYSDEC		12/2/2001		15	Albany Street	Roof top					Ambient Air	1 hour			N/A ug/m3		Communication Error
	PM 2.5			NYSDEC		12/2/2001		16	Albany Street	Roof top					Ambient Air	1 hour			N/A ug/m3		Communication Error
	PM 2.5			NYSDEC		12/2/2001		17	Albany Street	Roof top					Ambient Air	1 hour			N/A ug/m3		Communication Error

CITY_DEP_WORBY_CANNATA_SUBP_000032963

DRAFT

Inter-Agency Environmental Sampling Log

UNIQUE_DOCUMENT_ID	SAMPLE_ID	ANALYTE	SUR_ANALYTE	AGENCY	LAB	DATE_SAMPLED	START_TIME_SAMPLED	COUNTY	SITE_NAME_OR_ADDRESS	BUILDING_FLOOR	1. NORTH_SOUTH STREET OR AVENUE	2. NORTH_SOUTH STREET OR AVENUE	1. EAST_WEST STREET	2. EAST_WEST STREET	TEST_MEDIUM	SAMPLE_DURATION	CODE DETECTION LIMIT	RESULTS CONCENTRATION	UNIT	ANALYSIS_METHOD	TIME_STANDARD
		PM 2.5		NYSDEC		12/2/2001	18		Albany Street	Roof top					Ambient Air	1 hour		N/A ug/m3		Communication Error	
		PM 2.5		NYSDEC		12/2/2001	19		Albany Street	Roof top					Ambient Air	1 hour		N/A ug/m3		Communication Error	
		PM 2.5		NYSDEC		12/2/2001	20		Albany Street	Roof top					Ambient Air	1 hour		N/A ug/m3		Communication Error	
		PM 2.5		NYSDEC		12/2/2001	21		Albany Street	Roof top					Ambient Air	1 hour		N/A ug/m3		Communication Error	
		PM 2.5		NYSDEC		12/2/2001	22		Albany Street	Roof top					Ambient Air	1 hour		N/A ug/m3		Communication Error	
		PM 2.5		NYSDEC		12/2/2001	23		Albany Street	Roof top					Ambient Air	1 hour		N/A ug/m3		Communication Error	
		PM 2.5		NYSDEC		12/2/2001			Albany Street Daily Average	Roof top					Ambient Air	24 hour/ave		ug/m3		24 hr Avg Invalid	
																			NA		

Inter-Agency Environmental Sampling Log

NYC-WTC_000196256

[illegible]

Inter-Agency Environmental Sampling Log

NYC-WTC_000196257

[illegible]

Inter-Agency Environmental Sampling Log

12/5/2001, team1202a, Page: 12 of 18

NYC-WTC_000196258

Inter-Agency Environmental Sampling Log

12/5/2001, team1202a, Page: 13 of 18

[illegible]

12/5/2001, leom1202a, Page: 14 of 18

NYC-WTC_000196260

DRAFT

Inter-Agency Environmental Sampling Log

UNIQUE ID	DATE DOH REC'D TEST	COMMENTS	PAM_ACTIVITY	ZONE	Station ID	CASRN	END_DATE	END_TIME	SOURCE	LATITUDE	LONGITUDE
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001	24 readings, Meets Standards		Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709315					1003412.94354	248588.73054
	12/2/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/2/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/2/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/2/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/2/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/2/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/2/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/2/2001			Distant from zone	709614					1033255.37138	207544.40243
	12/2/2001			Distant from zone	709614					1033255.37138	207544.40243

CITY_DEP_WORBY_CANNATA_SUBP_000032970

Inter-Agency Environmental Sampling Log

12/5/2001, team1202a, Page: 16 of 18

NYC-WTC_000196262

Inter-Agency Environmental Sampling Log

12/5/2001, team1202a, Page: 17 of 18

[illegible]

DRAFT

Inter-Agency Environmental Sampling Log

12/5/2001, team1202a, Page: 18 of 18

UNIQUE_ID	DATE	DOE_TEST	COMMENTS	PAM_ACTIVITY	ZONE	StationID	CASRN	END_DATE	END_TIME	SOURCE	LATITUDE	LONGITUDE
	12/2/2001				Distant from zone	709322						
	12/2/2001				Distant from zone	709322						
	12/2/2001				Distant from zone	709322						
	12/2/2001				Distant from zone	709322						
	12/2/2001				Distant from zone	709322						
	12/2/2001				Distant from zone	709322						
	12/2/2001		Communication Error		Distant from zone	709322						
						709322						

CITY_DEP_WORBY_CANNATA_SUBP_000032973