

ATC ASSOCIATES INC - NEW YORK - BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor - New York, NY 10010 - Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NVLAP 101187

ELAP 10870

Microscope OLYP BH-2

Client / Project NYC-130E / P.S. 234M / 292 Greenwich St, NY NY

Project No. 14584-0823

Analysis Date 6/15/02 Analyst Milena Lowd

Batch No. 20525

1	Field No. <u>01</u>	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐ Recommended ☐ Gravimetric PREP ☐ Gravimetric (NOB) PLM ☐ Gravimetric (NOB) TEM ☐	Color <u>tan</u>	Texture <u>GR</u>	Morphology ☐	Extinction ☐	<u>TR</u> <u>TR</u> <u>Synthetic</u>	Cellulose <u>100</u>	Mineral Filler ☐
	Homogeneity <u>Y</u>	# of Layers <u>11</u>	Asbestos ☐	☒		Organic Binders ☐	Organic ☐
	Color of Layer ☐	Detected Yes ☐ No ☒	DS Color ☐	Color, Pleo ☐		Vermiculite ☐	Residue ☐
	Color of Layer ☐	Detected Yes ☐ No ☒	Biref ☐	Sign ☐		Other ☐	Carbonate ☐
Comments:							Other ☐
Method: ☐ ELAP + EPA ¹ ☐ ELAP ☐ EPA ¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA ¹ First 4 preps. Asbestos = 0							Q.C. ☐

2	Field No. <u>02</u>	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐ Recommended ☐ Gravimetric PREP ☐ Gravimetric (NOB) PLM ☐ Gravimetric (NOB) TEM ☐	Color <u>Brown</u>	Texture <u>GR</u>	Morphology ☐	Extinction ☐	<u>TR</u> <u>TR</u> <u>Synthetic</u>	Cellulose <u>100</u>	Mineral Filler ☐
	Homogeneity <u>Y</u>	# of Layers <u>11</u>	Asbestos ☐	☒		Organic Binders ☐	Organic ☐
	Color of Layer ☐	Detected Yes ☐ No ☒	DS Color ☐	Color, Pleo ☐		Vermiculite ☐	Residue ☐
	Color of Layer ☐	Detected Yes ☐ No ☒	Biref ☐	Sign ☐		Other ☐	Carbonate ☐
Comments:							Other ☐
Method: ☐ ELAP + EPA ¹ ☐ ELAP ☐ EPA ¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA ¹ First 4 preps. Asbestos = 0							Q.C. ☐

3	Field No. <u>03</u>	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐ Recommended ☐ Gravimetric PREP ☐ Gravimetric (NOB) PLM ☐ Gravimetric (NOB) TEM ☐	Color <u>Gray</u>	Texture <u>GR</u>	Morphology ☐	Extinction ☐	<u>TR</u> <u>TR</u> <u>Synthetic</u>	Cellulose <u>100</u>	Mineral Filler ☐
	Homogeneity <u>Y</u>	# of Layers <u>11</u>	Asbestos ☐	☒		Organic Binders ☐	Organic ☐
	Color of Layer ☐	Detected Yes ☐ No ☒	DS Color ☐	Color, Pleo ☐		Vermiculite ☐	Residue ☐
	Color of Layer ☐	Detected Yes ☐ No ☒	Biref ☐	Sign ☐		Other ☐	Carbonate ☐
Comments:							Other ☐
Method: ☐ ELAP + EPA ¹ ☐ ELAP ☐ EPA ¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA ¹ First 4 preps. Asbestos = 0							Q.C. ☐

4	Field No. <u>04</u>	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐ Recommended ☐ Gravimetric PREP ☐ Gravimetric (NOB) PLM ☐ Gravimetric (NOB) TEM ☐	Color <u>Brown</u>	Texture <u>GR</u>	Morphology ☐	Extinction ☐	<u>TR</u> <u>TR</u> <u>Synthetic</u>	Cellulose <u>100</u>	Mineral Filler ☐
	Homogeneity <u>Y</u>	# of Layers <u>11</u>	Asbestos ☐	☒		Organic Binders ☐	Organic ☐
	Color of Layer ☐	Detected Yes ☐ No ☒	DS Color ☐	Color, Pleo ☐		Vermiculite ☐	Residue ☐
	Color of Layer ☐	Detected Yes ☐ No ☒	Biref ☐	Sign ☐		Other ☐	Carbonate ☐
Comments:							Other ☐
Method: ☐ ELAP + EPA ¹ ☐ ELAP ☐ EPA ¹ ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA ¹ First 4 preps. Asbestos = 0							Q.C. ☐

CITY_21MC100_003031777

ATC ASSOCIATES INC - NEW YORK - BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor - New York, NY 10010 - Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NVLAP 101187

ELAP 10878

Microscope OLYMP BH-2

Client / Project NYC-130E / P.S. 234M / 242 Greenwich St, NY NY

Project No. 14584-082.3

Analysis Date 6/15/02

Analyst Milena Lourd

Batch No. 20525

Field No.	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
05	Color <u>Gray</u> Texture <u>GR</u> Homogeneity <u>4</u> # of Layers <u>17</u> Asbestos ☐ ☒ Color of Layer _____ Detected Yes No Comments: _____	Morphology _____ Extinction _____ RI I _____ RI II _____ DS Color _____ Color, Pleo _____ Biref _____ Sign _____	Chrysotile _____ Amphibole _____ Other <u>Synthetic</u>	Cellulose <u>10</u> Fiberglass _____ Other <u>Synthetic</u>	Mineral Filler <u>10</u> Organic Binders _____ Vermiculite _____ Other _____	Organic _____ Residue _____ Carbonate _____ Other _____ Asbestos _____
POINT COUNT RESULTS ON THE BACK Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION 1: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0						
06	Color <u>Gray</u> Texture <u>GR</u> Homogeneity <u>4</u> # of Layers <u>11</u> Asbestos ☐ ☒ Color of Layer _____ Detected Yes No Comments: _____	Morphology _____ Extinction _____ RI I _____ RI II _____ DS Color _____ Color, Pleo _____ Biref _____ Sign _____	Chrysotile _____ Amphibole _____ Other <u>Synthetic</u>	Cellulose <u>10</u> Fiberglass _____ Other <u>Synthetic</u>	Mineral Filler <u>10</u> Organic Binders _____ Vermiculite _____ Other _____	Organic _____ Residue _____ Carbonate _____ Other _____ Asbestos _____
POINT COUNT RESULTS ON THE BACK Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION 1: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0						
07	Color <u>Gray</u> Texture <u>GR</u> Homogeneity <u>4</u> # of Layers <u>11</u> Asbestos ☐ ☒ Color of Layer _____ Detected Yes No Comments: _____	Morphology _____ Extinction _____ RI I _____ RI II _____ DS Color _____ Color, Pleo _____ Biref _____ Sign _____	Chrysotile _____ Amphibole _____ Other <u>Synthetic</u>	Cellulose <u>95</u> Fiberglass _____ Other <u>Synthetic</u>	Mineral Filler <u>95</u> Organic Binders _____ Vermiculite _____ Other _____	Organic _____ Residue _____ Carbonate _____ Other _____ Asbestos _____
POINT COUNT RESULTS ON THE BACK Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION 1: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0						
08	Color <u>Gray</u> Texture <u>GR</u> Homogeneity <u>4</u> # of Layers <u>11</u> Asbestos ☐ ☒ Color of Layer _____ Detected Yes No Comments: _____	Morphology _____ Extinction _____ RI I _____ RI II _____ DS Color _____ Color, Pleo _____ Biref _____ Sign _____	Chrysotile _____ Amphibole _____ Other <u>Synthetic</u>	Cellulose <u>95</u> Fiberglass _____ Other <u>Synthetic</u>	Mineral Filler <u>95</u> Organic Binders _____ Vermiculite _____ Other _____	Organic _____ Residue _____ Carbonate _____ Other _____ Asbestos _____
POINT COUNT RESULTS ON THE BACK Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION 1: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0						

CITY_21MC100_003031778

ATC ASSOCIATES INC - NEW YORK - BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor - New York, NY 10010 - Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NVLAP 101187

ELAP 10879

Microscope OLYMP BH-2

Client / Project NYP-130E / P.S. 234M / 292 GREENWICH ST, NY NY

Project No. 14584-082.3

Analysis Date 6/15/02

Analyst Milena Lourd

Batch No. 20525

1	Field No. <u>09</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
	Gravimetric (NOB) Required ☐	Color <u>Gray</u>	Texture <u>GR</u>	Morphology	Extinction	☒ Chrysotile	☐ Cellulose	<u>100</u> Mineral Filler	☐ Organic
	Recommended ☐	Homogeneity <u>4</u>	Asbestos ☐ ☒	RI I	RI II	☒ Amosite	☐ Fiberglass	☐ Organic Binders	☐ Residue
	Gravimetric PREP ☐	# of Layers <u>4</u>	Detected Yes ☐ No ☒	DS Color	Color, Pleo	☒ Other	<u>TX</u> Other	☐ Vermiculite	☐ Carbonate
	Gravimetric (NOB) PLM ☐	Color of Layer	Detected Yes ☐ No ☒	Biref	Sign		<u>Synthetic</u>	☐ Other	☐ Other
	Gravimetric (NOB) TEM ☐	Comments:				Q.C. ☐		☐ Asbestos	
POINT COUNT RESULTS ON THE BACK		Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0							

2	Field No. <u>10</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
	Gravimetric (NOB) Required ☐	Color <u>Gray</u>	Texture <u>GR</u>	Morphology	Extinction	☒ Chrysotile	☐ Cellulose	<u>100</u> Mineral Filler	☐ Organic
	Recommended ☐	Homogeneity <u>4</u>	Asbestos ☐ ☒	RI I	RI II	☒ Amosite	☐ Fiberglass	☐ Organic Binders	☐ Residue
	Gravimetric PREP ☐	# of Layers <u>11</u>	Detected Yes ☐ No ☒	DS Color	Color, Pleo	☒ Other	<u>TX</u> Other	☐ Vermiculite	☐ Carbonate
	Gravimetric (NOB) PLM ☐	Color of Layer	Detected Yes ☐ No ☒	Biref	Sign		<u>Synthetic</u>	☐ Other	☐ Other
	Gravimetric (NOB) TEM ☐	Comments:				Q.C. ☐		☐ Asbestos	
POINT COUNT RESULTS ON THE BACK		Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0							

3	Field No. <u>11</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
	Gravimetric (NOB) Required ☐	Color <u>Gray</u>	Texture <u>GR</u>	Morphology	Extinction	☒ Chrysotile	☐ Cellulose	<u>100</u> Mineral Filler	☐ Organic
	Recommended ☐	Homogeneity <u>4</u>	Asbestos ☐ ☒	RI I	RI II	☒ Amosite	☐ Fiberglass	☐ Organic Binders	☐ Residue
	Gravimetric PREP ☐	# of Layers <u>11</u>	Detected Yes ☐ No ☒	DS Color	Color, Pleo	☒ Other	☐ Other	☐ Vermiculite	☐ Carbonate
	Gravimetric (NOB) PLM ☐	Color of Layer	Detected Yes ☐ No ☒	Biref	Sign			☐ Other	☐ Other
	Gravimetric (NOB) TEM ☐	Comments:				Q.C. ☐		☐ Asbestos	
POINT COUNT RESULTS ON THE BACK		Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0							

4	Field No. <u>12</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
	Gravimetric (NOB) Required ☐	Color <u>Gray</u>	Texture <u>GR</u>	Morphology	Extinction	☒ Chrysotile	☐ Cellulose	<u>100</u> Mineral Filler	☐ Organic
	Recommended ☐	Homogeneity <u>4</u>	Asbestos ☐ ☒	RI I	RI II	☒ Amosite	☐ Fiberglass	☐ Organic Binders	☐ Residue
	Gravimetric PREP ☐	# of Layers <u>11</u>	Detected Yes ☐ No ☒	DS Color	Color, Pleo	☒ Other	<u>TX</u> Other	☐ Vermiculite	☐ Carbonate
	Gravimetric (NOB) PLM ☐	Color of Layer	Detected Yes ☐ No ☒	Biref	Sign		<u>Synthetic</u>	☐ Other	☐ Other
	Gravimetric (NOB) TEM ☐	Comments:				Q.C. ☐		☐ Asbestos	
POINT COUNT RESULTS ON THE BACK		Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0							

CITY_21MC100_003031779

ATC ASSOCIATES INC - NEW YORK - BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor - New York, NY 10010 Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NVLAP 101187
ELAP 10879

Microscope OLYMP BH-2

Client / Project NYC-BDE / P.S. 234M / 292 Greenwich St, NY NY
Analysis Date 6/15/02 Analyst Milena LourdProject No. 14584-0823
Batch No. 20525

1	Field No. <u>13</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐		Color <u>Tan</u>	Texture <u>GR</u>	Morphology	Extinction	☒ Chrysotile	☐ Cellulose	<u>100</u> Mineral Filler	☐ Organic
Recommended ☐		Homogeneity <u>Y</u>		RI I	RI II	☐ Amosite	☐ Fiberglass	☐ Organic Binders	☐ Residue
Gravimetric PREP ☐		# of Layers <u>11</u>	Asbestos ☐ ☒	DS Color	Color, Pleo	☒ Other	☐ Other	☐ Vermiculite	☐ Carbonate
Gravimetric (NOB) PLM ☐		Color of Layer	Detected Yes No	Biref	Sign			☐ Other	☐ Asbestos
Gravimetric (NOB) TEM ☐		Comments:				Q.C. ☐			
POINT COUNT RESULTS ON THE BACK		Method: ☐ ELAP + EPA ¹ ☐ ELAP ☐ EPA ¹ ☐ OTHER ☒ SCANNING OPTION 1: ELAP (P.C.) & EPA ¹ First 4 preps. Asbestos = 0							

2	Field No. <u>14</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐		Color <u>Tan</u>	Texture <u>GR</u>	Morphology	Extinction	☒ Chrysotile	☐ Cellulose	<u>100</u> Mineral Filler	☐ Organic
Recommended ☐		Homogeneity <u>Y</u>		RI I	RI II	☐ Amosite	☐ Fiberglass	☐ Organic Binders	☐ Residue
Gravimetric PREP ☐		# of Layers <u>11</u>	Asbestos ☐ ☒	DS Color	Color, Pleo	☒ Other	☐ Other	☐ Vermiculite	☐ Carbonate
Gravimetric (NOB) PLM ☐		Color of Layer	Detected Yes No	Biref	Sign			☐ Other	☐ Asbestos
Gravimetric (NOB) TEM ☐		Comments:				Q.C. ☐			
POINT COUNT RESULTS ON THE BACK		Method: ☐ ELAP + EPA ¹ ☐ ELAP ☐ EPA ¹ ☐ OTHER ☒ SCANNING OPTION 1: ELAP (P.C.) & EPA ¹ First 4 preps. Asbestos = 0							

3	Field No. <u>15</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐		Color <u>Tan</u>	Texture <u>GR</u>	Morphology	Extinction	☒ Chrysotile	☐ Cellulose	<u>100</u> Mineral Filler	☐ Organic
Recommended ☐		Homogeneity <u>Y</u>		RI I	RI II	☐ Amosite	☐ Fiberglass	☐ Organic Binders	☐ Residue
Gravimetric PREP ☐		# of Layers <u>11</u>	Asbestos ☐ ☒	DS Color	Color, Pleo	☒ Other	☐ Other	☐ Vermiculite	☐ Carbonate
Gravimetric (NOB) PLM ☐		Color of Layer	Detected Yes No	Biref	Sign			☐ Other	☐ Asbestos
Gravimetric (NOB) TEM ☐		Comments:				Q.C. ☐			
POINT COUNT RESULTS ON THE BACK		Method: ☐ ELAP + EPA ¹ ☐ ELAP ☐ EPA ¹ ☐ OTHER ☒ SCANNING OPTION 1: ELAP (P.C.) & EPA ¹ First 4 preps. Asbestos = 0							

4	Field No. <u>16</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐		Color <u>Brown</u>	Texture <u>GR</u>	Morphology	Extinction	☒ Chrysotile	<u>TR</u> Cellulose	<u>100</u> Mineral Filler	☐ Organic
Recommended ☐		Homogeneity <u>Y</u>		RI I	RI II	☐ Amosite	☐ Fiberglass	☐ Organic Binders	☐ Residue
Gravimetric PREP ☐		# of Layers <u>11</u>	Asbestos ☐ ☒	DS Color	Color, Pleo	☒ Other	<u>TR</u> Other	☐ Vermiculite	☐ Carbonate
Gravimetric (NOB) PLM ☐		Color of Layer	Detected Yes No	Biref	Sign		<u>Synthetic</u>	☐ Other	☐ Asbestos
Gravimetric (NOB) TEM ☐		Comments:				Q.C. ☐			
POINT COUNT RESULTS ON THE BACK		Method: ☐ ELAP + EPA ¹ ☐ ELAP ☐ EPA ¹ ☐ OTHER ☒ SCANNING OPTION 1: ELAP (P.C.) & EPA ¹ First 4 preps. Asbestos = 0							

CITY_21MC100_003031780

ATC ASSOCIATES INC - NEW YORK - BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor - New York, NY 10010 - Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NVLAP 101187

ELAP 10878

Microscope OLYP BH-2

Client / Project NYC-130E / P.S. 234M / 292 Greenwich St, NY NY

Project No. 14584-082.3

Analysis Date 6/15/02

Analyst Milena Lound

Batch No. 20525

1	Field No. <u>17</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
	Gravimetric (NOB) Required ☐	Color <u>Tan</u>	Texture <u>GR</u>	Morphology <u> </u>	Extinction <u> </u>	<u> </u> Chrysotile	<u> </u> Cellulose	<u>100</u> Mineral Filler	<u> </u> Organic
	Recommended ☐	Homogeneity <u>4</u>	<u>4</u>	RI I <u> </u>	RI II <u> </u>	<u> </u> Amosite	<u> </u> Fiberglass	<u> </u> Organic Binders	<u> </u> Residue
	Gravimetric PREP ☐	# of Layers <u>11</u>	Asbestos ☐ ☒	DS Color <u> </u>	Color, Pleo <u> </u>	<u> </u> Other	<u> </u> Other	<u> </u> Vermiculite	<u> </u> Carbonate
	Gravimetric (NOB) PLM ☐	Color of Layer <u> </u>	Detected Yes No	Brief <u> </u>	Sign <u> </u>			<u> </u> Other	<u> </u> Other
	Gravimetric (NOB) TEM ☐	Comments:				Q.C. ☐		<u>Synthetic</u>	
POINT COUNT RESULTS ON THE BACK		Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒				SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0			

2	Field No. <u>18</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
	Gravimetric (NOB) Required ☐	Color <u>Tan</u>	Texture <u>GR</u>	Morphology <u> </u>	Extinction <u> </u>	<u> </u> Chrysotile	<u> </u> Cellulose	<u>100</u> Mineral Filler	<u> </u> Organic
	Recommended ☐	Homogeneity <u>4</u>	<u>4</u>	RI I <u> </u>	RI II <u> </u>	<u> </u> Amosite	<u> </u> Fiberglass	<u> </u> Organic Binders	<u> </u> Residue
	Gravimetric PREP ☐	# of Layers <u>11</u>	Asbestos ☐ ☒	DS Color <u> </u>	Color, Pleo <u> </u>	<u> </u> Other	<u> </u> Other	<u> </u> Vermiculite	<u> </u> Carbonate
	Gravimetric (NOB) PLM ☐	Color of Layer <u> </u>	Detected Yes No	Brief <u> </u>	Sign <u> </u>			<u> </u> Other	<u> </u> Other
	Gravimetric (NOB) TEM ☐	Comments:				Q.C. ☐		<u>Synthetic</u>	
POINT COUNT RESULTS ON THE BACK		Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒				SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0			

3	Field No. <u>19</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
	Gravimetric (NOB) Required ☐	Color <u>Brown</u>	Texture <u>GR</u>	Morphology <u> </u>	Extinction <u> </u>	<u> </u> Chrysotile	<u> </u> Cellulose	<u>100</u> Mineral Filler	<u> </u> Organic
	Recommended ☐	Homogeneity <u>4</u>	<u>4</u>	RI I <u> </u>	RI II <u> </u>	<u> </u> Amosite	<u> </u> Fiberglass	<u> </u> Organic Binders	<u> </u> Residue
	Gravimetric PREP ☐	# of Layers <u>11</u>	Asbestos ☐ ☒	DS Color <u> </u>	Color, Pleo <u> </u>	<u> </u> Other	<u> </u> Other	<u> </u> Vermiculite	<u> </u> Carbonate
	Gravimetric (NOB) PLM ☐	Color of Layer <u> </u>	Detected Yes No	Brief <u> </u>	Sign <u> </u>			<u> </u> Other	<u> </u> Other
	Gravimetric (NOB) TEM ☐	Comments:				Q.C. ☐		<u>Synthetic</u>	
POINT COUNT RESULTS ON THE BACK		Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒				SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0			

4	Field No. <u>20</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
	Gravimetric (NOB) Required ☐	Color <u>Brown</u>	Texture <u>GR</u>	Morphology <u> </u>	Extinction <u> </u>	<u> </u> Chrysotile	<u> </u> Cellulose	<u>100</u> Mineral Filler	<u> </u> Organic
	Recommended ☐	Homogeneity <u>4</u>	<u>4</u>	RI I <u> </u>	RI II <u> </u>	<u> </u> Amosite	<u> </u> Fiberglass	<u> </u> Organic Binders	<u> </u> Residue
	Gravimetric PREP ☐	# of Layers <u>11</u>	Asbestos ☐ ☒	DS Color <u> </u>	Color, Pleo <u> </u>	<u> </u> Other	<u> </u> Other	<u> </u> Vermiculite	<u> </u> Carbonate
	Gravimetric (NOB) PLM ☐	Color of Layer <u> </u>	Detected Yes No	Brief <u> </u>	Sign <u> </u>			<u> </u> Other	<u> </u> Other
	Gravimetric (NOB) TEM ☐	Comments:				Q.C. ☐		<u>Synthetic</u>	
POINT COUNT RESULTS ON THE BACK		Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒				SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0			

CITY_21MC100_003031781

ATC ASSOCIATES INC - NEW YORK - BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor, New York, NY 10010 Phone (212) 353-8280, FAX (212) 353-3599 or 8306

NYLAP 101187

ELAP 10879

Microscope OLYMP BH-2

Client / Project NYC-130E / P.S. 234M / 242 Greenwich St, NY NYProject No. 14584-0823Analysis Date 6/15/02Analyst Milena LouwBatch No. 20525

1	Field No. <u>21</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
	Gravimetric (NOB) Required ☐	Color <u>Tan</u>	Texture <u>GN</u>	Morphology ☐	Extinction ☐	☐ Chrysotile	☐ Cellulose	<u>100</u> Mineral Filler	☐ Organic
	Recommended ☐	Homogeneity <u>Y</u>	☐ Asbestos ☒	RI I ☐	RI II ☐	☒ Amosite	☒ Fiberglass	☐ Organic Binders	☐ Residue
	Gravimetric PREP ☐	# of Layers <u>1</u>	Detected Yes ☐ No ☒	DS Color ☐	Color, Pleo ☐	☒ Other	☒ Other	☐ Vermiculite	☐ Carbonate
	Gravimetric (NOB) PLM ☐	Color of Layer ☐		Biref ☐	Sign ☐		<u>Tan Synthetic</u>	☐ Other	☐ Other
	Gravimetric (NOB) TEM ☐	Comments:				Q.C. ☐		☐ Asbestos	
POINT COUNT RESULTS ON THE BACK		Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0							

2	Field No. <u>22</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
	Gravimetric (NOB) Required ☐	Color <u>Tan</u>	Texture <u>GN</u>	Morphology ☐	Extinction ☐	☐ Chrysotile	☐ Cellulose	<u>100</u> Mineral Filler	☐ Organic
	Recommended ☐	Homogeneity <u>Y</u>	☐ Asbestos ☒	RI I ☐	RI II ☐	☒ Amosite	☒ Fiberglass	☐ Organic Binders	☐ Residue
	Gravimetric PREP ☐	# of Layers <u>1</u>	Detected Yes ☐ No ☒	DS Color ☐	Color, Pleo ☐	☒ Other	☒ Other	☐ Vermiculite	☐ Carbonate
	Gravimetric (NOB) PLM ☐	Color of Layer ☐		Biref ☐	Sign ☐		<u>Tan Synthetic</u>	☐ Other	☐ Other
	Gravimetric (NOB) TEM ☐	Comments:				Q.C. ☐		☐ Asbestos	
POINT COUNT RESULTS ON THE BACK		Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0							

3	Field No. <u>23</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
	Gravimetric (NOB) Required ☐	Color <u>Tan</u>	Texture <u>GN</u>	Morphology ☐	Extinction ☐	☐ Chrysotile	☐ Cellulose	<u>100</u> Mineral Filler	☐ Organic
	Recommended ☐	Homogeneity <u>Y</u>	☐ Asbestos ☒	RI I ☐	RI II ☐	☒ Amosite	☒ Fiberglass	☐ Organic Binders	☐ Residue
	Gravimetric PREP ☐	# of Layers <u>1</u>	Detected Yes ☐ No ☒	DS Color ☐	Color, Pleo ☐	☒ Other	☒ Other	☐ Vermiculite	☐ Carbonate
	Gravimetric (NOB) PLM ☐	Color of Layer ☐		Biref ☐	Sign ☐		<u>Tan Synthetic</u>	☐ Other	☐ Other
	Gravimetric (NOB) TEM ☐	Comments:				Q.C. ☐		☐ Asbestos	
POINT COUNT RESULTS ON THE BACK		Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0							

4	Field No. <u>24</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
	Gravimetric (NOB) Required ☐	Color <u>Tan</u>	Texture <u>GN</u>	Morphology ☐	Extinction ☐	☐ Chrysotile	☒ Cellulose	<u>100</u> Mineral Filler	☐ Organic
	Recommended ☐	Homogeneity <u>Y</u>	☐ Asbestos ☒	RI I ☐	RI II ☐	☒ Amosite	☒ Fiberglass	☐ Organic Binders	☐ Residue
	Gravimetric PREP ☐	# of Layers <u>1</u>	Detected Yes ☐ No ☒	DS Color ☐	Color, Pleo ☐	☒ Other	☒ Other	☐ Vermiculite	☐ Carbonate
	Gravimetric (NOB) PLM ☐	Color of Layer ☐		Biref ☐	Sign ☐		<u>Tan Synthetic</u>	☐ Other	☐ Other
	Gravimetric (NOB) TEM ☐	Comments:				Q.C. ☐		☐ Asbestos	
POINT COUNT RESULTS ON THE BACK		Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0							

ATC ASSOCIATES INC - NEW YORK - BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor - New York, NY 10010 - Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NVLAP 101187

ELAP 10879

Microscope OLYP BH-2

Client / Project NYC-130E / P.S. 234M / 242 GREENWICH ST, NY NYProject No. 14584-0823Analysis Date 6/15/02Analyst Milena LourdBatch No. 20525

Field No.	Stereoscopic Exam	PLM Optical Properties	Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
1 <u>25</u>	Color <u>Gray</u> Texture <u>GR</u> Homogeneity <u>4</u> # of Layers <u>17</u> Asbestos ☐ ☒ Color of Layer _____ Detected Yes ☐ No ☒ Comments: _____ Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0	Morphology _____ Extinction _____ RI I _____ RI II _____ DS Color _____ Color, Pleo _____ Biref _____ Sign _____	Chrysotile _____ Amosite _____ Other ☒	Cellulose _____ Fiberglass _____ Other _____	Mineral Filler <u>100</u> Organic Binders _____ Vermiculite _____ Other _____	Organic _____ Residue _____ Carbonate _____ Other _____ Asbestos _____
2 <u>26</u>	Color <u>Tan</u> Texture <u>GR</u> Homogeneity <u>4</u> # of Layers <u>17</u> Asbestos ☐ ☒ Color of Layer _____ Detected Yes ☐ No ☒ Comments: _____ Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0	Morphology _____ Extinction _____ RI I _____ RI II _____ DS Color _____ Color, Pleo _____ Biref _____ Sign _____	Chrysotile _____ Amosite _____ Other ☒	Cellulose <u>100</u> Fiberglass <u>TK</u> Other <u>Synthetic</u>	Mineral Filler <u>100</u> Organic Binders _____ Vermiculite _____ Other _____	Organic _____ Residue _____ Carbonate _____ Other _____ Asbestos _____
3 <u>27</u>	Color <u>Tan</u> Texture <u>GR</u> Homogeneity <u>4</u> # of Layers <u>17</u> Asbestos ☐ ☒ Color of Layer _____ Detected Yes ☐ No ☒ Comments: _____ Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0	Morphology _____ Extinction _____ RI I _____ RI II _____ DS Color _____ Color, Pleo _____ Biref _____ Sign _____	Chrysotile _____ Amosite _____ Other ☒	Cellulose <u>100</u> Fiberglass _____ Other _____	Mineral Filler <u>100</u> Organic Binders _____ Vermiculite _____ Other _____	Organic _____ Residue _____ Carbonate _____ Other _____ Asbestos _____
4 <u>28</u>	Color <u>Tan</u> Texture <u>GR</u> Homogeneity <u>4</u> # of Layers <u>17</u> Asbestos ☐ ☒ Color of Layer _____ Detected Yes ☐ No ☒ Comments: _____ Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0	Morphology _____ Extinction _____ RI I _____ RI II _____ DS Color _____ Color, Pleo _____ Biref _____ Sign _____	Chrysotile _____ Amosite _____ Other ☒	Cellulose <u>100</u> Fiberglass _____ Other _____	Mineral Filler <u>100</u> Organic Binders _____ Vermiculite _____ Other _____	Organic _____ Residue _____ Carbonate _____ Other _____ Asbestos _____

ATC ASSOCIATES INC - NEW YORK BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor - New York, NY 10010 Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NVLAP 101187

ELAP 10879

Microscope OLYMP BH-2

Client / Project NYC-130E / P.S. 234M / 292 Greenwich St, NY NYProject No. 14584-0823Analysis Date 6/15/02Analyst Milena LourdBatch No. 20525

1	Field No. <u>29</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
	Gravimetric (NOB) Required ☐	Color <u>Gray</u>	Texture <u>GR</u>	Morphology	Extinction	☐ Chrysotile	☐ Cellulose	<u>100</u> Mineral Filler	☐ Organic
	Recommended ☐	Homogeneity <u>Y</u>		RI I	RI II	☒ Amosite	☐ Fiberglass	☐ Organic Binders	☐ Residue
	Gravimetric PREP ☐	# of Layers <u>11</u>	Asbestos ☐ ☒	DS Color	Color, Pleo	☒ Other	<u>TX</u> Other	☐ Vermiculite	☐ Carbonate
	Gravimetric (NOB) PLM ☐	Color of Layer	Detected Yes ☐ No ☐	Biref	Sign		<u>Synthetic</u>	☐ Other	☐ Other
	Gravimetric (NOB) TEM ☐	Comments:					☐ Q.C.		☐ Asbestos
	POINT COUNT RESULTS ON THE BACK	Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0					☐		

2	Field No. <u>30</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
	Gravimetric (NOB) Required ☐	Color <u>Gray</u>	Texture <u>GR</u>	Morphology	Extinction	☐ Chrysotile	☐ Cellulose	<u>100</u> Mineral Filler	☐ Organic
	Recommended ☐	Homogeneity <u>Y</u>		RI I	RI II	☒ Amosite	☐ Fiberglass	☐ Organic Binders	☐ Residue
	Gravimetric PREP ☐	# of Layers <u>11</u>	Asbestos ☐ ☒	DS Color	Color, Pleo	☒ Other	<u>TX</u> Other	☐ Vermiculite	☐ Carbonate
	Gravimetric (NOB) PLM ☐	Color of Layer	Detected Yes ☐ No ☐	Biref	Sign		<u>Synthetic</u>	☐ Other	☐ Other
	Gravimetric (NOB) TEM ☐	Comments:					☐ Q.C.		☐ Asbestos
	POINT COUNT RESULTS ON THE BACK	Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0					☐		

3	Field No. <u>31</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
	Gravimetric (NOB) Required ☐	Color <u>Gray</u>	Texture <u>GR</u>	Morphology	Extinction	☐ Chrysotile	☐ Cellulose	<u>100</u> Mineral Filler	☐ Organic
	Recommended ☐	Homogeneity <u>Y</u>		RI I	RI II	☒ Amosite	☐ Fiberglass	☐ Organic Binders	☐ Residue
	Gravimetric PREP ☐	# of Layers <u>11</u>	Asbestos ☐ ☒	DS Color	Color, Pleo	☒ Other	<u>TX</u> Other	☐ Vermiculite	☐ Carbonate
	Gravimetric (NOB) PLM ☐	Color of Layer	Detected Yes ☐ No ☐	Biref	Sign		<u>Synthetic</u>	☐ Other	☐ Other
	Gravimetric (NOB) TEM ☐	Comments:					☐ Q.C.		☐ Asbestos
	POINT COUNT RESULTS ON THE BACK	Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0					☐		

4	Field No. <u>32</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
	Gravimetric (NOB) Required ☐	Color <u>Gray</u>	Texture <u>GR</u>	Morphology	Extinction	☐ Chrysotile	☐ Cellulose	<u>100</u> Mineral Filler	☐ Organic
	Recommended ☐	Homogeneity <u>Y</u>		RI I	RI II	☒ Amosite	☐ Fiberglass	☐ Organic Binders	☐ Residue
	Gravimetric PREP ☐	# of Layers <u>11</u>	Asbestos ☐ ☒	DS Color	Color, Pleo	☒ Other	☐ Other	☐ Vermiculite	☐ Carbonate
	Gravimetric (NOB) PLM ☐	Color of Layer	Detected Yes ☐ No ☐	Biref	Sign		☐ Q.C.	☐ Other	☐ Other
	Gravimetric (NOB) TEM ☐	Comments:					☐		☐ Asbestos
	POINT COUNT RESULTS ON THE BACK	Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒ SCANNING OPTION: ELAP (P.C.) & EPA First 4 preps. Asbestos = 0					☐		

ATC ASSOCIATES INC - NEW YORK - BULK ASBESTOS ANALYSIS SHEET

104 East 25th Street, 10th Floor - New York, NY 10010 - Phone (212) 353 - 8280, FAX (212) 353 - 3599 or 8306

NVLAP 101187

ELAP 10879

Microscope OLYMP BH-2

Client / Project NYC-130E / P.S. 234M / 242 GREENWICH ST, NY NY

Project No. 14584-082.3

Analysis Date 6/15/02 Analyst Milena Lowd

Batch No. 20525

1	Field No. <u>33</u>	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐ Recommended ☐ Gravimetric PREP ☐ Gravimetric (NOB) PLM ☐ Gravimetric (NOB) TEM ☐ POINT COUNT RESULTS ON THE BACK		Color <u>BROWN</u>	Texture <u>GR</u>	Morphology	Extinction	☐ Chrysotile	☐ Cellulose	☒ Mineral Filler	☐ Organic
		Homogeneity <u>Y</u>		RI I	RI II	☐ Amosite	☐ Fiberglass	☐ Organic Binders	☐ Residue
		# of Layers <u>11</u>	Asbestos ☐ ☒	DS Color	Color, Pleo	☒ Other	☐ Other	☐ Vermiculite	☐ Carbonate
		Color of Layer	Detected Yes ☒ No ☐	Biref	Sign			☐ Other	☐ Other
		Comments:							
		Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☒		SCANNING OPTION: ELAP (P.C.) & EPA ☐		First 4 preps. Asbestos = 0		Q.C. ☐	
2	Field No.	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐ Recommended ☐ Gravimetric PREP ☐ Gravimetric (NOB) PLM ☐ Gravimetric (NOB) TEM ☐ POINT COUNT RESULTS ON THE BACK		Color	Texture	Morphology	Extinction	☐ Chrysotile	☐ Cellulose	☐ Mineral Filler	☐ Organic
		Homogeneity		RI I	RI II	☐ Amosite	☐ Fiberglass	☐ Organic Binders	☐ Residue
		# of Layers	Asbestos ☐ ☐	DS Color	Color, Pleo	☐ Other	☐ Other	☐ Vermiculite	☐ Carbonate
		Color of Layer	Detected Yes ☐ No ☐	Biref	Sign			☐ Other	☐ Other
		Comments:							
		Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☐		SCANNING OPTION: ELAP (P.C.) & EPA ☐		First 4 preps. Asbestos = 0		Q.C. ☐	
3	Field No.	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐ Recommended ☐ Gravimetric PREP ☐ Gravimetric (NOB) PLM ☐ Gravimetric (NOB) TEM ☐ POINT COUNT RESULTS ON THE BACK		Color	Texture	Morphology	Extinction	☐ Chrysotile	☐ Cellulose	☐ Mineral Filler	☐ Organic
		Homogeneity		RI I	RI II	☐ Amosite	☐ Fiberglass	☐ Organic Binders	☐ Residue
		# of Layers	Asbestos ☐ ☐	DS Color	Color, Pleo	☐ Other	☐ Other	☐ Vermiculite	☐ Carbonate
		Color of Layer	Detected Yes ☐ No ☐	Biref	Sign			☐ Other	☐ Other
		Comments:							
		Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☐		SCANNING OPTION: ELAP (P.C.) & EPA ☐		First 4 preps. Asbestos = 0		Q.C. ☐	
4	Field No.	Stereoscopic Exam		PLM Optical Properties		Asbestos Results PLM %	Other Fibrous %	Non Fibrous %	Gravimetric (NOB) Results %
Gravimetric (NOB) Required ☐ Recommended ☐ Gravimetric PREP ☐ Gravimetric (NOB) PLM ☐ Gravimetric (NOB) TEM ☐ POINT COUNT RESULTS ON THE BACK		Color	Texture	Morphology	Extinction	☐ Chrysotile	☐ Cellulose	☐ Mineral Filler	☐ Organic
		Homogeneity		RI I	RI II	☐ Amosite	☐ Fiberglass	☐ Organic Binders	☐ Residue
		# of Layers	Asbestos ☐ ☐	DS Color	Color, Pleo	☐ Other	☐ Other	☐ Vermiculite	☐ Carbonate
		Color of Layer	Detected Yes ☐ No ☐	Biref	Sign			☐ Other	☐ Other
		Comments:							
		Method: ☐ ELAP + EPA ☐ ELAP ☐ EPA ☐ OTHER ☐		SCANNING OPTION: ELAP (P.C.) & EPA ☐		First 4 preps. Asbestos = 0		Q.C. ☐	

CITY_21MC100_003031785