

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER
Antonia C. Novello, M.D., M.P.H., Dr.P.H. Commissioner



Expires 12:01 AM April 01, 2002
issued August 18, 2001

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. MILENA LOWD
ATC ASSOCIATES INC
104 EAST 25TH 10TH FLOOR
NEW YORK NY 10010 USA

NY Lab Id No: 10879
EPA Lab Code: NY01349

is hereby APPROVED as an Environmental Laboratory for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved subcategories and/or analytes are listed below:

Metals I

Lead, Total SW-846 7420

Miscellaneous

Asbestos in Friable Material EPA 600/M4/82/020
Method Not Specified

Asbestos in Non-Friable Material ITEM 198.4 OF MANUAL

Serial No.: 12949

Property of the New York State Department of Health. Valid only at the address shown.
Must be conspicuously posted. Valid certificates have a raised seal and may be
verified by calling (518)485-5570.

DOH-3317 (3/97)

Page 1 of 1

CITY_21MC100_005389822

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER
Antonia C. Novello, M.D., M.P.H., Dr.P.H. Commissioner



Expires 12:01 AM April 01, 2002
Issued August 18, 2001

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE
Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. MILENA LOWD
ATC ASSOCIATES INC
104 EAST 25TH 10TH FLOOR
NEW YORK NY 10010 USA

NY Lab Id No: 10879
EPA Lab Code: NY01349

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Miscellaneous

Lead in Dust Wipes

APP. 14.2, HUD JUNE 1995

Lead in Paint

SM18 3120B

Serial No.: 12948

Property of the New York State Department of Health. Valid only at the address shown.
Must be conspicuously posted. Valid certificates have a raised seal and may be
verified by calling (516)485-5570.

DOH-3317 (3/97)

Page 1 of 1



CITY_21MC100_005389823