



Pace Analytical Services, Inc.
1700 Elm Street, Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

Appendix B

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



CITY_21MC100_005390263



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414

Tel: 612-607-1700
Fax: 612-607-6444

Method 8290 Blank Analysis Results

Client - ATC

Lab Sample ID	BLANK-1476	Matrix	WIPE
Filename	U20227A_04	Dilution	NA
Total Amount Extracted	1 m2	Extracted	02/19/2002
ICAL Date	02/26/2002	Analyzed	02/27/2002 10:43
CCal Filename(s)	U20227A_01 & U20227A_14	Injected By	MASB

Native Isomers	Conc ng/m2	EMPC ng/m2	LRL ng/m2	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.00200	2,3,7,8-TCDF-13C	2.00	78
Total TCDF	ND	----	0.00200	2,3,7,8-TCDD-13C	2.00	72
				1,2,3,7,8-PeCDF-13C	2.00	83
2,3,7,8-TCDD	ND	----	0.00200	2,3,4,7,8-PeCDF-13C	2.00	78
Total TCDD	ND	----	0.00200	1,2,3,7,8-PeCDD-13C	2.00	76
				1,2,3,4,7,8-HxCDF-13C	2.00	84
1,2,3,7,8-PeCDF	ND	----	0.01000	1,2,3,6,7,8-HxCDF-13C	2.00	75
2,3,4,7,8-PeCDF	ND	----	0.01000	2,3,4,6,7,8-HxCDF-13C	2.00	77
Total PeCDF	ND	----	0.01000	1,2,3,7,8,9-HxCDF-13C	2.00	89
				1,2,3,4,7,8-HxCDD-13C	2.00	74
1,2,3,7,8-PeCDD	ND	----	0.01000	1,2,3,6,7,8-HxCDD-13C	2.00	78
Total PeCDD	ND	----	0.01000	1,2,3,4,6,7,8-HpCDF-13C	2.00	77
				1,2,3,4,7,8,9-HpCDF-13C	2.00	78
1,2,3,4,7,8-HxCDF	ND	----	0.01000	1,2,3,4,6,7,8-HpCDD-13C	2.00	76
1,2,3,6,7,8-HxCDF	ND	----	0.01000	OCDD-13C	4.00	63
2,3,4,6,7,8-HxCDF	ND	----	0.01000			
1,2,3,7,8,9-HxCDF	ND	----	0.01000	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	----	0.01000	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	----	0.01000	2,3,7,8-TCDD-37Cl4	0.20	78
1,2,3,6,7,8-HxCDD	ND	----	0.01000			
1,2,3,7,8,9-HxCDD	ND	----	0.01000			
Total HxCDD	ND	----	0.01000			
1,2,3,4,6,7,8-HpCDF	ND	----	0.01000	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	----	0.01000	Equivalence: 0.00 ng/m2		
Total HpCDF	ND	----	0.01000	(Using ITE Factors)		
1,2,3,4,6,7,8-HpCDD	ND	----	0.01000			
Total HpCDD	ND	----	0.01000			
OCDF	ND	----	0.02000			
OCDD	ND	----	0.02000			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
LRL = Lower Reporting Limit
J = Concentration detected is below the calibration range
P = Recovery outside of target range.
A = Detection Limit based on signal-to-noise measurement

I = Interference
E = PCDE Interference
ND = Not Detected
NA = Not Applicable
NC = Not Calculated
* = See Discussion

Report No.....02-1053890

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

CITY_21MC100_005390264



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414

Tel: 612-607-1700
Fax: 612-607-6444

Method 8290 Analysis Results

Client - ATC

Client's Sample ID	ATC-0207-89M-DX1		
Lab Sample ID	103311742		
Filename	U20227A_11		
Injected By	BAL		
Total Amount Extracted	1 m2	Matrix	WIPE
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	02/07/2002
ICAL Date	02/26/2002	Received	02/08/2002
CCal Filename(s)	U20227A_01 & U20227A_14	Extracted	02/19/2002
Method Blank ID	BLANK-1476	Analyzed	02/27/2002 16:40

Native Isomers	Conc ng/m2	EMPC ng/m2	LRL ng/m2	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	-----	0.00200	2,3,7,8-TCDF-13C	2.00	74
Total TCDF	ND	-----	0.00200	2,3,7,8-TCDD-13C	2.00	66
				1,2,3,7,8-PeCDF-13C	2.00	75
2,3,7,8-TCDD	ND	-----	0.00200	2,3,4,7,8-PeCDF-13C	2.00	64
Total TCDD	ND	-----	0.00200	1,2,3,7,8-PeCDD-13C	2.00	64
				1,2,3,4,7,8-HxCDF-13C	2.00	88
1,2,3,7,8-PeCDF	ND	-----	0.01000	1,2,3,6,7,8-HxCDF-13C	2.00	73
2,3,4,7,8-PeCDF	ND	-----	0.01000	2,3,4,6,7,8-HxCDF-13C	2.00	66
Total PeCDF	ND	-----	0.01000	1,2,3,7,8,9-HxCDF-13C	2.00	70
				1,2,3,4,7,8-HxCDD-13C	2.00	56
1,2,3,7,8-PeCDD	ND	-----	0.01000	1,2,3,6,7,8-HxCDD-13C	2.00	62
Total PeCDD	ND	-----	0.01000	1,2,3,4,6,7,8-HpCDF-13C	2.00	51
				1,2,3,4,7,8,9-HpCDF-13C	2.00	44
1,2,3,4,7,8-HxCDF	ND	-----	0.01000	1,2,3,4,6,7,8-HpCDD-13C	2.00	49
1,2,3,6,7,8-HxCDF	ND	-----	0.01000	OCDD-13C	4.00	31 P
2,3,4,6,7,8-HxCDF	ND	-----	0.01000			
1,2,3,7,8,9-HxCDF	ND	-----	0.01000	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	-----	0.01000	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	-----	0.01000	2,3,7,8-TCDD-37Cl4	0.20	73
1,2,3,6,7,8-HxCDD	ND	-----	0.01000			
1,2,3,7,8,9-HxCDD	ND	-----	0.01000			
Total HxCDD	ND	-----	0.01000			
1,2,3,4,6,7,8-HpCDF	ND	-----	0.01000	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	-----	0.01000	Equivalence: 0.00 ng/m2		
Total HpCDF	ND	-----	0.01000	(Using ITE Factors)		
1,2,3,4,6,7,8-HpCDD	ND	-----	0.01000			
Total HpCDD	ND	-----	0.01000			
OCDF	ND	-----	0.02000			
OCDD	-----	0.032	0.02000 I			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers)
EMPC = Estimated Maximum Possible Concentration
A = Detection Limit based on signal-to-noise measurement
J = Concentration detected is below the calibration range
B = Less than 10 times higher than method blank level
P = Recovery outside of target range
Nn = Value obtained from additional analysis

LRL = Lower Reporting Limit
I = Interference
E = PCDE Interference
S = Saturated signal
ND = Not Detected
NA = Not Applicable
NC = Not Calculated
* = See Discussion

Report No.....02-1053890

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

CITY_21MC100_005390265



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414

Tel: 612-607-1700
Fax: 612-607-6444

Method 8290 Analysis Results

Client - ATC

Client's Sample ID	ATC-0207-89M-DX2		
Lab Sample ID	103311759		
Filename	U20226B_05		
Injected By	BAL		
Total Amount Extracted	1 m2	Matrix	WIPE
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	02/07/2002
ICAL Date	02/26/2002	Received	02/08/2002
CCal Filename(s)	U20226A_10 & U20226B_15	Extracted	02/19/2002
Method Blank ID	BLANK-1476	Analyzed	02/26/2002 21:13

Native Isomers	Conc ng/m2	EMPC ng/m2	LRL ng/m2		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.00340	A	2,3,7,8-TCDF-13C	2.00	64 *
Total TCDF	ND	----	0.00200		2,3,7,8-TCDD-13C	2.00	68
					1,2,3,7,8-PeCDF-13C	2.00	69
2,3,7,8-TCDD	ND	----	0.00290	A	2,3,4,7,8-PeCDF-13C	2.00	75
Total TCDD	ND	----	0.00200		1,2,3,7,8-PeCDD-13C	2.00	71
					1,2,3,4,7,8-HxCDF-13C	2.00	89
1,2,3,7,8-PeCDF	ND	----	0.01000		1,2,3,6,7,8-HxCDF-13C	2.00	84
2,3,4,7,8-PeCDF	ND	----	0.01000		2,3,4,6,7,8-HxCDF-13C	2.00	78
Total PeCDF	ND	----	0.01000		1,2,3,7,8,9-HxCDF-13C	2.00	86
					1,2,3,4,7,8-HxCDD-13C	2.00	69
1,2,3,7,8-PeCDD	ND	----	0.01000		1,2,3,6,7,8-HxCDD-13C	2.00	78
Total PeCDD	ND	----	0.01000		1,2,3,4,6,7,8-HpCDF-13C	2.00	70
					1,2,3,4,7,8,9-HpCDF-13C	2.00	59
1,2,3,4,7,8-HxCDF	ND	----	0.01000		1,2,3,4,6,7,8-HpCDD-13C	2.00	64
1,2,3,6,7,8-HxCDF	ND	----	0.01000		OCDD-13C	4.00	48
2,3,4,6,7,8-HxCDF	ND	----	0.01000				
1,2,3,7,8,9-HxCDF	ND	----	0.01000		1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	----	0.01000		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	----	0.01000		2,3,7,8-TCDD-37Cl4	0.20	77
1,2,3,6,7,8-HxCDD	ND	----	0.01000				
1,2,3,7,8,9-HxCDD	ND	----	0.01000				
Total HxCDD	0.011	----	0.01000	J			
1,2,3,4,6,7,8-HpCDF	ND	----	0.01000		Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	----	0.01000		Equivalence: 0.000050 ng/m2		
Total HpCDF	ND	----	0.01000		(Using ITE Factors)		
1,2,3,4,6,7,8-HpCDD	ND	----	0.01000				
Total HpCDD	0.014	----	0.01000	J			
OCDF	ND	----	0.02000				
OCDD	0.050	----	0.02000	J			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers)
EMPC = Estimated Maximum Possible Concentration
A = Detection Limit based on signal-to-noise measurement
J = Concentration detected is below the calibration range
B = Less than 10 times higher than method blank level
P = Recovery outside of target range
Nn = Value obtained from additional analysis

LRL = Lower Reporting Limit
I = Interference
E = PCDE Interference
S = Saturated signal
ND = Not Detected
NA = Not Applicable
NC = Not Calculated
* = See Discussion

Report No.....02-1053890

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

CITY_21MC100_005390266



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414

Tel: 612-607-1700
Fax: 612-607-6444

Method 8290 Analysis Results

Client - ATC

Client's Sample ID	ATC-0207-89M-DX3		
Lab Sample ID	103311767		
Filename	U20226B_06		
Injected By	BAL		
Total Amount Extracted	1 m2	Matrix	WIPE
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	02/07/2002
ICAL Date	02/26/2002	Received	02/08/2002
CCal Filename(s)	U20226A_10 & U20226B_15	Extracted	02/19/2002
Method Blank ID	BLANK-1476	Analyzed	02/26/2002 22:02

Native Isomers	Conc ng/m2	EMPC ng/m2	LRL ng/m2		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.0062	----	0.00360	JA	2,3,7,8-TCDF-13C	2.00	61 *
Total TCDF	0.0900	----	0.00200		2,3,7,8-TCDD-13C	2.00	61
					1,2,3,7,8-PeCDF-13C	2.00	67
2,3,7,8-TCDD	ND	----	0.00320	A	2,3,4,7,8-PeCDF-13C	2.00	73
Total TCDD	0.1200	----	0.00200		1,2,3,7,8-PeCDD-13C	2.00	70
					1,2,3,4,7,8-HxCDF-13C	2.00	80
1,2,3,7,8-PeCDF	ND	----	0.01000		1,2,3,6,7,8-HxCDF-13C	2.00	69
2,3,4,7,8-PeCDF	ND	----	0.01000		2,3,4,6,7,8-HxCDF-13C	2.00	67
Total PeCDF	0.0690	----	0.01000		1,2,3,7,8,9-HxCDF-13C	2.00	71
					1,2,3,4,7,8-HxCDD-13C	2.00	56
1,2,3,7,8-PeCDD	ND	----	0.01000		1,2,3,6,7,8-HxCDD-13C	2.00	70
Total PeCDD	0.1200	----	0.01000		1,2,3,4,6,7,8-HpCDF-13C	2.00	57
					1,2,3,4,7,8,9-HpCDF-13C	2.00	51
1,2,3,4,7,8-HxCDF	0.0100	----	0.01000	J	1,2,3,4,6,7,8-HpCDD-13C	2.00	47
1,2,3,6,7,8-HxCDF	ND	----	0.01000		OCDD-13C	4.00	37 P
2,3,4,6,7,8-HxCDF	ND	----	0.01000				
1,2,3,7,8,9-HxCDF	ND	----	0.01000		1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	0.0300	----	0.01000	J	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	----	0.01000		2,3,7,8-TCDD-37Cl4	0.20	73
1,2,3,6,7,8-HxCDD	ND	----	0.01000				
1,2,3,7,8,9-HxCDD	ND	----	0.01000				
Total HxCDD	0.1200	----	0.01000				
1,2,3,4,6,7,8-HpCDF	----	0.014	0.01000	I	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	----	0.01000		Equivalence: 0.0021 ng/m2		
Total HpCDF	ND	----	0.01000		(Using ITE Factors)		
1,2,3,4,6,7,8-HpCDD	0.0310	----	0.01000	J			
Total HpCDD	0.0310	----	0.01000	J			
OCDF	ND	----	0.02000				
OCDD	0.1500	----	0.02000				

Conc = Concentration (Totals include 2,3,7,8-substituted isomers)
EMPC = Estimated Maximum Possible Concentration
A = Detection Limit based on signal-to-noise measurement
J = Concentration detected is below the calibration range
B = Less than 10 times higher than method blank level
P = Recovery outside of target range
Nn = Value obtained from additional analysis


LRL = Lower Reporting Limit
I = Interference
E = PCDE Interference
S = Saturated signal
ND = Not Detected
NA = Not Applicable
NC = Not Calculated
* = See Discussion

Report No.....02-1053890

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

CITY_21MC100_005390267



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414

Tel: 612-607-1700
Fax: 612-607-6444

Method 8290 Analysis Results

Client - ATC

Client's Sample ID	ATC-0207-89M-DX4		
Lab Sample ID	103311775		
Filename	U20226B_07		
Injected By	BAL		
Total Amount Extracted	1 m2	Matrix	WIPE
% Moisture	NA	Dilution	NA
Dry Weight Extracted	NA	Collected	02/07/2002
ICAL Date	02/26/2002	Received	02/08/2002
CCal Filename(s)	U20226A_10 & U20226B_15	Extracted	02/19/2002
Method Blank ID	BLANK-1476	Analyzed	02/26/2002 22:52

Native Isomers	Conc ng/m2	EMPC ng/m2	LRL ng/m2	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	----	0.00200	2,3,7,8-TCDF-13C	2.00	60 *
Total TCDF	ND	----	0.00200	2,3,7,8-TCDD-13C	2.00	69
				1,2,3,7,8-PeCDF-13C	2.00	60
2,3,7,8-TCDD	ND	----	0.00200	2,3,4,7,8-PeCDF-13C	2.00	64
Total TCDD	ND	----	0.00200	1,2,3,7,8-PeCDD-13C	2.00	68
				1,2,3,4,7,8-HxCDF-13C	2.00	90
1,2,3,7,8-PeCDF	ND	----	0.01000	1,2,3,6,7,8-HxCDF-13C	2.00	75
2,3,4,7,8-PeCDF	ND	----	0.01000	2,3,4,6,7,8-HxCDF-13C	2.00	73
Total PeCDF	ND	----	0.01000	1,2,3,7,8,9-HxCDF-13C	2.00	75
				1,2,3,4,7,8-HxCDD-13C	2.00	63
1,2,3,7,8-PeCDD	ND	----	0.01000	1,2,3,6,7,8-HxCDD-13C	2.00	75
Total PeCDD	ND	----	0.01000	1,2,3,4,6,7,8-HpCDF-13C	2.00	61
				1,2,3,4,7,8,9-HpCDF-13C	2.00	52
1,2,3,4,7,8-HxCDF	ND	----	0.01000	1,2,3,4,6,7,8-HpCDD-13C	2.00	46
1,2,3,6,7,8-HxCDF	ND	----	0.01000	OCDD-13C	4.00	40
2,3,4,6,7,8-HxCDF	ND	----	0.01000			
1,2,3,7,8,9-HxCDF	ND	----	0.01000	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	----	0.01000	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	----	0.01000	2,3,7,8-TCDD-37Cl4	0.20	78
1,2,3,6,7,8-HxCDD	ND	----	0.01000			
1,2,3,7,8,9-HxCDD	ND	----	0.01000			
Total HxCDD	ND	----	0.01000			
1,2,3,4,6,7,8-HpCDF	ND	----	0.01000	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	----	0.01000	Equivalence: 0.00 ng/m2		
Total HpCDF	ND	----	0.01000	(Using ITE Factors)		
1,2,3,4,6,7,8-HpCDD	ND	----	0.01000			
Total HpCDD	ND	----	0.01000			
OCDF	ND	----	0.02000			
OCDD	ND	----	0.02000			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers)
EMPC = Estimated Maximum Possible Concentration
A = Detection Limit based on signal-to-noise measurement
J = Concentration detected is below the calibration range
B = Less than 10 times higher than method blank level
P = Recovery outside of target range
Nn = Value obtained from additional analysis

LRL = Lower Reporting Limit
I = Interference
E = PCDE Interference
S = Saturated signal
ND = Not Detected
NA = Not Applicable
NC = Not Calculated
* = See Discussion

Report No.....02-1053890

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

CITY_21MC100_005390268



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414

Tel: 612-607-1700
Fax: 612-607-6444

Method 8290 Laboratory Control Spike Results

Client - ATC

Lab Sample ID	SPIKE-1485	Matrix	WIPE
Filename	U20227A_02	Dilution	NA
Total Amount Extracted	1 Sample	Extracted	02/19/2002
ICAL Date	02/26/2002	Analyzed	02/27/2002 08:58
CCal Filename(s)	U20227A_01 & U20227A_14	Injected By	MASB
Method Blank ID	BLANK-1476		

Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.19	97	2,3,7,8-TCDF-13C	2.00	82
				2,3,7,8-TCDD-13C	2.00	77
				1,2,3,7,8-PeCDF-13C	2.00	87
2,3,7,8-TCDD	0.20	0.20	98	2,3,4,7,8-PeCDF-13C	2.00	86
				1,2,3,7,8-PeCDD-13C	2.00	82
				1,2,3,4,7,8-HxCDF-13C	2.00	85
1,2,3,7,8-PeCDF	1.00	0.95	95	1,2,3,6,7,8-HxCDF-13C	2.00	77
2,3,4,7,8-PeCDF	1.00	0.97	97	2,3,4,6,7,8-HxCDF-13C	2.00	82
				1,2,3,7,8,9-HxCDF-13C	2.00	91
				1,2,3,4,7,8-HxCDD-13C	2.00	79
1,2,3,7,8-PeCDD	1.00	1.07	107	1,2,3,6,7,8-HxCDD-13C	2.00	80
				1,2,3,4,6,7,8-HpCDF-13C	2.00	75
				1,2,3,4,7,8,9-HpCDF-13C	2.00	74
1,2,3,4,7,8-HxCDF	1.00	0.96	96	1,2,3,4,6,7,8-HpCDD-13C	2.00	74
1,2,3,6,7,8-HxCDF	1.00	0.93	93	OCDD-13C	4.00	66
2,3,4,6,7,8-HxCDF	1.00	0.93	93			
1,2,3,7,8,9-HxCDF	1.00	0.91	91	1,2,3,4-TCDD-13C	2.00	NA
				1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	1.00	1.05	105			
1,2,3,6,7,8-HxCDD	1.00	1.00	100	2,3,7,8-TCDD-37Cl4	0.20	79
1,2,3,7,8,9-HxCDD	1.00	1.04	104			
1,2,3,4,6,7,8-HpCDF	1.00	0.94	94			
1,2,3,4,7,8,9-HpCDF	1.00	0.97	97			
1,2,3,4,6,7,8-HpCDD	1.00	1.00	100			
OCDF	2.00	1.96	98			
OCDD	2.00	2.07	103			

Qs = Quantity Spiked
Qm = Quantity Measured
Rec. = Recovery (Expressed as Percent)
P = Recovery outside of target range
X = Background subtracted value
Nn = Value obtained from additional analysis
NA = Not Applicable
* = See Discussion

Report No.....02-1053890

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

CITY_21MC100_005390269