NYC 9/11 Public Portal Document

ATC ASSOCIATES INC.

104 East 25th St., 10th Floor
New York, New York 10010
www.atc-enviro.com
212.353.8280
Fax 212.353.8306

November 25, 2002

Mr. Bernard P. Orlan
Director, Environmental Health & Safety
New York City Department of Education
28-11 Queens Plaza North
Long Island City, NY 11101-4008

Re: Wipe Samples for Dioxins
Jacob Riis Community School (P. S. 126 Manhattan)
ATC Project No. 15-19125-0343

Dear Mr. Orlan:

ATC Associates Inc. (ATC) is pleased to provide this report of the results of the wipe-samples for polychlorinated dibenzo-p-dioxins (PCDDs)and dibenzofurans (PCDFs) collected on August 29, 2002, at the referenced location. The New York City Department of Education (DOE) requested these samples to evaluate possible contamination in the school building.

Scope of Work

The samples were collected using gauze pads and hexane as a solvent. The solvent was provided and samples were analyzed by Pace Analytical Services, Inc. (Pace) of Minneapolis, MN, a laboratory experienced in dioxin analysis. The analysis was performed by modified EPA Method 8290 using combined capillary column gas chromatography/high resolution mass spectrometry.

Wagdi Abdelshahid, Industrial Hygienist of ATC's New York City office, collected the samples consistent with generally accepted industrial hygiene practices. There were inherent limitations created by constraints of time, operational and work practice variability, variations in contaminant concentrations, and sampling and analytical accuracy. The results of the sampling represent conditions found on the date the samples were collected.

Results

ATC submitted three wipe samples for PCDDs/PCDFs to Pace for analysis. Samples were taken from representative floor areas throughout the building. The sample area for each sample was one square meter (1 m^2). The areas sampled were:

- Main Lobby;
- 3rd Floor Hall by Room 317;
- 4th Floor Hall by Room 435.

NYC-WTC_000202551

NYC 9/11 Public Portal Document

Each sample was analyzed for sixteen (16) PCDD/PCDF isomers. The results for each isomer were then converted to 2, 3, 7, 8 tetrachloro-dibenzo-p-dioxin (2, 3, 7, 8-TCDD) equivalents by multiplying by an established equivalency factor. This provides a single value (in nanograms) for the analytical results for each sample. A copy of the laboratory analysis report is attached. The results are shown in the following table.

DIOXIN WIPE SAMPLE RESULTS
2, 3, 7, 8 TCDD EQUIVALENTS - Nanograms per square meter (ng/m^2)
August 29, 2002

LOCATION /SAMPLE ID	DIOXIN CONCENTRATION
Main Lobby / DX1	0.00080
3rd Floor Hall by Room 317 / DX2	0.000076
4th Floor Hall by Room 435 / DX3	0.00044

The New York State Department of Health (NYSDOH) established guidelines for dioxin for the re-occupancy of the Binghamton State Office Building following a PCB fire. The NYSDOH guideline for dioxin on surfaces is 25 nanograms per square meter (25 ng/m^2).

The concentrations on indoor surfaces ranged from 0.000076 to 0.00080 nanograms per square meter (ng/m^2). The levels found in all of these samples are below the NYSDOH guideline of 25 ng/m^2.

It is not possible to determine when the 2, 3, 7, 8 - TCDD equivalents detected in these samples was deposited. Dioxin samples were not collected from these locations prior to these samples therefore a background sample is not available for comparison purposes.

It is our pleasure to provide these indoor environmental services to the NYC Department of Education. If you have any questions about this report, please call (212) 353-8280, extension 212.

Sincerely,
ATC Associates, Inc.

James R. Cohn, CIH, CSP
Regional Manager
Industrial Hygiene Division

Attachment

NYC-WTC_000202552