



MORETRENCH AMERICAN CORPORATION

www.moretrench.com

May 15, 2002

Serial Letter 01-4906-114

VIA FACSIMILE (3 wfc)
(212) 640-9202

100 Stickle Avenue
P.O. Box 316
Rockaway, N.J. 07866
Tel: (973) 627-2100
Fax: (973) 627-3950 / 627-6078

Mr. Brian Peters
Bovis Lend Lease LMB, Inc.
200 Park Avenue
New York, NY 10166

Total # of Pages:

10

**RE: World Trade Center Dewatering
Contract No. 20020004649
MTA Job 01-4906
Water Analyses**

Dear Brian:

Attached find complete results of the analysis of the water samples taken from the WTC site on May 6, 2002. MTBE level for the sump discharge (B-6 30 hp sump pump) was 140 ppb and for the dewatering wells (Main Discharge) was 1.3 ppb.

Chlorodifluoromethane was 97 ppb in the sump discharge and 4.1 ppb in the dewatering well discharge.

We are also forwarding a copy of the tables which track MTBE and Chlorodifluoromethane concentrations for all of the water sample testing which has been performed on the site. We are also including the results of the analysis performed on the water samples for asbestos. The results for dioxin will be forwarded upon receipt from the lab.

Very truly yours,
MORETRENCH AMERICAN CORPORATION

John F. Donohoe
President

cc: Billy Klingler, MTA