

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

JANUARY 2002

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm ²	S/cc*	EPA GUIDELINE
01/02/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/03/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/04/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/05/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/06/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/07/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/08/02	7 AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/09/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/10/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/11/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/12/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/13/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/14/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/15/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/16/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/17/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0045	70 s/mm ²

SUMMARY REPORT STUYVESANT HIGH SCHOOL AIR SAMPLING RESULTS

DATE	TIME	LOCATION	0.5 – 5.0 (μ)	> 5.0 (μ)	S/mm ²	S/cc*	EPA GUIDELINE
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0045	
01/21/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/22/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/23/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/24/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/25/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/26/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/27/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/28/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/29/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/30/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	
01/31/02	7AM – 5PM	Pier 25 - North entrance of HS/East	0	0	NSD < 20.00	<0.0043	70 s/mm ²
		Pier 25 - North entrance of HS/West	0	0	NSD < 20.00	<0.0043	