

228 East 45th Street
New York, NY 10017
(212) 922-0077
Fax (212) 922-0630

WARREN & PANZER ENGINEERS, P. C.

PAGE 1 OF 1

AIR MONITORING LOG SHEET/CHAIN-OF-CUSTODY FORM

24 hr⁺/a 12 hr⁺/a 6 hr⁺/a 3 hr⁺/a Immediate ⁺/a

P.O. _____

CLIENT: NYC-DEP 5/8
PROJECT: ROOF CLEANING
LOCATION: S BEEKMAN N.Y.

W&P FILE #: 1079.01.02

LABORATORY: ATC

CONTACT: NELSON

ANALYSIS METHOD: PCM
circle one 7400 TEM TEM
AHERA EPA LEVEL II

TECHNICIAN: FAYED EL-GENDI

95561-95568

SAMPLE NUMBER	SAMPLE DESCRIPTION/LOCATION	SAMPLE TYPE	PUMP #	FLOWRATE		TIME		TOTAL TIME	VOLUME (liters)	CONCENTR. (fib./cc.)
				START	STOP	ON	OFF			
25	WORK AREA RIGHT	3		2	2	0810	1910	660	1320	
26	WORK AREA LEFT	1		1	1	0810	1910			
27	ACCESS DOOR TO THE ROOF	1		1	1	0811	1911			
28	ONE FLOOR BELOW THE ROOF	1		1	1	0812	1912			
29	THE DECK	3		2	2	0812	1912	660	1320	
30	F. BLANK	1								
31	F. BLANK	1								
32	F. BLANK	1								

COMMENTS:

SAMPLE BY: FAYED EL-GENDI DATE: 6-20-02
SIGNATURE: F. El-Gendi
RELEASED BY: FAYED EL-GENDI DATE: 6-20-02
SIGNATURE: F. El-Gendi
RECEIVED BY: [Signature] DATE: 6/20
SIGNATURE: [Signature] 00:00

SAMPLE TYPE CODES

- | | |
|------------------------------|-------------------------------|
| ① - Blank | 5 - Final Clearance (inside) |
| 2 - Pre-Abatement | 6 - Final Clearance (outside) |
| ③ - During Abatement | 7 - Personal |
| 4 - During Glove Bag Removal | 8 - Background |

SEE REVERSE SIDE FOR ANALYSIS INFORMATION

A. INFORMATION FOR PCM ANALYSIS

1. Samples shall be analyzed using NIOSH 7400 method.
2. The laboratory performing the sample analysis must be accredited for PCM analysis by the AIHA or by the Department of Health pursuant to Section 502 of the Public Health Law (ELAP Certification).

B. INFORMATION FOR TEM ANALYSIS

1. For schools, clearance samples must be analyzed ny the AHERA method as per 40 CFR 763 Appendix A to Subpart E. The five inside samples shall be read first. If the five inside fail, then the five outside, two field blanks and one sealed blank shall be read.
2. For non-schools, clearance samples shall be read by EPA Level II. performed by the Yamate et al. Method.

C. GENERAL INFORMATION FOR BOTH PCM & TEM

1. All sample results shall include the name and address of the laboratory performing the analysis, the laboratory certification Number, the date of the analysis, the analytical method used, and the name and signature of the person performing the analysis.
2. The completed original (white) sheet of the CHAIN-OF-CUSTODY from should be returned to Warren & Panzer, the carbon (yellow) should be retained by the laboratory, and the pink copy should be retained by the field technician.
3. All air sample cassettes shall be returned to Warren & Panzer Engineers, P.C.
4. All invoices should be sent to Warren & Panzer Engineers, P.C., 228 East 45th Street 10th Floor New York, New York 10017 Attn: Accounts Payable. Please include W & P File # on all invoices.
5. Two (2) original copies of the laboratory results should be sent to Warren & Panzer Engineers, P.C., 228 East 45th Street 10th Floor New York, New York 10017

CITY_21MC100_002990964