




AIRBORNE ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY


CLIENT: Warren & Panzer Engineers, P. C.
LABORATORY ID #: T02-07-026
ANALYT. METHODOLOGY: AHERA
FILTER TYPE: M.C.E.
AVERAGE G.O. AREA (mm²): 0.008643

PROJECT: NYC DEP, 2 John Street/180 Broadway
DATE OF REPORT: 07/29/02
DATE OF ANALYSIS: 07/27/02
EFFECTIVE FILTER AREA (mm²): 385

LABORATORY RESULTS

CLIENT #	LAB. ID #	LOCATION	VOLUME (lt)	G.O.'s ANALYZED	AREA ANALYZED (mm ²)	ANALYT. SENSITIV. (struct./cm ³)	TOTAL ASBESTOS AIR CONC. (struc./cm ³)	TOTAL ASBESTOS FILTER CONC. (str./mm ²)	AIR CONC. FOR STRUCT. 0.5≤S<5μm	AIR CONC. FOR STRUCT. S≥5.0μm	ASBEST. TYPE CHRYS.	AMPHIB. ASBEST TYPE SPECIFY
1	T02-07-26-1074	In Remote Decon Clean Room	1680	6	0.0519	0.0044	<0.0044	<19.28	NA	NA	NA	NA
2	T02-07-26-1075	Staircase to Roof	1680	6	0.0519	0.0044	<0.0044	<19.28	NA	NA	NA	NA
3	T02-07-26-1076	North side of Roof	1680	6	0.0519	0.0044	<0.0044	<19.28	NA	NA	NA	NA
4	T02-07-26-1077	East side of Roof	1680	6	0.0519	0.0044	<0.0044	<19.28	NA	NA	NA	NA
5	T02-07-26-1078	West side of Roof	1680	6	0.0519	0.0044	<0.0044	<19.28	NA	NA	NA	NA


ANALYST
 E. Sioukri


LABORATORY DIRECTOR
 Spiro Dongaris

LABORATORY CERTIFICATION NUMBERS: NVLAP 101958, ELAP 10955

- Athenica Environmental Services Inc. (AES), is responsible only for information pertaining to samples taken by its employees.
- Air sampling cassettes will be stored for sixty (60) days. AES Inc., should be notified within this time frame for a true duplicate analysis.
- If AES Inc., did not conduct the sampling, the reported airborne concentration was derived based on information provided by the client. Under these circumstances, the air concentration data is supplied solely for the convenience of the client.
- The report relates only to items tested. This report must not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. Test reports may not be reproduced except in full and with prior approval of AES Inc.
- The liability of Athenica Environmental Services Inc. with respect to the services charged, shall in no event exceed the amount of the invoice.