

228 East 45th Street
New York, NY 10017
(212) 922-0077
Fax (212) 922-0630

WARREN & PANZER ENGINEERS, P. C.

AIR MONITORING LOG SHEET/CHAIN-OF-CUSTODY FORM

PAGE 1 OF 124 hr⁺/a 12 hr⁺/a 6 hr⁺/a 3 hr⁺/a Immediate ⁺/a

P.O. _____

CLIENT: NYC DEP
PROJECT: 112 FULTON ST
LOCATION: FACADE

W&P FILE #: 1079-01-02
LABORATORY: W&P
ANALYSIS METHOD: PCM TEM TEM
circle one 7400 AHERA EPA LEVEL II
TECHNICIAN: IDRIS IDOWU

CONTACT: MICHAEL NOLAN

SAMPLE NUMBER	SAMPLE DESCRIPTION/LOCATION	SAMPLE TYPE	PUMP #	FLOWRATE START	STOP	TIME ON	OFF	TOTAL TIME	VOLUME (liters)	CONCENTR. (fib./cc.)
ID01	IWA 1 ST side of WA	03		05	05	2030	0130	300	1500	
ID02	IWA 2 ND side of WA	03		05	05	2031	0131	300	1500	
ID03	IWA 3 RD side of WA	03		05	05	2032	0132	300	1500	
ID04	IWA 4 TH side of WA	03		05	05	2033	0133	300	1500	
ID05	IWA 5 TH side of WA	03		05	05	2034	0134	300	1500	
ID06	Field Blank	01					N/A			
ID07	Field Blank	01					N/A			
ID08	Sealed Blank	01					N/A			

COMMENTS:

T02-10-029

SAMPLE BY: IDRIS IDOWU DATE: 10-04-02
SIGNATURE: [Signature]
RELEASED BY: IDRIS IDOWU DATE: 10-04-02
SIGNATURE: [Signature]
RECEIVED BY: A. CAGGIA DATE: 10/6/02
SIGNATURE: [Signature]

SAMPLE TYPE CODES

1 - Blank	5 - Final Clearance (inside)
2 - Pre-Abatement	6 - Final Clearance (outside)
3 - During Abatement	7 - Personal
4 - During Glove Bag Removal	8 - Background

SEE REVERSE SIDE FOR ANALYSIS INFORMATION

CITY_21MC100_002992957

A. INFORMATION FOR PCM ANALYSIS

1. Samples shall be analyzed using NIOSH 7400 method.
2. The laboratory performing the sample analysis must be accredited for PCM analysis by the AIHA or by the Department of Health pursuant to Section 502 of the Public Health Law (ELAP Certification).

B. INFORMATION FOR TEM ANALYSIS

1. For schools, clearance samples must be analyzed ny the AHERA method as per 40 CFR 763 Appendix A to Subpart E. The five inside samples shall be read first. If the five inside fail, then the five outside, two field blanks and one sealed blank shall be read.
2. For non-schools, clearance samples shall be read by EPA Level II. performed by the Yamate et al. Method.

C. GENERAL INFORMATION FOR BOTH PCM & TEM

1. All sample results shall include the name and address of the laboratory performing the analysis, the laboratory certification Number, the date of the analysis, the analytical method used, and the name and signature of the person performing the analysis.
2. The completed original (white) sheet of the CHAIN-OF-CUSTODY from should be returned to Warren & Panzer, the carbon (yellow) should be retained by the laboratory, and the pink copy should be retained by the field technician.
3. All air sample cassettes shall be returned to Warren & Panzer Engineers, P.C.
4. All invoices should be sent to Warren & Panzer Engineers, P.C., 228 East 45th Street 10th Floor New York, New York 10017 Attn: Accounts Payable. Please include W & P File # on all invoices.
5. Two (2) original copies of the laboratory results should be sent to Warren & Panzer Engineers, P.C., 228 East 45th Street 10th Floor New York, New York 10017

CITY_21MC100_002992958