

228 East 45th Street
New York, NY 10017
(212) 922-0077
Fax (212) 922-0630

8216

P.O. _____

WARREN & PANZER ENGINEERS, P.C.
AIR MONITORING LOG SHEET/CHAIN-OF-CUSTODY FORM

CLIENT: NYC DEP 518
PROJECT: 125 + 170th St
LOCATION: Roof 95775-95782

W&P FILE #: 1074-01-02
TURN AROUND: 24 hrs
TECHNICIAN: John Boyd

Analysis Method: PCM - 7400
(circle one) TEM - AHERA
TEM - EPA LEVEL II

SAMPLE NUMBER	SAMPLE DESCRIPTION/LOCATION	SAMPLE TYPE	PUMP #	FLOWRATE		TIME		TOTAL TIME	VOLUME (liters)	CONCENTR. (fib./cc.)
				START	STOP	ON	OFF			
JB62102-10	outside Door	TEM		11	11	1350	1620	150	1650	
JB62102-11	IWA North	TEM		11	11	1352	1622	150	1650	
JB62102-12	IWA South	TEM		11	11	1354	1624	150	1650	
JB62102-13	IWA East	TEM		11	11	1356	1626	150	1650	
JB62102-14	IWA West	TEM		11	11	1358	1628	150	1650	
JB62102-15	Field Blank	—		—	—	0	0	0	0	
JB62102-16	" "	—		—	—	0	0	0	0	
JB62102-17	Sealed Blank	—		—	—	0	0	0	0	

SAMPLED BY: John Boyd DATE: 6/21/02
SIGNATURE: John Boyd
RELEASED BY: John Boyd DATE: 6/21/02
SIGNATURE: John Boyd
RECEIVED BY: AIC E. A. Warranos DATE: 6/21/02
SIGNATURE: AIC E. A. Warranos 1930

SAMPLE TYPE CODES	
1 - Blank	5 - Final Clearance (inside)
2 - Pre-Abatement	6 - Final Clearance (outside)
3 - During Abatement	7 - Personal
4 - During Glove Bag Removal	8 - Background

SEE REVERSE SIDE FOR ANALYSIS INFORMATION

CITY_21MC100_003003615

A. INFORMATION FOR PCM ANALYSIS

1. Samples shall be analyzed using NIOSH 7400 method.
2. The laboratory performing the sample analysis must be accredited for PCM analysis by the AIHA or by the Department of Health pursuant to Section 502 of the Public Health Law (ELAP Certification).

B. INFORMATION FOR TEM ANALYSIS

1. For schools, clearance samples must be analyzed ny the AHERA method as per 40 CFR 763 Appendix A to Subpart E. The five inside samples shall be read first. If the five inside fail, then the five outside, two field blanks and one sealed blank shall be read.
2. For non-schools, clearance samples shall be read by EPA Level II. performed by the Yamate et al. Method.

C. GENERAL INFORMATION FOR BOTH PCM & TEM

1. All sample results shall include the name and address of the laboratory performing the analysis, the laboratory certification Number, the date of the analysis, the analytical method used, and the name and signature of the person performing the analysis.
2. The completed original (white) sheet of the CHAIN-OF-CUSTODY from should be returned to Warren & Panzer, the carbon (yellow) should be retained by the laboratory, and the pink copy should be retained by the field technician.
3. All air sample cassettes shall be returned to Warren & Panzer Engineers, P.C.
4. All invoices should be sent to Warren & Panzer Engineers, P.C., 228 East 45th Street 10th Floor New York, New York 10017 Attn: Accounts Payable. Please include W & P File # on all invoices.
5. Two (2) original copies of the laboratory results should be sent to Warren & Panzer Engineers, P.C., 228 East 45th Street 10th Floor New York, New York 10017

CITY_21MC100_003003616