

228 East 45th Street
New York, NY 10017
(212) 922-0077
Fax (212) 922-0630

WARREN & PANZER ENGINEERS, P. C.

AIR MONITORING LOG SHEET/CHAIN-OF-CUSTODY FORM

PAGE 1 OF 2

24 hr⁺/a 12 hr⁺/a 6 hr⁺/a 3 hr⁺/a Immediate ⁺/a

P.O. _____

CLIENT: DEP
PROJECT: 57/59 MURRAY ST
LOCATION: FACADE / ROOF

W&P FILE #: 1079.01.02

LABORATORY: _____

CONTACT: _____

ANALYSIS METHOD: PCM TEM TEM
circle one 7400 AHERA EPA LEVEL II

TECHNICIAN: EDMAN DISNA

SAMPLE NUMBER	SAMPLE DESCRIPTION/LOCATION	SAMPLE TYPE	PUMP #	FLOWRATE START	STOP	TIME ON	TIME OFF	TOTAL TIME	VOLUME (liters)	CONCENTR. (fib./cc.)
01	IN FRONT OF ROAD HOUSE BARN	3	1	10	10	0420	0630	130	130	
02	10' FROM SAMPLE 01	3	2			0420	0630	130	130	
03	IN FRONT OF 59 MURRAY	3	3			0422	0632	130	130	
04	10' FROM SAMPLE 03	3	4			0423	0633	130	130	
05	IN FRONT OF HYDRATE	3	5			0425	0635	130	130	
06	IN FRONT OF ROAD HOUSE BARN	3	1			0630	0930	180	180	
07	10' FROM SAMPLE 01	3	2			0630	0930	180	180	
08	IN FRONT OF 59 MURRAY	3	3			0632	0932	180	180	
09	10' FROM SAMPLE 03	3	4			0633	0933	180	180	
10	IN FRONT OF HYDRATE.	3	5			0635	0935	180	180	

COMMENTS:

T02-09-095

SAMPLE BY: EDMAN DISNA DATE: 9.25.2002
SIGNATURE: _____
RELEASED BY: EDMAN DISNA DATE: 9.25
SIGNATURE: _____
RECEIVED BY: A. CASH/GAL DATE: 9/26/02
SIGNATURE: _____

SAMPLE TYPE CODES

1 - Blank	5 - Final Clearance (inside)
2 - Pre-Abatement	6 - Final Clearance (outside)
3 - During Abatement	7 - Personal
4 - During Glove Bag Removal	8 - Background

SEE REVERSE SIDE FOR ANALYSIS INFORMATION

CITY_21MC100_003004447

A. INFORMATION FOR PCM ANALYSIS

1. Samples shall be analyzed using NIOSH 7400 method.
2. The laboratory performing the sample analysis must be accredited for PCM analysis by the AIHA or by the Department of Health pursuant to Section 502 of the Public Health Law (ELAP Certification).

B. INFORMATION FOR TEM ANALYSIS

1. For schools, clearance samples must be analyzed ny the AHERA method as per 40 CFR 763 Appendix A to Subpart E. The five inside samples shall be read first. If the five inside fail, then the five outside, two field blanks and one sealed blank shall be read.
2. For non-schools, clearance samples shall be read by EPA Level II. performed by the Yamate et al. Method.

C. GENERAL INFORMATION FOR BOTH PCM & TEM

1. All sample results shall include the name and address of the laboratory performing the analysis, the laboratory certification Number, the date of the analysis, the analytical method used, and the name and signature of the person performing the analysis.
2. The completed original (white) sheet of the CHAIN-OF-CUSTODY from should be returned to Warren & Panzer, the carbon (yellow) should be retained by the laboratory, and the pink copy should be retained by the field technician.
3. All air sample cassettes shall be returned to Warren & Panzer Engineers, P.C.
4. All invoices should be sent to Warren & Panzer Engineers, P.C., 228 East 45th Street 10th Floor New York, New York 10017 Attn: Accounts Payable. Please include W & P File # on all invoices.
5. Two (2) original copies of the laboratory results should be sent to Warren & Panzer Engineers, P.C., 228 East 45th Street 10th Floor New York, New York 10017

CITY_21MC100_00300448