

228 East 45th Street
New York, NY 10017
(212) 922-0077
Fax (212) 922-0630

WARREN & PANZER ENGINEERS, P. C.

AIR MONITORING LOG SHEET/CHAIN-OF-CUSTODY FORM

PAGE 1 OF 1

P.O. _____

CLIENT: NYC DEP
PROJECT: 83 NASSAU ST.
LOCATION: ROOF

W&P FILE #: 1079-01-02

LABORATORY: _____

CONTACT: MICHAEL NOLAN

ANALYSIS METHOD: PCM TEM TEM
circle one 7400 AHERA EPA LEVEL II

TECHNICIAN: IDRIS IDOWU

SAMPLE NUMBER	SAMPLE DESCRIPTION/LOCATION	SAMPLE TYPE	PUMP #	FLOWRATE		TIME		TOTAL TIME	VOLUME (liters)	CONCENTR. (fib./cc.)
				START	STOP	ON	OFF			
1D01	ENTRANCE TO THE ROOF	3		3	3	0825	1625	480	1440	
1D02	1WA 1ST LEFTSIDE OF WA	3		3	3	0827	1627	480	1440	
1D03	1WA 2ND LEFTSIDE OF WA	3		3	3	0828	1628	480	1440	
1D04	1WA 1ST RIGHTSIDE OF WA	3		3	3	0829	1629	480	1440	
1D05	1WA 2ND RIGHTSIDE OF WA	3		3	3	0830	1630	480	1440	
1D06	Field Blank	1				N/A				
1D07	Field Blank	1				N/A				
1D08	Sealed Blank	1				N/A				

COMMENTS:

T02-10-161

SAMPLE BY: <u>IDRIS IDOWU</u>	DATE: <u>10-24-02</u>
SIGNATURE: <u>[Signature]</u>	
RELEASED BY: <u>IDRIS IDOWU</u>	DATE: <u>10-24-02</u>
SIGNATURE: <u>[Signature]</u>	
RECEIVED BY: <u>A. CAJIGAZ</u>	DATE: <u>10/24/02</u>
SIGNATURE: <u>[Signature]</u>	

SAMPLE TYPE CODES

1 - Blank	5 - Final Clearance (inside)
2 - Pre-Abatement	6 - Final Clearance (outside)
3 - During Abatement	7 - Personal
4 - During Glove Bag Removal	8 - Background

SEE REVERSE SIDE FOR ANALYSIS INFORMATION

CITY_21MC100_003004586

A. INFORMATION FOR PCM ANALYSIS

1. Samples shall be analyzed using NIOSH 7400 method.
2. The laboratory performing the sample analysis must be accredited for PCM analysis by the AIHA or by the Department of Health pursuant to Section 502 of the Public Health Law (ELAP Certification).

B. INFORMATION FOR TEM ANALYSIS

1. For schools, clearance samples must be analyzed ny the AHERA method as per 40 CFR 763 Appendix A to Subpart E. The five inside samples shall be read first. If the five inside fail, then the five outside, two field blanks and one sealed blank shall be read.
2. For non-schools, clearance samples shall be read by EPA Level II. performed by the Yamate et al. Method.

C. GENERAL INFORMATION FOR BOTH PCM & TEM

1. All sample results shall include the name and address of the laboratory performing the analysis, the laboratory certification Number, the date of the analysis, the analytical method used, and the name and signature of the person performing the analysis.
2. The completed original (white) sheet of the CHAIN-OF-CUSTODY from should be returned to Warren & Panzer, the carbon (yellow) should be retained by the laboratory, and the pink copy should be retained by the field technician.
3. All air sample cassettes shall be returned to Warren & Panzer Engineers, P.C.
4. All invoices should be sent to Warren & Panzer Engineers, P.C., 228 East 45th Street 10th Floor New York, New York 10017 Attn: Accounts Payable. Please include W & P File # on all invoices.
5. Two (2) original copies of the laboratory results should be sent to Warren & Panzer Engineers, P.C., 228 East 45th Street 10th Floor New York, New York 10017

CITY_21MC100_003004587