




AIRBORNE ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY

CLIENT: Warren & Panzer Engineers, P.C.
LABORATORY ID #: T02-08-110
ANALYT. METHODOLOGY: AHERA
FILTER TYPE: M.C.E.
AVERAGE G.O. AREA (mm²): 0.012422


PROJECT: NYC DEP, 30 W Broadway
DATE OF REPORT: 08/21/02
DATE OF ANALYSIS: 08/21/02
EFFECTIVE FILTER AREA (mm²): 385

LABORATORY RESULTS

CLIENT #	LAB. ID #	LOCATION	VOLUME (lt)	G.O.'s ANALYZED	AREA ANALYZED (mm ²)	ANALYT. SENSITIV. (struct./cm ³)	TOTAL ASBESTOS AIR CONC. (struc./cm ³)	TOTAL ASBESTOS FILTER CONC. (str./mm ²)	AIR CONC. FOR STRUCT. 0.5≤S<5μm	AIR CONC. FOR STRUCT. S≥5.0μm	ASBEST. TYPE CHRYS.	AMPHIB. ASBEST TYPE SPECIFY
001A	T02-08-110-1772	Entrance to personal decon	1680	4	0.0497	0.0046	<0.0046	<20.13	NA	NA	NA	NA
002A	T02-08-110-1773	North west side of Building ground level	1680	4	0.0497	0.0046	<0.0046	<20.13	NA	NA	NA	NA
003A	T02-08-110-1774	North west side of ground level	1680	4	0.0497	0.0046	<0.0046	<20.13	NA	NA	NA	NA
004A	T02-08-110-1775	North side – ground level	1680	4	0.0497	0.0046	<0.0046	<20.13	NA	NA	NA	NA
005A	T02-08-110-1776	North side-ground level	1680	4	0.0497	0.0046	<0.0046	<20.13	NA	NA	NA	NA



ANALYST
E. Sioukri



LABORATORY DIRECTOR
Spiro Dongaris

LABORATORY CERTIFICATION NUMBERS: NVLAP 101958, ELAP 10955

- Athenica Environmental Services Inc. (AES), is responsible only for information pertaining to samples taken by its employees.
- Air sampling cassettes will be stored for sixty (60) days. AES Inc., should be notified within this time frame for a true duplicate analysis.
- If AES Inc., did not conduct the sampling, the reported airborne concentration was derived based on information provided by the client. Under these circumstances, the air concentration data is supplied solely for the convenience of the client.
- The report relates only to items tested. This report must not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. Test reports may not be reproduced except in full and with prior approval of AES Inc.
- The liability of Athenica Environmental Services Inc. with respect to the services charged, shall in no event exceed the amount of the invoice.