



LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

6601 Kirkville Road
E. Syracuse, NY 13057-0369
Phone: (315) 432-5227
Fax: (315) 437-0571
www.galsonlabs.com

Date Sampled : 22-JAN-02
Date Received : 24-JAN-02
Date Analyzed : 25-JAN-02

Account No.: 10597
Login No. : L78357

Client ID : 1-22-02-11

Lab ID : L78357-11

Wipe Area : NA

<u>Parameter</u>	<u>LOQ</u> <u>ug</u>	<u>Total</u> <u>ug</u>
Aluminum	3	131
Cadmium	0.15	0.727
Cobalt	0.45	<0.45
Copper	0.3	9.15
Iron	7.5	405
Magnesium	3	82.9
Manganese	0.15	5.02
Nickel	0.3	1.22
Lead	0.38	43.0
Zinc	1.5	199

COMMENTS: Method: mod. NIOSH 7300; ICP

Media: Glass Fiber Filters used as wipes (GFF's may contain levels of Aluminum, Magnesium, and Zinc.

Client submitted blank result is above the LOQ for Aluminum, Magnesium, Lead, & Zinc. Sample results not corrected. Instrument and prep blanks are <LOQ.

Collection Media : Wipe

Submitted by: lk

Approved by: AMW

Date : 28-JAN-02

QC by: *[Signature]*

NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	LOQ-Limit of Quantitation

Field sampling was not performed by Galson. Galson presents results based on sampling data provided by clients.



LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

6601 Kirkville Road
E. Syracuse, NY 13057-0369
Phone: (315) 432-5227
Fax: (315) 437-0571
www.galsonlabs.com

Date Sampled : 22-JAN-02
Date Received : 24-JAN-02
Date Analyzed : 25-JAN-02

Account No.: 10597
Login No. : L78357

Client ID : 1-22-02-10

Lab ID : L78357-10

Wipe Area : NA

<u>Parameter</u>	<u>LOQ</u> <u>ug</u>	<u>Total</u> <u>ug</u>
Aluminum	3	106
Cadmium	0.15	0.258
Cobalt	0.45	<0.45
Copper	0.3	4.10
Iron	7.5	172
Magnesium	3	47.5
Manganese	0.15	2.04
Nickel	0.3	0.758
Lead	0.38	4.07
Zinc	1.5	150

COMMENTS: Method: mod. NIOSH 7300; ICP

Media: Glass Fiber Filters used as wipes (GFF's may contain levels of Aluminum, Magnesium, and Zinc.

Client submitted blank result is above the LOQ for Aluminum, Magnesium, Lead, & Zinc. Sample results not corrected. Instrument and prep blanks are <LOQ.

Collection Media : Wipe

Submitted by: LK

Approved by: AMW

Date : 28-JAN-02

QC by: *SM*

NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	L -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	LOQ-Limit of Quantitation

Field sampling was not performed by Galson. Galson presents results based on sampling data provided by clients.





LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

6601 Kirkville Road
E. Syracuse, NY 13057-0369
Phone: (315) 432-5227
Fax: (315) 437-0571
www.galsonlabs.com

Date Sampled : 22-JAN-02
Date Received : 24-JAN-02
Date Analyzed : 25-JAN-02

Account No.: 10597
Login No. : L78357

Client ID : 1-22-02-09

Lab ID : L78357-9

Wipe Area : NA

<u>Parameter</u>	<u>LOQ</u> <u>ug</u>	<u>Total</u> <u>ug</u>
Aluminum	3	76.9
Cadmium	0.15	<0.15
Cobalt	0.45	<0.45
Copper	0.3	<0.30
Iron	7.5	<7.5
Magnesium	3	8.05
Manganese	0.15	<0.15
Nickel	0.3	<0.30
Lead	0.36	<0.38
Zinc	1.5	133

COMMENTS: Method: mod. NIOSH 7300; ICP

Media: Glass Fiber Filters used as wipes (GFF's may contain levels of Aluminum, Magnesium, and Zinc.

Client submitted blank result is above the LOQ for Aluminum, Magnesium, Lead, & Zinc. Sample results not corrected. Instrument and prep blanks are <LOQ.

Collection Media : Wipe

Submitted by: lk

Approved by : AMW

Date : 28-JAN-02

QC by: *[Signature]*

NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	LOQ-Limit of Quantitati

Field sampling was not performed by Galson. Galson presents results based on sampling data provided by clients.



LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

6601 Kirkville Road
E. Syracuse, NY 13057-0369
Phone: (315) 432-5227
Fax: (315) 437-0571
www.galsonlabs.com

Date Sampled : 22-JAN-02
Date Received : 24-JAN-02
Date Analyzed : 25-JAN-02

Account No.: 10597
Login No. : L78357

Client ID : 1-22-02-08 BLANK

Lab ID : L78357-8

Wipe Area : NA

<u>Parameter</u>	<u>LOQ</u> <u>ug</u>	<u>Total</u> <u>ug</u>
Aluminum	3	74.6
Cadmium	0.15	<0.15
Cobalt	0.45	<0.45
Copper	0.3	<0.30
Iron	7.5	<7.5
Magnesium	3	7.40
Manganese	0.15	<0.15
Nickel	0.3	<0.30
Lead	0.38	0.397
Zinc	1.5	128

COMMENTS: Method: mod. NIOSH 7300; ICP

Media: Glass Fiber Filters used as wipes (GFF's may contain levels of Aluminum, Magnesium, and Zinc.

Client submitted blank result is above the LOQ for Aluminum, Magnesium, Lead, & Zinc. Sample results not corrected. Instrument and prep blanks are <LOQ.

Collection Media : Wipe

Submitted by: Lk
Approved by: AMW
Date : 28-JAN-02
QC by: *[Signature]*
NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	LOQ-Limit of Quantitatic

Field sampling was not performed by Galson. Galson presents results based on sampling data provided by clients.



LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

6601 Kirkville Road
E. Syracuse, NY 13057-0369
Phone: (315) 432-5227
Fax: (315) 437-0571
www.galsonlabs.com

Date Sampled : 22-JAN-02
Date Received : 24-JAN-02
Date Analyzed : 25-JAN-02

Account No.: 10597
Login No. : L78357

Client ID : 1-22-02-07

Lab ID : L78357-7

Wipe Area : NA

<u>Parameter</u>	<u>LOQ</u> <u>ug</u>	<u>Total</u> <u>ug</u>
Aluminum	3	75.5
Cadmium	0.15	<0.15
Cobalt	0.45	<0.45
Copper	0.3	<0.30
Iron	7.5	<7.5
Magnesium	3	7.71
Manganese	0.15	<0.15
Nickel	0.3	<0.30
Lead	0.38	0.380
Zinc	1.5	128

COMMENTS: Method: mod. NIOSH 7300; ICP

Media: Glass Fiber Filters used as wipes (GFF's may contain levels of Aluminum, Magnesium, and Zinc.

Client submitted blank result is above the LOQ for Aluminum, Magnesium, Lead, & Zinc. Sample results not corrected. Instrument and prep blanks are <LOQ.

Collection Media : Wipe

Submitted by: lk

Approved by: AMW

Date : 28-JAN-02

QC by: 
NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	LOQ-Limit of Quantitation

Field sampling was not performed by Galson. Galson presents results based on sampling data provided by clients.



LABORATORY ANALYSIS REPORT

5601 Kirkville Road
 E. Syracuse, NY 13057-0369
 Phone: (315) 432-5227
 Fax: (315) 437-0571
 www.galsonlabs.com

Client : NYS DOL Albany
 Site : 99999900C

Date Sampled : 22-JAN-02
 Date Received : 24-JAN-02
 Date Analyzed : 25-JAN-02

Account No.: 10597
 Login No. : L78357

Client ID : 1-22-02-06

Lab ID : L78357-6

Wipe Area : NA

<u>Parameter</u>	<u>LOQ</u> <u>ug</u>	<u>Total</u> <u>ug</u>
Aluminum	3	46.7
Cadmium	0.15	<0.15
Cobalt	0.45	<0.45
Copper	0.3	<0.30
Iron	7.5	<7.5
Magnesium	3	5.81
Manganese	0.15	<0.15
Nickel	0.3	<0.30
Lead	0.38	<0.38
Zinc	1.5	99.2

COMMENTS: Method: mod. NIOSH 7300; ICP

Media: Glass Fiber Filters used as wipes (GFF's may contain levels of Aluminum, Magnesium, and Zinc.

Client submitted blank result is above the LOQ for Aluminum, Magnesium, Lead, & Zinc. Sample results not corrected. Instrument and prep blanks are <LOQ.

Collection Media : Wipe

Submitted by: lk

Approved by: AMW

Date : 28-JAN-02

QC by: *AMW*

NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	LOQ-Limit of Quantitation

Field sampling was not performed by Galson. Galson presents results based on sampling data provided by clients.



LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

6601 Kirkville Road
E. Syracuse, NY 13057-0369
Phone: (315) 432-5227
Fax: (315) 437-0571
www.galsonlabs.com

Date Sampled : 22-JAN-02
Date Received : 24-JAN-02
Date Analyzed : 25-JAN-02

Account No.: 10597
Login No. : L78357

Client ID : 1-22-02-05

Lab ID : L78357-5

Wipe Area : NA

Parameter	LOQ ug	Total ug
Aluminum	3	102
Cadmium	0.15	<0.15
Cobalt	0.45	<0.45
Copper	0.3	2.38
Iron	7.5	77.0
Magnesium	3	15.2
Manganese	0.15	1.04
Nickel	0.3	0.502
Lead	0.38	1.92
Zinc	1.5	132

COMMENTS: Method: mod. NIOSH 7300; ICP

Media: Glass Fiber Filters used as wipes (GFF's may contain levels of Aluminum, Magnesium, and Zinc.

Client submitted blank result is above the LOQ for Aluminum, Magnesium, Lead, & Zinc. Sample results not corrected. Instrument and prep blanks are <LOQ.

Collection Media : Wipe

Submitted by: lk

Approved by: AMW

Date : 28-JAN-02

QC by: *AM*

NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg --Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS --Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	LOQ--Limit of Quantitatic

Field sampling was not performed by Galson. Galson presents results based on sampling data provided by clients.



LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

6601 Kirkville Road
E. Syracuse, NY 13057-0369
Phone: (315) 432-5227
Fax: (315) 437-0671
www.galsonlabs.com

Date Sampled : 22-JAN-02
Date Received : 24-JAN-02
Date Analyzed : 25-JAN-02

Account No. : 10597
Login No. : L78357

Client ID : 1-22-02-04 BLANK

Lab ID : L78357-4

Wipe Area : NA

<u>Parameter</u>	<u>LOQ</u> <u>ug</u>	<u>Total</u> <u>ug</u>
Aluminum	3	90.2
Cadmium	0.15	<0.15
Cobalt	0.45	<0.45
Copper	0.3	<0.30
Iron	7.5	<7.5
Magnesium	3	8.75
Manganese	0.15	<0.15
Nickel	0.3	<0.30
Lead	0.38	<0.38
Zinc	1.5	150

COMMENTS: Method: mod. NIOSH 7303; ICP

Media: Glass Fiber Filters used as wipes (GFF's may contain levels of Aluminum, Magnesium, and Zinc.

Client submitted blank result is above the LOQ for Aluminum, Magnesium, Lead, & Zinc. Sample results not corrected. Instrument and prep blanks are <LOQ.

Collection Media : Wipe

Submitted by: lk

Approved by: AMW

Date : 28-JAN-02

QC by: *AM*

NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	LOQ-Limit of Quantitation

Field sampling was not performed by Galson. Galson presents results based on sampling data provided by clients.



LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000

6601 Kirkville Road
L. Syracuse, NY 13057-0369
Phone: (315) 432-5227
Fax: (315) 437-0571
www.galsonlabs.com

Date Sampled : 22-JAN-02
Date Received : 24-JAN-02
Date Analyzed : 25-JAN-02

Account No.: 1C597
Login No. : L78357

Client ID : 1-22-02-03

Lab ID : L78357-3

Wipe Area : NA

<u>Parameter</u>	<u>LOQ</u> <u>ug</u>	<u>Total</u> <u>ug</u>
Aluminum	3	73.5
Cadmium	0.15	<0.15
Cobalt	0.45	<0.45
Copper	0.3	0.837
Iron	7.5	<7.5
Magnesium	3	7.83
Manganese	0.15	<0.15
Nickel	0.3	<0.30
Lead	0.38	<0.38
Zinc	1.5	121

COMMENTS: Method: mod. NIOSH 7300; ICP

Media: Glass Fiber Filters used as wipes (GFF's may contain levels of Aluminum, Magnesium, and Zinc.

Client submitted blank result is above the LOQ for Aluminum, Magnesium, Lead, & Zinc. Sample results not corrected. Instrument and prep blanks are <LOQ.

Collection Media : Wipe

Submitted by: lk

Approved by : AMW

Date : 28-JAN-02

QC by:

NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	LOQ-Limit of Quantitatic

Field sampling was not performed by Galson. Galson presents results based on sampling data provided by clients.

01/30/02 WED 13:40 FAX 518 485 1150

NYS DOL-PESH

015



LABORATORY ANALYSIS REPORT

6601 Kirkville Road
E. Syracuse, NY 13057-0369
Phone: (315) 432-5227
Fax: (315) 437-0571
www.galsonlabs.com

Client : NYS DOL Albany
Site : 999999C00

Date Sampled : 22-JAN-02
Date Received : 24-JAN-02
Date Analyzed : 25-JAN-02

Account No.: 10597
Login No. : L78357

Client ID : 1-22-02-02

Lab ID : L78357-2

Wipe Area : NA

<u>Parameter</u>	<u>LOQ</u> <u>ug</u>	<u>Total</u> <u>ug</u>
Aluminum	3	163
Cadmium	0.15	0.162
Cobalt	0.45	<0.45
Copper	0.3	4.08
Iron	7.5	148
Magnesium	3	57.3
Manganese	0.15	2.04
Nickel	0.3	1.34
Lead	0.38	2.27
Zinc	1.5	170

COMMENTS: Method: mod. NIOSH 7300; ICP

Media: Glass Fiber Filters used as wipes (GFF's may contain levels of Aluminum, Magnesium, and Zinc.

Client submitted blank result is above the LOQ for Aluminum, Magnesium, Lead, & Zinc. Sample results not corrected. Instrument and prep blanks are <LOQ.

Collection Media : Wipe

Submitted by: lk
Approved by: AMW
Date : 28-JAN-02
QC by: *km*
NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	LOQ-Limit of Quantitation

Field sampling was not performed by Galson. Galson presents results based on sampling data provided by clients.

01/30/02 WED 13:40 FAX 516 485 1150

NYS DOL-PESH

017



LABORATORY ANALYSIS REPORT

6601 Kirkville Road
E. Syracuse, NY 13057-0369
Phone: (315) 432-5227
Fax: (315) 437-0571
www.galsonlabs.com

Client : NYS DOL Albany
Site : 999999C00

Date Sampled : 22-JAN-02
Date Received : 24-JAN-02
Date Analyzed : 25-JAN-02

Account No.: 10597
Login No. : L78357

Client ID : 1-22-02-01

Lab ID : L78357-1

Wipe Area : NA

<u>Parameter</u>	<u>LOQ</u> <u>ug</u>	<u>Total</u> <u>ug</u>
Aluminum	3	114
Cadmium	0.15	<0.15
Cobalt	0.45	<0.45
Copper	0.3	2.99
Iron	7.5	27.9
Magnesium	3	17.2
Manganese	0.15	0.475
Nickel	0.3	0.662
Lead	0.38	1.24
Zinc	1.5	191

COMMENTS: Method: mod. NIOSH 7300; ICP

Media: Glass Fiber Filters used as wipes (GFF's may contain levels of Aluminum, Magnesium, and Zinc.

Client submitted blank result is above the LOQ for Aluminum, Magnesium, Lead, & Zinc. Sample results not corrected. Instrument and prep blanks are <LOQ.

Collection Media : Wipe

Submitted by: lk
Approved by : AMW
Date : 28-JAN-02
QC by: *AM*
NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	LOQ -Limit of Quantitation

Field sampling was not performed by Galson. Galson presents results based on sampling data provided by clients.



LABORATORY ANALYSIS REPORT

5601 Kirkville Road
E. Syracuse, NY 13057-0369
Phone: (315) 432-5227
Fax (315) 437-0571
www.galsonlabs.com

Client : NYS DOL Albany
Site : 999999C00

Date Sampled : 22-JAN-02
Date Received : 24-JAN-02
Date Analyzed : 25-JAN-02

Account No.: 10597
Login No. : L78357

Client ID : 1-22-02-12 BLANK

Lab ID : L78357-12

Wipe Area : NA

<u>Parameter</u>	<u>LOQ</u> <u>ug</u>	<u>Total</u> <u>ug</u>
Aluminum	3	85.8
Cadmium	0.15	<0.15
Cobalt	0.45	<0.45
Copper	0.3	<0.30
Iron	7.5	<7.5
Magnesium	3	8.30
Manganese	0.15	<0.15
Nickel	0.3	<0.30
Lead	0.33	0.538
Zinc	1.5	149

COMMENTS: Method: mod. NIOSH 7300; ICP

Media: Glass Fiber Filters used as wipes (GFF's may contain levels of Aluminum, Magnesium, and Zinc.

Client submitted blank result is above the LOQ for Aluminum, Magnesium, Lead, & Zinc. Sample results not corrected. Instrument and prep blanks are <LOQ.

Collection Media : Wipe

Submitted by: lk
Approved by: AMW
Date : 28-JAN-02
QC by: 
NYS DOH # 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	LOQ-Limit of Quantitation

Field sampling was not performed by Galson. Galson presents results based on sampling data provided by clients.