

01/23/02 FRI 09:33 FAX 518 485 1150 NYSDOL-PESH
01/22/02 01:31 EST Galson Laboratories via FAX

page 2 of 12 0003

**Galson
Laboratories**

6601 Kirkville Rd. E. Syracuse, NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000Date Sampled : 15-JAN-02
Date Received : 16-JAN-02
Date Analyzed : 21-JAN-02Account No. : 10597
Login No. : L78088**Aluminum**

<u>Sample ID</u>	<u>Lab ID</u>	<u>Total ug</u>
1-15-02-7	L78088-16	38.1
1-15-02-12	L78088-17	55.9
1-15-02-14	L78088-18	79.1
1-15-02-17	L78088-19	11.3
1-15-02-19	L78088-20	230
1-15-02-22	L78088-21	29.1
1-15-02-25	L78088-22	24.3
1-15-02-27	L78088-23	16.5
1-15-02-30	L78088-24	31.8
1-15-02-33	L78088-25	6.51
1-15-02-35	L78088-26	76.8
1-15-02-36	L78088-27	106

Level of quantitation: 3 ug

Analytical Method : modified NIOSH 7300; ICP

OSHA PEL (TWA) : NA

Collection Media : Wipe

Submitted by: LK

Approved by : AMW

Date : 22-JAN-02

QC by: QC STAFF

NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	

**Galson
Laboratories**

6601 Kirkville Rd. E. Syracuse, NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000Date Sampled : 15-JAN-02
Date Received : 15-JAN-02
Date Analyzed : 21-JAN-02Account No. : 10597
Login No. : L78088

Cadmium

<u>Sample ID</u>	<u>Lab ID</u>	<u>Total ug</u>
1-15-02-7	L78088-16	<0.15
1-15-02-12	L78088-17	0.326
1-15-02-14	L78088-18	0.156
1-15-02-17	L78088-19	0.597
1-15-02-19	L78088-20	2.03
1-15-02-22	L78088-21	0.248
1-15-02-25	L78088-22	0.587
1-15-02-27	L78088-23	<0.15
1-15-02-30	L78088-24	0.674
1-15-02-33	L78088-25	<0.15
1-15-02-35	L78088-26	0.247
1-15-02-36	L78088-27	0.272

Level of quantitation: 0.15 ug

Analytical Method : modified NIOSH 7300; ICP

OSHA PEL (TWA) : NA

Collection Media : Wipe

Submitted by: LK

Approved by : AMW

Date : 22-JAN-02

QC by: QC STAFF

NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	

01/25/02 FRI 08:34 FAX 518 485 1150
 01/22/02 01:51 EST Galson Laboratories via VSI-PA

NYSDOL-PESH

Page 4 of 10 005

Galson Laboratories

5601 Kirkville Rd. E. Syracuse, NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
 Site : 999999000

Date Sampled : 15-JAN-02
 Date Received : 16-JAN-02
 Date Analyzed : 21-JAN-02

Account No.: 10597
 Login No. : L78088

Cobalt

<u>Sample ID</u>	<u>Lab ID</u>	<u>Total</u> <u>ug</u>
1-15-02-7	L78088-16	<0.45
1-15-02-12	L78088-17	<0.45
1-15-02-14	L78088-18	<0.45
1-15-02-17	L78088-19	<0.45
1-15-02-19	L78088-20	0.661
1-15-02-22	L78088-21	<0.45
1-15-02-25	L78088-22	<0.45
1-15-02-27	L78088-23	<0.45
1-15-02-30	L78088-24	<0.45
1-15-02-33	L78088-25	<0.45
1-15-02-35	L78088-26	<0.45
1-15-02-36	L78088-27	<0.45

Level of quantitation: 0.45 ug

Analytical Method : modified NIOSH 7200; ICP

OSHA PEL (TWA) : NA

Collection Media : Wipe

Submitted by: LK

Approved by : AMW

Date : 22-JAN-02

QC by: QC STAFF

NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	

01/25/02 FRI 09:34 FAX 518 485 1150 NYSDOL-PESH
 01/22/02 01:51 EST Galson Laboratories via VSI-FMA

Page 3 of 13 0006

Galson Laboratories

6601 Kirkville Rd. E. Syracuse, NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
 Site : 999999000

Date Sampled : 15-JAN-02
 Date Received : 16-JAN-02
 Date Analyzed : 21-JAN-02

Account No. : 10597
 Login No. : L78088

Copper

Sample ID	Lab ID	Total kg
1-15-02-7	L78088-16	3.06
1-15-02-12	L78088-17	6.52
1-15-02-14	L78088-18	2.70
1-15-02-17	L78088-19	1.30
1-15-02-19	L78088-20	21.5
1-15-02-22	L78088-21	3.24
1-15-02-25	L78088-22	7.39
1-15-02-27	L78088-23	1.49
1-15-02-30	L78088-24	5.40
1-15-02-33	L78088-25	0.593
1-15-02-35	L78088-26	3.66
1-15-02-36	L78088-27	13.4

Level of quantitation: 0.3 ug

Analytical Method : modified NIOSH 7300; ICP

CSHA PEL (TWA) : NA

Collection Media : Wipe

Submitted by: LK

Approved by : AMW

Date : 22-JAN-02

QC by: QC STAFF

NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	

01/23/02 FRI 09:34 FAX 518 485 1130
01/22/02 01:31 EST Galson Laboratories via FAX

NYS DOL-PESH

Page 5 of 13 #10120 007

**Galson
Laboratories**

6601 Kireville Rd. E. Syracuse, NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000Date Sampled : 15-JAN-02
Date Received : 16-JAN-02
Date Analyzed : 21-JAN-02Account No. : 10597
Login No. : L78088**Iron**

<u>Sample ID</u>	<u>Lab ID</u>	<u>Total ug</u>
1-15-02-7	L78088-16	75.1
1-15-02-12	L78088-17	182
1-15-02-14	L78088-18	116
1-15-02-17	L78088-19	31.6
1-15-02-19	L78088-20	995
1-15-02-22	L78088-21	112
1-15-02-25	L78088-22	90.9
1-15-02-27	L78088-23	49.8
1-15-02-30	L78088-24	104
1-15-02-33	L78088-25	16.6
1-15-02-35	L78088-26	352
1-15-02-36	L78088-27	239

Level of quantitation: 7.5 ug

Analytical Method : modified NIOSH 7300; ICP

OSHA PEL (TWA) : NA

Collection Media : Wipe

Submitted by: LK

Approved by : AMW

Date : 22-JAN-02

QC by: QC STAFF

NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	

01/23/02 FRI 09:34 FAX 518 485 1150 NYSDOL-PESH

Page 6 of 12 008

**Galson
Laboratories**

6607 Kirkville Rd. E. Syracuse, NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000Date Sampled : 15-JAN-02
Date Received : 16-JAN-02
Date Analyzed : 18-JAN-02Account No. : 10597
Login No. : L78088**Mercury**

<u>Sample ID</u>	<u>Lab ID</u>	<u>Total ug</u>
1-15-02-10	L78088-28	<0.04
1-15-02-15	L78088-29	<0.04
1-15-02-23	L78088-30	<0.04
1-15-02-28	L78088-31	<0.04
1-15-02-31	L78088-32	0.370

Level of quantitation: 0.04 ug
Analytical Method : NIOSH 6009
OSHA PEL (TWA) : NA
Collection Media : WipeSubmitted by: AP
Approved by : AMW
Date : 22-JAN-02
QC by: QC STAFF
NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	

**Galson
Laboratories**

6601 Kirkville Rd. E. Syracuse, NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DCL Albany
Site : 999999000Date Sampled : 15-JAN-02
Date Received : 16-JAN-02
Date Analyzed : 21-JAN-02Account No.: 10597
Login No. : L78088**Magnesium**

<u>Sample ID</u>	<u>Lab ID</u>	<u>Total ug</u>
1-15-02-7	L78088-16	130
1-15-02-12	L78088-17	151
1-15-02-14	L78088-18	123
1-15-02-17	L78088-19	20.2
1-15-02-19	L78088-20	415
1-15-02-22	L78088-21	65.0
1-15-02-25	L78088-22	38.2
1-15-02-27	L78088-23	29.3
1-15-02-30	L78088-24	48.8
1-15-02-33	L78088-25	21.2
1-15-02-35	L78088-26	76.6
1-15-02-36	L78088-27	172

Level of quantitation: 3 ug

Analytical Method : modified NIOSH 7300; ICP

OSHA PEL (TWA) : NA

Collection Media : Wipe

Submitted by: LK

Approved by : AMW

Date : 22-JAN-02

QC by: QC STAFF

NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	

01/25/02 FRI 09:35 FAX 518 485 1150
 01/22/02 01:51 EST Galson Laboratories via VSI FAX

NYS DOL-PESH

Page 8 of 13 #18120
 21010

Galson Laboratories

3601 Kirkville Rd. E. Syracuse, NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
 Site : 999999000

Date Sampled : 15-JAN-02
 Date Received : 16-JAN-02
 Date Analyzed : 21-JAN-02

Account No. : 10597
 Login No. : L78088

Manganese

Sample ID	Lab ID	Total ug
1-15-02-7	L78088-16	1.71
1-15-02-12	L78088-17	3.19
1-15-02-14	L78088-18	3.50
1-15-02-17	L78088-19	0.540
1-15-02-19	L78088-20	14.6
1-15-02-22	L78088-21	1.62
1-15-02-25	L78088-22	1.26
1-15-02-27	L78088-23	0.713
1-15-02-30	L78088-24	1.50
1-15-02-33	L78088-25	0.321
1-15-02-35	L78088-26	2.73
1-15-02-36	L78088-27	6.21

Level of quantitation: 0.15 ug

Analytical Method : modified NIOSH 7300; ICP

OSHA PEL (TWA) : NA

Collection Media : Wipe

Submitted by: LK

Approved by : AMW

Date : 22-JAN-02

QC by: QC STAFF

NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	

01/25/02 FRI 09:35 FAX 518 485 1150 NYSDOL-PESH
 01/22/02 01:51 EST Galson Laboratories via VSI-FAX

Page 10 of 13 #18120 011

Galson Laboratories

6601 Kirkville Rd. E. Syracuse, NY 13067

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
 Site : 999999000

Date Sampled : 15-JAN-02
 Date Received : 16-JAN-02
 Date Analyzed : 21-JAN-02

Account No.: 10597
 Login No. : L78088

Nickel

<u>Sample ID</u>	<u>Lab ID</u>	<u>Total ug</u>
1-15-02-7	L78088-16	0.728
1-15-02-12	L78088-17	0.722
1-15-02-14	L78088-18	0.569
1-15-02-17	L78088-19	<0.30
1-15-02-19	L78088-20	4.14
1-15-02-22	L78088-21	0.643
1-15-02-25	L78088-22	1.09
1-15-02-27	L78088-23	<0.30
1-15-02-30	L78088-24	0.952
1-15-02-33	L78088-25	<0.30
1-15-02-35	L78088-26	0.523
1-15-02-36	L78088-27	2.27

Level of quantitation: 0.3 ug

Analytical Method : modified NIOSH 7200; ICP

OSHA PEL (TWA) : NA

Collection Media : Wipe

Submitted by: LK

Approved by : AMW

Date : 22-JAN-02

QC by: QC STAFF

NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	

01/25/02 FRI 09:35 FAX 518 485 1150
 01/22/02 01:51 EST Galson Laboratories via VSI-FAX

NYSDOL-PESH

Page 11 of 13 #18120

Galson Laboratories

6601 Kirkville Rd. E. Syracuse, NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
 Site : 999999000

Date Sampled : 15-JAN-02
 Date Received : 16-JAN-02
 Date Analyzed : 21-JAN-02

Account No. : 10597
 Login No. : L78088

Inorganic Lead

<u>Sample ID</u>	<u>Lab ID</u>	<u>Total ug</u>
1-15-02-7	L78088-16	1.97
1-15-02-12	L78088-17	3.63
1-15-02-14	L78088-18	2.99
1-15-02-17	L78088-19	1.25
1-15-02-19	L78088-20	27.5
1-15-02-22	L78088-21	2.62
1-15-02-25	L78088-22	2.62
1-15-02-27	L78088-23	1.32
1-15-02-30	L78088-24	9.81
1-15-02-33	L78088-25	0.656
1-15-02-35	L78088-26	16.2
1-15-02-36	L78088-27	61.0

Level of quantitation: 0.38 ug

Analytical Method : modified NIOSH 7300; ICP

OSHA PEL (TWA) : NA

Collection Media : Wipe

Submitted by: LK

Approved by : AMW

Date : 22-JAN-02

QC by: QC STAFF

NYS DOH # : 11626

< -Less Than	mg -Milligrams	m3 -Cubic Meters	kg -Kilograms
> -Greater Than	ug -Micrograms	l -Liters	NS -Not Specified
NA -Not Applicable	ND -Not Detected	ppm -Parts per Million	

Galson Laboratories

6601 Kirkville Rd. E. Syracuse, NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
 Site : 999999000

Date Sampled : 15-JAN-02
 Date Received : 16-JAN-02
 Date Analyzed : 21-JAN-02

Account No. : 10597
 Login No. : L78088

Zinc

Sample ID	Lab ID	Total ug
1-15-02-7	L78088-16	11.4
1-15-02-12	L78088-17	18.0
1-15-02-14	L78088-18	25.8
1-15-02-17	L78088-19	7.37
1-15-02-19	L78088-20	108
1-15-02-22	L78088-21	13.8
1-15-02-25	L78088-22	19.4
1-15-02-27	L78088-23	9.30
1-15-02-30	L78088-24	24.9
1-15-02-33	L78088-25	2.56
1-15-02-35	L78088-26	19.6
1-15-02-36	L78088-27	34.0

Level of quantitation: 1.5 ug
 Analytical Method : modified NIOSH 7300; ICP
 OSHA PEL (TWA) : NA
 Collection Media : Wipe
 Submitted by: LK
 Approved by : AMW
 Date : 22-JAN-02
 QC by: QC STAFF
 NYS DOH # : 11626

< -Less Than mg -Milligrams m3 -Cubic Meters kg -Kilograms
 > -Greater Than ug -Micrograms l -Liters NS -Not Specified
 NA -Not Applicable ND -Not Detected ppm -Parts per Million

**Galson
Laboratories**

6601 Kirkville Rd. E. Syracuse, NY 13057

LABORATORY ANALYSIS REPORT

Client : NYS DOL Albany
Site : 999999000Date Sampled : 15-JAN-02
Date Received : 16-JAN-02
Date Analyzed : 17-JAN-02Account No. : 10597
Login No. : 178088**Bulk Asbestos (Wipe)**

Sample ID	Lab ID	Color	%Asb.	Type 1	%Asb.	Type 2	%Asb.	Type 3	* / Type Other Fibers
1-15-02-6	1	NA	ND	NA	ND	NA	ND	NA	40 CE; FG
1-15-02-9	2	NA	ND	NA	ND	NA	ND	NA	50 CE; FG
1-15-02-11	3	NA	ND	NA	ND	NA	ND	NA	40 CE; FG
1-15-02-13	4	NA	ND	NA	ND	NA	ND	NA	30 CE; FG
1-15-02-16	5	NA	ND	NA	ND	NA	ND	NA	25 CE; FG
1-15-02-18	6	NA	ND	NA	ND	NA	ND	NA	30 CE; FG
1-15-02-20	7	NA	ND	NA	ND	NA	ND	NA	10 CE; FG
1-15-02-21	8	NA	ND	NA	ND	NA	ND	NA	30 CE; FG
1-15-02-24	9	NA	ND	NA	ND	NA	ND	NA	80 CE; FG
1-15-02-26	10	NA	ND	NA	ND	NA	ND	NA	45 CE; FG
1-15-02-29	11	NA	ND	NA	ND	NA	ND	NA	20 CE; FG
1-15-02-32	12	NA	ND	NA	ND	NA	ND	NA	40 CE; FG
1-15-02-34	13	NA	ND	NA	ND	NA	ND	NA	25 CE; SY
1-15-02-37	14	NA	ND	NA	ND	NA	ND	NA	45 CE; FG; SY
1-15-02-38	15	NA	ND	NA	ND	NA	ND	NA	45 CE; FG; SY

COMMENTS: Wipe samples.

Field sampling was not performed by GALSON Laboratories.

Results are based on the sampling data provided by the client.

This report should not be reproduced except in full without the written approval of Galson Laboratories.

Analytical Method : Polarized light microscopy/
dispersion staining.
EPA 40 CFR Ch. 1 (7-1-87 Ed.)
Part 763, Subpart F, App. A.Submitted by : MS/PW
Approved by : MS
Date : 18-JAN-02 QC by:
NYS DOH # : 11626TR- Trace (< 1%)
CE- Cellulose
FG- Fibrous Glass
SY- SyntheticAC- Actinolite
AM- Amosite
AN- Anthophyllite
CH- ChrysotileCR- Crocidolite
TM- TremoliteNA- Not Applicable
NS- Not Specified
ND- Not Detected
> - Greater than

Results relate only to items analyzed, and may not be used to claim product endorsement by NVLAP or any US government agency. Laboratory accredited under NYS ELAP (#11626) and NVLAP (#101375-0). Measurement uncertainty records based on interlab analysis are on file, and are available upon request.